

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AvA—Avonburg silt loam, 0 to 2 percent slopes					
Avonburg	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AvB2—Avonburg silt loam, 2 to 4 percent slopes, eroded					
Avonburg	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BaA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BeD3—Beasley-Rock outcrop complex, 12 to 25 percent slopes, severely eroded					
Beasley, severely eroded	80	Very limited		Very limited	
		Slope	1.00	Rock outcrop	1.00
		Rock outcrop	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rock outcrop	20	Not rated		Not rated	
BmC—Bloomfield loamy fine sand, 4 to 12 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.79	Unstable excavation walls	0.79
		Sand content	0.56	Sand content	0.56
		Slope	0.39		
BnC2—Bonnell silt loam, 6 to 12 percent slopes, eroded					
Bonnell	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BnC3—Bonnell silt loam, 6 to 12 percent slopes, severely eroded					
Bonnell, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BnD2—Bonnell silt loam, 12 to 18 percent slopes, eroded					
Bonnell	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BnD3—Bonnell silt loam, 12 to 18 percent slopes, severely eroded					
Bonnell, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BnE—Bonnell silt loam, 18 to 45 percent slopes					
Bonnell	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BpE5—Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied					
Bonnell, very severely eroded	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, very severely eroded	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CaF—Caneyville-Rock outcrop complex, 25 to 60 percent slopes					
Caneyville	80	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
Rock outcrop	20	Not rated		Not rated	

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CcC2—Carmel silt loam, 6 to 12 percent slopes, eroded					
Carmel	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.05
		Dusty	0.05	Slope	0.04
CdC3—Carmel silty clay loam, 6 to 12 percent slopes, severely eroded					
Carmel, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.06
		Dusty	0.06	Slope	0.04
CnB2—Cincinnati silt loam, 2 to 6 percent slopes, eroded					
Cincinnati	100	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CnC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CnC3—Cincinnati silt loam, 6 to 12 percent slopes, severely eroded					
Cincinnati, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Co--Cobbsfork silt loam					
Cobbsfork	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CrB2--Crider variant silt loam, 2 to 6 percent slopes, eroded					
Crider variant, karst	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Da--Dearborn silt loam, frequently flooded					
Dearborn	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Large stones	0.89	Large stones	0.89
		Seepage	0.52	Seepage	0.52
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Db--Dearborn channery silt loam, frequently flooded					
Dearborn	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Large stones	0.99	Large stones	0.99
		Seepage	0.52	Seepage	0.52
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DeB2--Deputy silt loam, 2 to 6 percent slopes, eroded					
Deputy	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DeC2—Deputy silt loam, 6 to 12 percent slopes, eroded					
Deputy	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DeC3—Deputy silt loam, 6 to 12 percent slopes, severely eroded					
Deputy, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DfA—Dubois silt loam, 0 to 2 percent slopes					
Dubois	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Du—Dumps					
Dumps	100	Not rated		Not rated	
EeD2—Eden silty clay loam, 12 to 25 percent slopes, eroded					
Eden	82	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Too stony	0.59	Too stony	0.59
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Large stones	0.49	Large stones	0.49

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Eff—Eden flaggy silty clay, 25 to 50 percent slopes					
Eden	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Too stony	1.00	Too stony	1.00
		Large stones	0.90	Large stones	0.90
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.05	Dusty	0.05
EgG—Eden-Caneyville complex, 25 to 60 percent slopes					
Eden	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Too stony	1.00	Too stony	1.00
		Large stones	0.90	Large stones	0.90
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.05	Dusty	0.05
Caneyville	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.05	Dusty	0.05
EkA—Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded					
Elkinsville	97	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EkB—Elkinsville silt loam, 2 to 8 percent slopes, rarely flooded					
Elkinsville	97	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GrC2—Grayford silt loam, 6 to 12 percent slopes, eroded					
Grayford	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GrC3—Grayford silt loam, 6 to 12 percent slopes, severely eroded					
Grayford, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GrD2—Grayford silt loam, 12 to 18 percent slopes, eroded					
Grayford	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GrD3—Grayford silt loam, 12 to 18 percent slopes, severely eroded					
Grayford, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HcD2—Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded					
Haggatt	51	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.06	Dusty	0.06
Caneyville	31	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.06	Dusty	0.06
HdB2—Haubstadt silt loam, 2 to 6 percent slopes, eroded					
Haubstadt	84	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeC2—Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded					
Haubstadt	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Shircliff	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.96	Slope	0.37
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HeC3—Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded					
Haubstadt, severely eroded	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Shircliff, severely eroded	23	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.96	Slope	0.37
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Hg—Haymond silt loam, occasionally flooded					
Haymond	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkC2—Hickory silt loam, 6 to 12 percent slopes, eroded					
Hickory	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkC3—Hickory silt loam, 6 to 12 percent slopes, severely eroded					
Hickory, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkD2—Hickory silt loam, 12 to 18 percent slopes, eroded					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HkD3—Hickory silt loam, 12 to 18 percent slopes, severely eroded					
Hickory, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkE—Hickory silt loam, 18 to 45 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ho—Holton loam, occasionally flooded					
Holton	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.09	Seepage	0.09
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hu—Huntington silt loam, occasionally flooded					
Huntington	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JnB2—Jennings silt loam, 2 to 6 percent slopes, eroded					
Jennings	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
JnC2—Jennings silt loam, 6 to 12 percent slopes, eroded					
Jennings	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JnC3—Jennings silt loam, 6 to 12 percent slopes, severely eroded					
Jennings, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MaB2—Markland silt loam, 1 to 6 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MaC2—Markland silt loam, 8 to 15 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.96	Slope	0.37
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MdB2—Medora silt loam, 2 to 6 percent slopes, eroded					
Medora	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NeB2—Negley silt loam, 2 to 6 percent slopes, eroded					
Negley	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NeC2—Negley silt loam, 6 to 12 percent slopes, eroded					
Negley	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NgD3—Negley clay loam, 12 to 22 percent slopes, severely eroded					
Negley, severely eroded	80	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NnB2—Nicholson silt loam, 2 to 6 percent slopes, eroded					
Nicholson, eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage, porous bedrock	0.50	Seepage, porous bedrock	0.50
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OdA—Oldenburg loam, occasionally flooded					
Oldenburg	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.09	Seepage	0.09
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PeE—Pate silty clay loam, 18 to 35 percent slopes					
Pate	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
		Dusty	0.05	Dusty	0.05
PkA—Pekin silt loam, 0 to 2 percent slopes					
Pekin	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PkB—Pekin silt loam, 1 to 4 percent slopes, rarely flooded					
Pekin	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PoA—Peoga silt loam					
Peoga	83	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pu—Pits, quarry					
Pits, quarries	100	Not rated		Not rated	
Ra—Rahm silty clay loam, occasionally flooded					
Rahm	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RoA—Rossmoyne silt loam, 0 to 2 percent slopes					
Rossmoyne	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RoB2—Rossmoyne silt loam, 2 to 6 percent slopes, eroded					
Rossmoyne	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RyA—Ryker silt loam, 0 to 2 percent slopes					
Ryker	95	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RyB2—Ryker silt loam, 2 to 6 percent slopes, eroded					
Ryker	92	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RyC2—Ryker silt loam, 6 to 12 percent slopes, eroded					
Ryker	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RyC3—Ryker silt loam, 6 to 12 percent slopes, severely eroded					
Ryker, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ScA—Scottsburg silt loam, 0 to 2 percent slopes					
Scottsburg	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScB2—Scottsburg silt loam, 2 to 4 percent slopes, eroded					
Scottsburg	96	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SwB2—Switzerland silt loam, 2 to 6 percent slopes, eroded					
Switzerland	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
		Dusty	0.05	Dusty	0.05
SxC2—Switzerland-Carmel silt loams, 2 to 12 percent slopes, eroded					
Switzerland	55	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
		Dusty	0.05	Dusty	0.05
Carmel	45	Somewhat limited		Somewhat limited	
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.05
		Dusty	0.05	Slope	0.04
TrC2—Trappist silt loam, 6 to 12 percent slopes, eroded					
Trappist	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TrD2—Trappist silt loam, 12 to 18 percent slopes, eroded					
Trappist	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TtC3—Trappist silty clay loam, 6 to 12 percent slopes, severely eroded					
Trappist, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TtD3—Trappist silty clay loam, 12 to 25 percent slopes, severely eroded					
Trappist, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ud—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
Wa—Wakeland silt loam, occasionally flooded					
Wakeland	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WgB2—Weisburg silt loam, 2 to 6 percent slopes, eroded					
Weisburg	100	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WgC2—Weisburg silt loam, 6 to 12 percent slopes, eroded					
Weisburg	100	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WmA—Whitcomb silt loam, 0 to 2 percent slopes					
Whitcomb	87	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wr—Wilbur silt loam, occasionally flooded					
Wilbur	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wt—Wirt silt loam, occasionally flooded					
Wirt	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Jefferson County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wz--Wirt silt loam, frequently flooded					
Wirt	88	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

### Data Source Information

Soil Survey Area: Jefferson County, Indiana  
 Survey Area Data: Version 16, Sep 9, 2014