

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
		Cobbsfork	10	150	46	60	5.0	10.0
		Nabb	5	130	46	59	4.3	8.6
AvB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
		Cobbsfork	10	135	40	54	4.5	9.0
		Nabb	10	115	40	52	3.8	7.6
		Wakeland	5	135	40	19	4.5	9.0
BaA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	135	46	61	4.5	9.0
		Peoga	10	135	40	54	4.5	9.0
		Pekin	5	115	40	52	3.8	7.6
		Bartle, rarely flooded	2	120	40	54	4.0	8.0
BeD3	Beasley-Rock outcrop complex, 12 to 25 percent slopes, severely eroded	Beasley, severely eroded	80	0	0	0	0.0	0.0
		Rock outcrop	20	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BmC	Bloomfield loamy fine sand, 4 to 12 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BnC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	Bonnell	100	110	39	44	3.6	7.2
BnC3	Bonnell silt loam, 6 to 12 percent slopes, severely eroded	Bonnell, severely eroded	100	100	35	40	3.3	6.6
BnD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	Bonnell	100	95	33	38	3.1	6.2
BnD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	Bonnell, severely eroded	100	85	30	34	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BnE	Bonnell silt loam, 18 to 45 percent slopes	Bonnell	100	---	---	---	0.0	0.0
BpE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell, very severely eroded	45	0	0	0	0.0	0.0
		Hickory, very severely eroded	30	0	0	0	0.0	0.0
		Bonnell, severely eroded	8	---	---	---	2.1	4.2
		Hickory	6	---	---	---	3.1	6.2
		Cincinnati	5	100	35	45	3.3	6.6
		Blocher	4	120	42	48	4.0	8.0
		Trappist	2	95	33	38	3.1	6.2
CaF	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	80	0	0	0	0.0	0.0
		Rock outcrop	20	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CcC2	Carmel silt loam, 6 to 12 percent slopes, eroded	Carmel	100	90	32	41	3.0	6.0
CdC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	Carmel, severely eroded	100	85	30	38	2.8	5.6
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
		Nabb, eroded	10	115	40	52	3.8	7.6
		Blocher, eroded	5	135	47	54	4.5	9.0
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
		Blocher, eroded	5	125	44	50	4.1	8.2
		Bonnell, eroded	5	115	40	46	3.8	7.6
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
		Bonnell, severely eroded	8	85	30	34	2.8	5.6
		Hickory, eroded	2	115	40	46	3.8	7.6
Co	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
		Cobbsfork, undrained	10	0	0	0	0.0	0.0
		Avonburg	5	145	49	65	4.8	9.6
CrB2	Crider variant silt loam, 2 to 6 percent slopes, eroded	Crider variant, karst	100	135	47	54	4.5	9.0
Da	Dearborn silt loam, frequently flooded	Dearborn	100	120	42	17	4.0	8.0
Db	Dearborn channery silt loam, frequently flooded	Dearborn	100	115	40	16	3.8	7.6
DeB2	Deputy silt loam, 2 to 6 percent slopes, eroded	Deputy	100	135	47	54	4.5	9.0
DeC2	Deputy silt loam, 6 to 12 percent slopes, eroded	Deputy	100	120	42	48	4.0	8.0
DeC3	Deputy silt loam, 6 to 12 percent slopes, severely eroded	Deputy, severely eroded	100	115	40	46	3.8	7.6
DfA	Dubois silt loam, 0 to 2 percent slopes	Dubois	85	135	46	61	4.5	9.0
		Peoga	10	135	40	54	4.5	9.0
		Haubstadt	5	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Du	Dumps	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EeD2	Eden silty clay loam, 12 to 25 percent slopes, eroded	Eden	82	45	16	20	1.5	3.0
		Carmel, eroded	10	70	25	28	2.3	4.6
		Woolper	5	115	40	46	3.8	7.6
		Switzerland	3	125	44	50	4.1	8.2
EfF	Eden flaggy silty clay, 25 to 50 percent slopes	Eden	85	---	---	---	0.0	0.0
		Carmel	5	---	---	---	2.3	4.6
		Pate	5	---	---	---	0.0	0.0
		Switzerland	5	105	37	42	3.5	7.0
EgG	Eden-Caneyville complex, 25 to 60 percent slopes	Eden	75	---	---	---	0.0	0.0
		Caneyville	25	---	---	---	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	Elkinsville, rarely flooded	90	150	53	60	5.0	10.0
		Bartle, rarely flooded	5	135	46	61	4.5	9.0
		Pekin, rarely flooded	5	130	46	59	4.3	8.6
EkB	Elkinsville silt loam, 2 to 8 percent slopes, rarely flooded	Elkinsville	97	150	53	60	5.0	10.0
		Huntington	3	135	47	19	4.5	9.0
GrC2	Grayford silt loam, 6 to 12 percent slopes, eroded	Grayford	100	115	40	46	3.8	7.6
GrC3	Grayford silt loam, 6 to 12 percent slopes, severely eroded	Grayford, severely eroded	100	110	39	44	3.6	7.2

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	100	100	35	40	3.3	6.6
GrD3	Grayford silt loam, 12 to 18 percent slopes, severely eroded	Grayford, severely eroded	100	95	33	38	3.1	6.2
HcD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Haggatt	51	75	26	34	2.5	5.0
		Caneyville	31	---	---	---	1.3	2.6
		Crider	5	135	47	54	4.5	9.0
		Haggatt, severely eroded	5	65	23	29	2.1	4.2
		Caneyville	3	---	---	---	1.0	2.0
		Rock outcrop	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Grayford	2	100	35	40	3.3	6.6
HdB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
		Dubois, eroded	10	120	40	54	4.0	8.0
		Wakeland, occasional, very brief, drained	4	145	44	20	4.8	9.6
		Haubstadt, eroded	2	105	37	47	3.5	7.0
HeC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	Haubstadt	55	120	42	54	4.0	8.0
		Shircliff	23	105	37	42	3.5	7.0
		Haubstadt	10	95	33	43	3.1	6.2
		Shircliff	5	85	30	38	2.8	5.6
		Markland	4	80	28	32	2.6	5.2
		Wakeland	3	135	40	19	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	Haubstadt, severely eroded	55	115	40	52	3.8	7.6
		Shircliff, severely eroded	23	95	33	43	3.1	6.2
		Haubstadt	10	100	35	45	3.3	6.6
		Shircliff	5	95	33	38	3.1	6.2
		Markland	4	80	28	32	2.6	5.2
		Wakeland	3	135	40	19	4.5	9.0
Hg	Haymond silt loam, occasionally flooded	Haymond	82	135	47	19	4.5	9.0
		Wirt	10	110	39	15	3.6	7.2
		Wilbur	5	130	46	18	4.3	8.6
		Haymond	3	120	42	17	4.0	8.0
HkC2	Hickory silt loam, 6 to 12 percent slopes, eroded	Hickory	100	125	44	50	4.1	8.2
HkC3	Hickory silt loam, 6 to 12 percent slopes, severely eroded	Hickory, severely eroded	100	125	44	50	4.1	8.2
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Hickory	100	110	39	44	3.6	7.2
HkD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	Hickory, severely eroded	100	105	37	42	3.5	7.0
HkE	Hickory silt loam, 18 to 45 percent slopes	Hickory	100	---	---	---	0.0	0.0
Ho	Holton loam, occasionally flooded	Holton	97	130	39	18	4.3	8.6
		Birds, undrained	3	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hu	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded	Huntington, occasionally flooded	85	135	47	19	4.5	9.0
		Nolin, occasionally flooded	7	125	44	18	4.1	8.2
		Lindside, occasionally flooded	5	125	44	18	4.1	8.2
		Huntington, frequently flooded	2	115	40	0	0.0	0.0
		Newark, occasionally flooded	1	135	44	19	4.5	9.0
JnB2	Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	100	120	42	54	4.0	8.0
JnC2	Jennings silt loam, 6 to 12 percent slopes, eroded	Jennings	100	110	39	50	3.6	7.2
JnC3	Jennings silt loam, 6 to 12 percent slopes, severely eroded	Jennings, severely eroded	100	105	37	47	3.5	7.0
MaB2	Markland silt loam, 1 to 6 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MaC2	Markland silt loam, 8 to 15 percent slopes, eroded	Markland	100	110	39	44	3.6	7.2
MdB2	Medora silt loam, 2 to 6 percent slopes, eroded	Medora	88	125	44	56	4.1	8.2
		Parke	10	130	46	52	4.3	8.6
		Medora	2	100	35	45	3.3	6.6
NeB2	Negley silt loam, 2 to 6 percent slopes, eroded	Negley	100	135	47	54	4.5	9.0
NeC2	Negley silt loam, 6 to 12 percent slopes, eroded	Negley	100	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
NgD3	Negley clay loam, 12 to 22 percent slopes, severely eroded	Negley, severely eroded	80	105	37	42	3.5	7.0
		Negley, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
NnB2	Nicholson silt loam, 2 to 6 percent slopes, eroded	Nicholson, eroded	90	135	47	61	4.5	9.0
		Lawrence, eroded	5	140	47	63	4.6	9.2
		Lowell, eroded	5	105	37	42	3.5	7.0
OdA	Oldenburg loam, occasionally flooded	Oldenburg	85	125	44	18	4.1	8.2
		Holton	10	120	35	17	4.0	8.0
		Oldenburg	5	110	39	15	3.6	7.2
PeE	Pate silty clay loam, 18 to 35 percent slopes	Pate	100	---	---	---	0.0	0.0
PkA	Pekin silt loam, 0 to 2 percent slopes	Pekin	90	130	46	59	4.3	8.6
		Bartle	10	135	46	61	4.5	9.0
PkB	Pekin silt loam, 1 to 4 percent slopes, rarely flooded	Pekin	97	135	47	61	4.5	9.0
PoA	Peoga silt loam	Peoga	83	150	46	60	5.0	10.0
		Peoga, undrained	10	0	0	0	0.0	0.0
		Dubois	5	120	40	54	4.0	8.0
		Bartle	2	120	40	54	4.0	8.0
Pu	Pits, quarry	Pits, quarries	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Rahm silty clay loam, occasionally flooded	Rahm	97	135	44	19	4.5	9.0
		Petrolia	3	145	40	20	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
		Cincinnati, eroded	10	115	40	52	3.8	7.6
		Avonburg	8	130	44	59	4.3	8.6
		Wakeland	4	145	44	20	4.8	9.6
RyA	Ryker silt loam, 0 to 2 percent slopes	Ryker	95	150	53	60	5.0	10.0
		Cincinnati	5	135	47	54	4.5	9.0
RyB2	Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	92	145	51	58	4.8	9.6
		Cincinnati	5	130	46	59	4.3	8.6
		Ryker	3	135	47	54	4.5	9.0
RyC2	Ryker silt loam, 6 to 12 percent slopes, eroded	Ryker	100	135	47	54	4.5	9.0
RyC3	Ryker silt loam, 6 to 12 percent slopes, severely eroded	Ryker, severely eroded	100	130	46	52	4.3	8.6
ScA	Scottsburg silt loam, 0 to 2 percent slopes	Scottsburg	95	140	49	56	4.6	9.2
		Whitcomb	5	150	49	60	5.0	10.0
ScB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	96	135	47	54	4.5	9.0
		Deputy	2	120	42	48	4.0	8.0
		Trappist	2	105	37	42	3.5	7.0
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	Switzerland	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SxC2	Switzerland-Carmel silt loams, 2 to 12 percent slopes, eroded	Switzerland	55	135	47	54	4.5	9.0
		Carmel	45	90	32	41	3.0	6.0
TrC2	Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	100	75	26	30	2.5	5.0
TrD2	Trappist silt loam, 12 to 18 percent slopes, eroded	Trappist	100	60	21	24	2.0	4.0
TtC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist, severely eroded	100	65	23	26	2.1	4.2
TtD3	Trappist silty clay loam, 12 to 25 percent slopes, severely eroded	Trappist, severely eroded	100	50	18	20	1.7	3.4
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, occasionally flooded	Wakeland	82	145	44	20	4.8	9.6
		Birds	10	145	40	20	4.8	9.6
		Wilbur	5	130	46	18	4.3	8.6
		Wakeland	3	130	39	18	4.3	8.6
WgB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	Weisburg	100	125	44	56	4.1	8.2
WgC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	Weisburg	100	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WmA	Whitcomb silt loam, 0 to 2 percent slopes	Whitcomb	87	150	49	60	5.0	10.0
		Scottsburg	10	135	47	54	4.5	9.0
		Very deep, poorly drained, silty soil	3	135	40	54	4.5	9.0
Wr	Wilbur silt loam, occasionally flooded	Wilbur	83	140	49	20	4.6	9.2
		Wakeland	10	135	40	19	4.5	9.0
		Wilbur	5	125	44	18	4.1	8.2
		Haymond	2	125	44	18	4.1	8.2
Wt	Wirt silt loam, occasionally flooded	Wirt	94	120	42	17	4.0	8.0
		Holton	6	130	39	18	4.3	8.6
Wz	Wirt silt loam, frequently flooded	Wirt	88	105	37	0	0.0	0.0
		Haymond	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated