

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AvB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	140	47	63	4.6	9.2
BaA	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
BeD3	Beasley-Rock outcrop complex, 12 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
BmC	Bloomfield loamy fine sand, 4 to 12 percent slopes	95	33	38	3.1	6.2
BnC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BnC3	Bonnell silt loam, 6 to 12 percent slopes, severely eroded	100	35	40	3.3	6.6
BnD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	95	33	38	3.1	6.2
BnD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	85	30	34	2.8	5.6
BnE	Bonnell silt loam, 18 to 45 percent slopes	0	0	0	0.0	0.0
BpE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	0	0	0	0.0	0.0
CaF	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
CcC2	Carmel silt loam, 6 to 12 percent slopes, eroded	90	32	41	3.0	6.0
CdC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	85	30	38	2.8	5.6
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
Co	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
CrB2	Crider variant silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
Da	Dearborn silt loam, frequently flooded	120	42	17	0.0	0.0
Db	Dearborn channery silt loam, frequently flooded	115	40	16	0.0	0.0
DeB2	Deputy silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
DeC2	Deputy silt loam, 6 to 12 percent slopes, eroded	120	42	48	4.0	8.0
DeC3	Deputy silt loam, 6 to 12 percent slopes, severely eroded	115	40	46	3.8	7.6
DfA	Dubois silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
Du	Dumps	0	0	0	0.0	0.0
EeD2	Eden silty clay loam, 12 to 25 percent slopes, eroded	45	16	20	1.5	3.0
EfF	Eden flaggy silty clay, 25 to 50 percent slopes	0	0	0	0.0	0.0
EgG	Eden-Caneyville complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	148	52	61	5.0	10.0
EkB	Elkinsville silt loam, 2 to 8 percent slopes, rarely flooded	150	53	60	5.0	10.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

GrC2	Grayford silt loam, 6 to 12 percent slopes, eroded	115	40	46	3.8	7.6
GrC3	Grayford silt loam, 6 to 12 percent slopes, severely eroded	110	39	44	3.6	7.2
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	100	35	40	3.3	6.6
GrD3	Grayford silt loam, 12 to 18 percent slopes, severely eroded	95	33	38	3.1	6.2
HcD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	47	16	29	2.2	4.3
HdB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	115	40	52	3.8	7.6
HeC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	116	40	52	3.9	7.9
HeC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	109	38	51	3.7	7.5
Hg	Haymond silt loam, occasionally flooded	135	47	19	0.0	0.0
HkC2	Hickory silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
HkC3	Hickory silt loam, 6 to 12 percent slopes, severely eroded	125	44	50	4.1	8.2
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
HkD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
HkE	Hickory silt loam, 18 to 45 percent slopes	0	0	0	0.0	0.0
Ho	Holton loam, occasionally flooded	130	39	18	0.0	0.0
Hu	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded	133	47	19	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

JnB2	Jennings silt loam, 2 to 6 percent slopes, eroded	120	42	54	4.0	8.0
JnC2	Jennings silt loam, 6 to 12 percent slopes, eroded	110	39	50	3.6	7.2
JnC3	Jennings silt loam, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
MaB2	Markland silt loam, 1 to 6 percent slopes, eroded	120	42	48	4.0	8.0
MaC2	Markland silt loam, 8 to 15 percent slopes, eroded	110	39	44	3.6	7.2
MdB2	Medora silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
NeB2	Negley silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
NeC2	Negley silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
NgD3	Negley clay loam, 12 to 22 percent slopes, severely eroded	105	37	42	3.5	7.0
NnB2	Nicholson silt loam, 2 to 6 percent slopes, eroded	135	47	61	4.5	9.0
OdA	Oldenburg loam, occasionally flooded	125	44	18	0.0	0.0
PeE	Pate silty clay loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
PkA	Pekin silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
PkB	Pekin silt loam, 1 to 4 percent slopes, rarely flooded	135	47	61	4.5	9.0
PoA	Peoga silt loam	150	46	60	5.0	10.0
Pu	Pits, quarry	0	0	0	0.0	0.0
Ra	Rahm silty clay loam, occasionally flooded	135	44	19	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

RoA	Rossmoyne silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
RyA	Ryker silt loam, 0 to 2 percent slopes	150	53	60	5.0	10.0
RyB2	Ryker silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
RyC2	Ryker silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
RyC3	Ryker silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
ScA	Scottsburg silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
ScB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	135	47	54	4.5	9.0
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
SxC2	Switzerland-Carmel silt loams, 2 to 12 percent slopes, eroded	135	47	54	4.5	9.0
TrC2	Trappist silt loam, 6 to 12 percent slopes, eroded	75	26	30	2.5	5.0
TrD2	Trappist silt loam, 12 to 18 percent slopes, eroded	60	21	24	2.0	4.0
TtC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	65	23	26	2.1	4.2
TtD3	Trappist silty clay loam, 12 to 25 percent slopes, severely eroded	50	18	20	1.7	3.4
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, occasionally flooded	145	44	20	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Jefferson County, Indiana

WgB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
WgC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
WmA	Whitcomb silt loam, 0 to 2 percent slopes	150	49	60	5.0	10.0
Wr	Wilbur silt loam, occasionally flooded	140	49	20	0.0	0.0
Wt	Wirt silt loam, occasionally flooded	120	42	17	0.0	0.0
Wz	Wirt silt loam, frequently flooded	105	37	0	0.0	0.0