

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BfbAH	Bellcreek silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bellcreek	80	125	33	0	0.0	0.0
Br	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
CmbAW	Cohoctah loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Cohoctah	90	155	44	22	5.1	10.2
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby, eroded	64	150	49	68	5.0	10.0
		Miami, eroded	33	140	49	63	4.6	9.2
CudA	Crosby silt loam, 0 to 2 percent slopes	Crosby	93	140	46	63	4.6	9.2
CulB	Crosby-Williamstown silt loams, 2 to 4 percent slopes	Crosby	65	140	46	63	4.6	9.2
		Williamstown	30	145	51	65	4.8	9.6
EcyAH	Eel loam, 0 to 2 percent slopes, frequently flooded, brief duration	Eel	90	120	42	0	0.0	0.0
EdeAW	Eel silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Eel	97	135	47	19	4.5	9.0
Ee	Eel silt loam	Eel	90	120	42	0	0.0	0.0
FdbA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	84	165	54	74	5.4	10.8
FdqB	Fincastle-Xenia silt loams, 2 to 4 percent slopes	Fincastle	50	165	54	74	5.4	10.8
		Xenia	40	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FexC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	75	85	30	43	2.8	5.6
FnA	Fincastle silt loam, 0 to 3 percent slopes	Fincastle	90	165	54	74	5.4	10.8
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
FxC2	Fox complex, 6 to 12 percent slopes, eroded	Fox	50	85	30	43	2.8	5.6
		Fox, severely eroded	45	80	28	40	2.6	5.2
GccAH	Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
GcpAW	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Genesee	95	135	47	19	4.5	9.0
Ge	Genesee loam	Genesee	100	120	42	0	0.0	0.0
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
GgfD2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	40	75	26	30	2.5	5.0
		Wrays	32	95	33	38	3.1	6.2
HctAW	Haymond-Wirt silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	45	135	47	19	4.5	9.0
		Wirt	35	120	42	17	4.0	8.0
HeF	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Hickory	100	110	39	44	3.6	7.2
HkF	Hickory silt loam, 18 to 40 percent slopes	Hickory	100	---	---	---	0.0	0.0
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	Martinsville	90	145	51	58	4.8	9.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
MnD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
MnE	Miami silt loam, 18 to 25 percent slopes	Miami	100	---	---	---	3.5	7.0
MtB3	Miami clay loam, 2 to 6 percent slopes, severely eroded	Miami, severely eroded	100	135	47	61	4.5	9.0
MtC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MtD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	100	110	39	50	3.6	7.2
MuA	Muren silt loam, 0 to 3 percent slopes	Muren	100	155	54	62	5.1	10.2
MxG	Muskingum silt loam, 25 to 50 percent slopes	Muskingum	100	---	---	---	0.0	0.0
NnA	Nineveh loam, 0 to 2 percent slopes	Nineveh	100	110	39	55	3.6	7.2
ObaA	Ockley loam, 0 to 2 percent slopes	Ockley	80	135	47	68	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	Ockley	100	130	46	65	4.3	8.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pa	Palms muck	Palms, undrained	100	0	0	0	0.0	0.0
PkB2	Parke silt loam, 2 to 6 percent slopes, eroded	Parke	100	145	51	58	4.8	9.6
PkC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	100	135	47	54	4.5	9.0
Pmg	Pits, gravel	Pits, gravel	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Re	Rensselaer silty clay loam	Rensselaer	100	175	51	70	5.8	11.6
RehA	Rensselaer-Treaty silt loams, 0 to 1 percent slopes	Rensselaer	60	175	51	70	5.8	11.6
		Treaty	40	185	54	74	6.1	12.2
Rs	Ross loam	Ross	100	135	47	0	0.0	0.0
Sh	Shoals silt loam	Shoals	90	130	42	0	0.0	0.0
SifG	Senachwine loam, 25 to 70 percent slopes	Senachwine	90	---	---	---	0.0	0.0
Sk	Sleeth loam	Sleeth	90	145	47	73	4.8	9.6
SldAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
SldAW	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Shoals	90	145	47	20	4.8	9.6
Sn	Sloan clay loam	Sloan	100	140	39	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SocAH	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Sloan	85	140	39	0	0.0	0.0
SulC2	Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded	Stonehead	55	130	46	52	4.3	8.6
		Wellrock	25	105	37	42	3.5	7.0
SuoAH	Stonelick fine sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stonelick	100	90	32	0	0.0	0.0
Uby	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WdC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston	100	125	44	50	4.1	8.2
Wd1C2	Wawaka loam, 6 to 12 percent slopes, eroded	Wawaka	82	130	46	52	4.3	8.6
WdrB2	Wawaka silt loam, 2 to 6 percent slopes, eroded	Wawaka	80	140	49	56	4.6	9.2
We	Westland clay loam	Westland	100	165	47	83	5.4	10.8
Wh	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
WsuA	Whitaker loam, 0 to 2 percent slopes	Whitaker	93	155	51	62	5.1	10.2
XfuB2	Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded	Miami	60	140	49	63	4.6	9.2
		Rainsville	30	140	49	63	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Johnson County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Xrbc2	Miami-Rainsville loams, 6 to 12 percent slopes, eroded	Miami	55	130	46	59	4.3	8.6
		Rainsville	40	140	49	63	4.6	9.2
XrkD2	Miami-Kendallville loams, 12 to 18 percent slopes, eroded	Miami	60	115	40	52	3.8	7.6
		Kendallville	40	125	44	50	4.1	8.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.