

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AdB	Ade loamy fine sand, 2 to 6 percent slopes	Ade	97	105	37	42	3.5	7.0
		Lyles	3	140	39	56	4.6	9.2
AlA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
		Iva	10	165	54	66	5.4	10.8
AlB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AlC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
		Hosmer, eroded	6	110	39	50	3.6	7.2
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
		Wakeland, frequently flooded	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	Alvin	97	115	40	46	3.8	7.6
		Lyles	3	140	39	56	4.6	9.2
AnC	Alvin fine sandy loam, 6 to 12 percent slopes	Alvin	97	105	37	42	3.5	7.0
		Lyles	3	140	39	56	4.6	9.2
AnD	Alvin fine sandy loam, 12 to 18 percent slopes	Alvin	97	90	32	36	3.0	6.0
		Lyles	3	140	39	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ar	Armiesburg silty clay loam, rarely flooded	Armiesburg	97	155	54	62	5.1	10.2
		Petrolia	3	130	35	0	0.0	0.0
Ay	Ayrshire fine sandy loam	Ayrshire	97	150	49	60	5.0	10.0
		Lyles	3	140	39	56	4.6	9.2
Bd	Birds silt loam, rarely flooded	Birds	100	155	44	62	5.1	10.2
BlB	Bloomfield loamy fine sand, 2 to 10 percent slopes	Bloomfield	97	95	33	38	3.1	6.2
		Lyles	3	140	39	56	4.6	9.2
BlD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	97	70	25	28	2.3	4.6
		Lyles	3	140	39	56	4.6	9.2
ChC	Chelsea loamy fine sand, 4 to 10 percent slopes	Chelsea	97	80	28	32	2.6	5.2
		Vincennes	3	155	44	62	5.1	10.2
ClF	Chetwynd loam, 25 to 50 percent slopes	Chetwynd	97	---	---	---	0.0	0.0
		Birds	3	145	40	58	4.8	9.6
CoA	Conotton sandy loam, 0 to 3 percent slopes	Conotton	100	115	40	46	3.8	7.6
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ed	Edwards variant muck, drained	Edwards variant, drained	100	135	33	54	4.5	9.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	97	150	53	60	5.0	10.0
		Vincennes	3	155	44	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ElA	Elston sandy loam, 0 to 3 percent slopes	Elston	97	120	42	48	4.0	8.0
		Selma	3	165	47	66	5.4	10.8
FaB	Fairpoint parachannery silt loam, 0 to 8 percent slopes	Fairpoint	100	140	49	63	4.6	9.2
FbG	Fairpoint very parachannery silt loam, 35 to 90 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
Ha	Haymond silt loam, frequently flooded	Haymond	94	120	42	0	0.0	0.0
		Haymond	3	95	33	0	0.0	0.0
		Petrolia	3	130	35	0	0.0	0.0
Hb	Haymond silt loam, rarely flooded	Haymond	97	145	51	58	4.8	9.6
		Petrolia	3	130	35	0	0.0	0.0
Hc	Haymond variant loamy sand, frequently flooded	Haymond variant	98	115	40	0	0.0	0.0
		Zipp	2	100	25	0	0.0	0.0
HeA	Henshaw silt loam, 0 to 2 percent slopes	Henshaw	97	155	51	62	5.1	10.2
		Patton	3	165	47	66	5.4	10.8
HkF	Hickory loam, 25 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	Hosmer	90	140	49	63	4.6	9.2
		Iva	10	170	56	68	5.6	11.2
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
		Alford, eroded	10	155	54	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
		Stoy, severely eroded	5	120	40	54	4.0	8.0
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	Hosmer, severely eroded	90	105	37	47	3.5	7.0
		Alford, severely eroded	5	125	44	50	4.1	8.2
		Zanesville, severely eroded	5	90	32	41	3.0	6.0
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
Kn	Kings silty clay	Kings	100	150	42	68	5.0	10.0
La	Landes loamy sand, rarely flooded	Landes	98	120	42	48	4.0	8.0
		Petrolia	2	130	35	0	0.0	0.0
Lo	Lomax loam, rarely flooded	Lomax	98	135	47	54	4.5	9.0
		Petrolia	2	130	35	0	0.0	0.0
Ly	Lyles fine sandy loam	Lyles	100	150	42	60	5.0	10.0
MbB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	98	120	42	48	4.0	8.0
		Zipp	2	130	35	59	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McA	McGary silt loam, 0 to 2 percent slopes	McGary	97	140	46	56	4.6	9.2
		Zipp	3	130	35	59	4.3	8.6
No	Nolin silty clay loam, rarely flooded	Nolin	98	145	51	58	4.8	9.6
		Petrolia	2	130	35	0	0.0	0.0
Pb	Patton silt loam	Patton	100	175	51	70	5.8	11.6
Pg	Peoga variant silt loam	Peoga variant	100	145	40	58	4.8	9.6
Po	Petrolia silty clay loam, frequently flooded	Petrolia	100	140	39	0	0.0	0.0
PsA	Proctor silt loam, 0 to 2 percent slopes	Proctor	94	160	56	64	5.3	10.6
		Peoga variant	3	140	39	56	4.6	9.2
		Vincennes	3	155	44	62	5.1	10.2
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	97	170	56	68	5.6	11.2
		Ragsdale	3	165	47	66	5.4	10.8
Sa	Selma loam	Selma	100	175	51	70	5.8	11.6
Sc	Selma clay loam	Selma	100	175	51	70	5.8	11.6
SdA	Stockland sandy loam, 0 to 2 percent slopes	Stockland	97	125	44	50	4.1	8.2
		Selma	3	165	47	66	5.4	10.8
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	Sylvan	100	155	54	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued
 Knox County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	Sylvan, severely eroded	100	140	49	56	4.6	9.2
SyD3	Sylvan silt loam, 12 to 18 percent slopes, severely eroded	Sylvan, severely eroded	100	125	44	50	4.1	8.2
SyF	Sylvan silt loam, 25 to 40 percent slopes	Sylvan	100	---	---	---	0.0	0.0
UdB	Udorthents, gently sloping	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Vn	Vincennes loam	Vincennes	100	160	46	64	5.3	10.6
Vo	Vincennes clay loam, gravelly substratum	Vincennes	100	165	47	66	5.4	10.8
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
		Birds, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wb	Wallkill silt loam, undrained	Wallkill, undrained	100	0	0	0	0.0	0.0
Wc	Wallkill silt loam, clayey substratum, drained	Wallkill, drained	100	165	47	66	5.4	10.8
Zp	Zipp silty clay, 0 to 2 percent slopes	Zipp	95	140	39	63	4.6	9.2
		McGary	5	140	46	56	4.6	9.2
Zt	Zipp silty clay, frequently flooded	Zipp	100	110	28	0	0.0	0.0