

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ad—Adrian muck					
Adrian, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
Am—Adrian muck, drained					
Adrian, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
BaA—Blount silt loam, 0 to 3 percent slopes					
Blount	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BoA—Boyer loamy sand, 0 to 2 percent slopes					
Boyer	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.19	Unstable excavation walls	0.19
BoB—Boyer loamy sand, 2 to 6 percent slopes					
Boyer	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.19	Unstable excavation walls	0.19
BoC—Boyer loamy sand, 6 to 12 percent slopes					
Boyer	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Unstable excavation walls	0.19
		Unstable excavation walls	0.19	Slope	0.04
BoD—Boyer loamy sand, 12 to 18 percent slopes					
Boyer	100	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Slope	1.00
		Unstable excavation walls	0.19	Unstable excavation walls	0.19
Bp—Brady sandy loam					
Brady	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BtA—Brems sand, 0 to 3 percent slopes					
Brems	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
BxA—Bronson sandy loam, 0 to 3 percent slopes					
Bronson	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
ChB—Chelsea fine sand, 1 to 6 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
ChC—Chelsea fine sand, 6 to 12 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04
CrA—Conover loam, 0 to 3 percent slopes					
Conover	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ed—Edwards muck					
Edwards, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gf—Gilford sandy loam					
Gilford	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
Gr—Granby loamy fine sand					
Granby	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
HaA—Haskins loam, 0 to 3 percent slopes					
Haskins	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HdA—Hillsdale sandy loam, 0 to 2 percent slopes					
Hillsdale	90	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HdB--Hillsdale sandy loam, 2 to 6 percent slopes					
Hillsdale	100	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
HdC--Hillsdale sandy loam, 6 to 12 percent slopes					
Hillsdale	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Seepage	0.22
		Seepage	0.22	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Ho--Homer sandy loam					
Homer	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ht--Houghton muck					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
Hw--Houghton muck, drained					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Hx--Houghton muck, ponded					
Houghton, undrained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
MbB--Martinsville sandy loam, 1 to 6 percent slopes					
Martinsville	90	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mc--Martisco muck					
Martisco, undrained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeB--Metea loamy sand, 2 to 6 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MeC--Metea loamy sand, 6 to 12 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MoB2--Morley loam, 2 to 6 percent slopes, eroded					
Morley, moderately eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MoC2—Morley loam, 6 to 14 percent slopes, eroded					
Morley, moderately eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NaA—Nappanee silt loam, 0 to 3 percent slopes					
Nappanee	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.04	Dusty	0.04
OsA—Oshtemo loamy sand, 0 to 2 percent slopes					
Oshtemo	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsB—Oshtemo loamy sand, 2 to 6 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsC—Oshtemo loamy sand, 6 to 12 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsD—Oshtemo loamy sand, 12 to 18 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Slope	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OsE—Oshtemo loamy sand, 18 to 25 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OuB—Oshtemo-Hillsdale-Chelsea complex, 3 to 6 percent slopes					
Oshtemo	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hillsdale	35	Somewhat limited		Somewhat limited	
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Chelsea	20	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
OuC—Oshtemo-Hillsdale-Chelsea complex, 6 to 12 percent slopes					
Oshtemo	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hillsdale	35	Somewhat limited		Somewhat limited	
		Slope	0.63	Seepage	0.22
		Seepage	0.22	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Chelsea	20	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pm--Palms muck, drained					
Palms, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrA--Parr loam, 0 to 2 percent slopes					
Parr	90	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pt--Pewamo silty clay loam					
Pewamo	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.07	Unstable excavation walls	0.07
		Dusty	0.04	Dusty	0.04
Pv--Pits, gravel					
Pits, gravel	100	Not rated		Not rated	
PxB--Plainfield sand, 2 to 6 percent slopes					
Plainfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
PxC--Plainfield sand, 6 to 12 percent slopes					
Plainfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PzA—Plainfield loamy sand, 0 to 2 percent slopes					
Plainfield	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
RaB—Rawson sandy loam, 2 to 6 percent slopes					
Rawson	90	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rb—Rensselaer loam					
Rensselaer	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Se—Sebewa loam, drained, 0 to 1 percent slopes					
Sebewa, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Too sandy	1.00	Too sandy	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
ShA—Shipshe sandy loam, 0 to 2 percent slopes					
Shipshe	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.23	Unstable excavation walls	0.23
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ShB—Shipshe sandy loam, 2 to 6 percent slopes					
Shipshe	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.23	Unstable excavation walls	0.23
		Dusty	0.01	Dusty	0.01
ShC—Shipshe sandy loam, 6 to 12 percent slopes					
Shipshe	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.84	Unstable excavation walls	0.23
		Unstable excavation walls	0.23	Slope	0.16
		Dusty	0.01	Dusty	0.01
Ud—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
Wa—Wallkill silt loam					
Wallkill	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
WeA—Wawasee fine sandy loam, 0 to 2 percent slopes					
Wawasee	90	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeB—Wawasee fine sandy loam, 2 to 6 percent slopes					
Wawasee	100	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Lagrange County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WeC2—Wawasee fine sandy loam, 6 to 12 percent slopes, eroded					
Wawasee, moderately eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeD2—Wawasee fine sandy loam, 12 to 18 percent slopes, eroded					
Wawasee, moderately eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhC3—Wawasee loam, 6 to 12 percent slopes, severely eroded					
Wawasee, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhD3—Wawasee loam, 12 to 18 percent slopes, severely eroded					
Wawasee, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wt—Whitaker sandy loam					
Whitaker	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Data Source Information

Soil Survey Area: Lagrange County, Indiana
 Survey Area Data: Version 17, Sep 9, 2014