

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AcjE	Adyeville-Ebal silt loams, 18 to 30 percent slopes complex	Adyeville	60	---	---	---	0.0	0.0
		Ebal	40	---	---	---	3.0	6.0
AclF	Adyeville-Tipsaw-Wellston complex, 18 to 50 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes complex	Adyeville	51	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
AmeE	Alvin sandy loam, 12 to 22 percent slopes	Alvin	97	90	32	36	3.0	6.0
AmoC2	Alvin-Bloomfield loamy fine sands, 4 to 10 percent slopes, eroded complex	Alvin	60	100	35	40	3.3	6.6
		Bloomfield	30	85	30	34	2.8	5.6
AmoE	Alvin-Bloomfield loamy fine sands, 15 to 35 percent slopes complex	Alvin	55	---	---	---	0.0	0.0
		Bloomfield	35	---	---	---	0.0	0.0
BbhAQ	Bartle silt loam, 0 to 2 percent slopes, rarely flooded	Bartle, rarely flooded	95	135	46	61	4.5	9.0
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	110	39	15	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
BdyB	Bedford-Stoy silt loams, 1 to 4 percent slopes complex	Bedford	65	135	47	61	4.5	9.0
		Stoy	30	150	51	60	5.0	10.0
BkeB	Bloomfield-Alvin complex, 1 to 6 percent slopes	Bloomfield	55	95	33	38	3.1	6.2
		Alvin	45	110	39	44	3.6	7.2
BlrC	Bloomfield loamy sand, 3 to 10 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	100	145	40	0	0.0	0.0
BuoA	Bromer silt loam, 0 to 2 percent slopes	Bromer	85	150	51	60	5.0	10.0
BvmG	Brownstown channery silt loam, 25 to 75 percent slopes	Brownstown	100	---	---	---	0.0	0.0
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes complex	Brownstown	39	---	---	---	0.0	0.0
		Gilwood	38	---	---	---	0.0	0.0
CbpC2	Caneyville silt loam, 6 to 12 percent slopes, eroded	Caneyville	100	75	26	34	2.5	5.0
CbpD2	Caneyville silt loam, 12 to 20 percent slopes, eroded	Caneyville	100	60	21	27	2.0	4.0
CbxG	Caneyville-Adyeville-Rock outcrop complex, 25 to 75 percent slopes	Caneyville	60	0	0	0	0.0	0.0
		Adyeville	30	0	0	0	0.0	0.0
		Rock outcrop	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CspB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	100	145	51	58	4.8	9.6
CspD2	Crider silt loam, 12 to 18 percent slopes, eroded	Crider	100	125	44	50	4.1	8.2
CtxD2	Crider-Frederick silt loams, karst, 6 to 20 percent slopes, eroded complex	Crider, karst	65	125	44	50	4.1	8.2
		Frederick, karst	35	80	28	32	2.6	5.2
CtzD2	Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded complex	Crider	60	125	44	50	4.1	8.2
		Caneyville	40	60	21	27	2.0	4.0
EaaC2	Ebal silt loam, 6 to 12 percent slopes, eroded	Ebal	100	110	39	44	3.6	7.2
EbdD2	Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded complex	Ebal	55	95	33	38	3.1	6.2
		Wellston	45	110	39	44	3.6	7.2
EbeE	Ebal-Wellston silt loams, 12 to 24 percent slopes complex	Ebal	60	105	37	42	3.5	7.0
		Wellston	40	115	40	46	3.8	7.6
EhrB2	Elkinsville variant loam, 2 to 6 percent slopes, eroded	Elkinsville variant	100	125	44	50	4.1	8.2
FkhC2	Frederick silt loam, 6 to 12 percent slopes, eroded	Frederick	100	95	33	38	3.1	6.2
FkhD2	Frederick silt loam, 12 to 18 percent slopes, eroded	Frederick	100	90	32	36	3.0	6.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Fk1D5	Frederick silty clay loam, 10 to 18 percent slopes, gullied	Frederick, very severely eroded	100	0	0	0	0.0	0.0
FknC2	Frederick-Crider silt loams, karst, 2 to 12 percent slopes, eroded complex	Frederick, karst	65	95	33	38	3.1	6.2
		Crider, karst	35	145	51	58	4.8	9.6
FkoD2	Frederick-Crider-Gilwood silt loams, 6 to 18 percent slopes, eroded complex	Frederick	45	80	28	32	2.6	5.2
		Crider	35	145	51	58	4.8	9.6
		Gilwood	20	80	28	32	2.6	5.2
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	100	115	40	16	3.8	7.6
GgeD	Gilwood-Crider silt loams, 6 to 20 percent slopes complex	Gilwood	80	95	33	38	3.1	6.2
		Crider	20	145	51	58	4.8	9.6
GghD	Gilwood-Wrays silt loams, 10 to 25 percent slopes complex	Gilwood	50	65	23	26	2.1	4.2
		Wrays	50	100	35	40	3.3	6.6
HarD	Haggatt silt loam, 12 to 18 percent slopes	Haggatt	86	90	32	41	3.0	6.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	100	120	42	0	0.0	0.0
HfiAQ	Henshaw silt loam, 1 to 3 percent slopes, rarely flooded	Henshaw	100	155	51	62	5.1	10.2
HnoA	Hoosierville silt loam, 0 to 1 percent slopes	Hoosierville	100	180	53	72	5.9	11.8
HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer, eroded	90	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MikAH	McGary silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	McGary	97	130	42	0	0.0	0.0
MvnAH	Moundhaven loamy sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	100	70	25	0	0.0	0.0
MwhA	Muren silt loam, 1 to 3 percent slopes	Muren	97	160	56	64	5.3	10.6
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	95	130	42	0	0.0	0.0
NprAH	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	Nolin, frequently flooded	85	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	95	115	40	52	3.8	7.6
PhfA	Peoga silt loam, clayey substratum, 0 to 1 percent slopes	Peoga, clayey substratum	75	165	47	66	5.4	10.8
PkaAH	Petrolia silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Petrolia	100	140	39	0	0.0	0.0
PwdB	Princeton-Alvin complex, 2 to 6 percent slopes	Princeton	70	140	49	56	4.6	9.2
		Alvin	30	110	39	44	3.6	7.2
SfvB2	Shircliff silty clay loam, 2 to 6 percent slopes, eroded	Shircliff	90	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	85	125	44	50	4.1	8.2
StwAH	Stendal silt loam, clayey substratum, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal, clayey substratum	97	130	42	0	0.0	0.0
SvgA	Stoy silt loam, 0 to 2 percent slopes	Stoy	90	150	51	60	5.0	10.0
Uas	Udorthents-Pits, quarries complex	Udorthents	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits, quarry	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UcuA	Udorthents, loamy	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	125	44	50	4.1	8.2
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	110	39	44	3.6	7.2
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	97	125	44	0	0.0	0.0
WozD5	Wellston silt loam, 10 to 18 percent slopes, gullied	Wellston, very severely eroded	100	0	0	0	0.0	0.0
WpfG	Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	Wellston	50	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Adyeville	20	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Lawrence County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WpoD2	Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded complex	Wellston	70	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded complex	Wellston	45	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
		Ebal	25	95	33	38	3.1	6.2
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	100	105	37	0	0.0	0.0
WymC2	Wrays silt loam, 6 to 12 percent slopes, eroded	Wrays	100	110	39	44	3.6	7.2
WymD	Wrays silt loam, 12 to 18 percent slopes	Wrays	100	100	35	40	3.3	6.6
WymD5	Wrays silt loam, 10 to 18 percent slopes, gullied	Wrays, very severely eroded	100	0	0	0	0.0	0.0
WyqD	Wrays-Gilwood silt loams, 6 to 20 percent slopes complex	Wrays	60	115	40	46	3.8	7.6
		Gilwood	40	80	28	32	2.6	5.2
ZamB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
ZamC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2