

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Marion County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Br	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
		Crosby	5	140	46	63	4.6	9.2
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
		Williamstown, eroded	5	140	49	63	4.6	9.2
		Treaty, drained	2	185	54	83	6.1	12.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby, eroded	64	150	49	68	5.0	10.0
		Miami, eroded	33	140	49	63	4.6	9.2
		Treaty, drained	3	185	54	83	6.1	12.2
Ee	Eel silt loam	Eel	100	120	42	0	0.0	0.0
FoA	Fox loam, 0 to 2 percent slopes	Fox	90	100	35	50	3.3	6.6
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
		Ockley	8	135	47	68	4.5	9.0
		Fox, till substratum	6	100	35	50	3.3	6.6
		Westland, drained	6	160	46	80	5.3	10.6
FxC2	Fox complex, 6 to 15 percent slopes, eroded	Fox, eroded	40	85	30	43	2.8	5.6
		Fox, shallow	40	85	30	43	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued
 Marion County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ge	Gessie silt loam, 0 to 2 percent slopes, frequently flooded	Gessie, frequent, brief	90	120	42	0	0.0	0.0
		Eel, occasional, brief	3	125	44	18	4.1	8.2
		Shoals, frequent, brief	3	130	42	0	0.0	0.0
		Fox	2	95	33	48	3.1	6.2
		Stonelick, frequent, brief	2	90	32	0	0.0	0.0
HeF	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
MgA	Martinsville silt loam, 0 to 2 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MgB2	Martinsville silt loam, 2 to 6 percent slopes, eroded	Martinsville, eroded	100	140	49	56	4.6	9.2
MmA	Miami silt loam, 0 to 2 percent slopes, gravelly substratum	Miami, very gravelly substratum	100	115	40	58	3.8	7.6
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	140	49	63	4.6	9.2
MmC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
		Rainsville, eroded	10	130	46	59	4.3	8.6
		Treaty	3	185	54	74	6.1	12.2
		Crosby	2	140	46	63	4.6	9.2
MxD2	Miami complex, 12 to 18 percent slopes, eroded	Miami, eroded	45	115	40	52	3.8	7.6
		Miami, shallow	15	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued
 Marion County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MxE2	Miami complex, 18 to 24 percent slopes, eroded	Miami, eroded	45	---	---	---	3.3	6.6
		Miami, shallow	15	---	---	---	3.3	6.6
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pg	Pits, gravel	Pits, gravel	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pml	Pits, quarry	Pits, quarry	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Re	Rensselaer clay loam	Rensselaer	100	175	51	70	5.8	11.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Marion County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sk	Sleeth loam	Sleeth	90	145	47	73	4.8	9.6
		poorly drained aqualfs	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sn	Sloan silt loam	Sloan	100	140	39	0	0.0	0.0
Ua	Udorthents, cut and filled	Udorthents, Cut and filled	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ub	Urban land-Brookston complex	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Brookston	30	0	0	0	0.0	0.0
Uc	Urban land-Crosby-Treaty complex, fine loamy subsoil, 0 to 2 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crosby	25	0	0	0	0.0	0.0
		Treaty, drained	20	0	0	0	0.0	0.0
		Udorthents, loamy	5	0	0	0	0.0	0.0
		Williamstown, eroded	5	0	0	0	0.0	0.0
UfA	Urban land-Fox complex, 0 to 3 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	35	0	0	0	0.0	0.0
UfC	Urban land-Fox complex, 6 to 12 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	35	0	0	0	0.0	0.0
Ug	Urban land-Genesee complex	Urban land	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Genesee	40	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Marion County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UmB	Urban land-Miami complex, 0 to 6 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	30	0	0	0	0.0	0.0
UmC	Urban land-Miami complex, 6 to 12 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	30	0	0	0	0.0	0.0
Uw	Urban land-Westland complex	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	30	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
We	Westland clay loam	Westland	100	165	47	83	5.4	10.8
Wh	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
		Rensselaer	5	175	51	70	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Martinsville, till substratum	2	145	51	58	4.8	9.6