

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AahAK—Abscota loamy sand, 0 to 2 percent slopes, occasionally flooded, brief duration					
Abscota	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
AatAN—Ackerman muck, drained, 0 to 1 percent slopes					
Ackerman, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AbhAN—Adrian muck, drained, 0 to 1 percent slopes					
Adrian, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
AbhAU—Adrian muck, undrained, 0 to 1 percent slopes					
Adrian, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
ApuAN—Antung muck, drained, 0 to 1 percent slopes					
Antung, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
ApuAU—Antung muck, undrained, 0 to 1 percent slopes					
Antung, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BshA—Brady sandy loam, 0 to 1 percent slopes					
Brady	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
BsxA—Brems-Morocco loamy sands, 0 to 1 percent slopes					
Brems	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.90	Unstable excavation walls	0.90
Morocco	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
BteA—Brems loamy sand, 0 to 1 percent slopes					
Brems	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.90	Unstable excavation walls	0.90
BtxA—Bristol loamy sand, 0 to 2 percent slopes					
Bristol	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.40	Unstable excavation walls	0.40

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BtxB—Bristol loamy sand, 2 to 5 percent slopes					
Bristol	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.40	Unstable excavation walls	0.40
BufA—Bronson sandy loam, 0 to 1 percent slopes					
Bronson	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
BuuA—Brookston loam, 0 to 1 percent slopes					
Brookston	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CmbAI—Cohoctah loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Cohoctah	75	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
CnbA—Coloma sand, 0 to 2 percent slopes					
Coloma	85	Very limited		Very limited	
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CnbB—Coloma sand, 2 to 5 percent slopes					
Coloma	85	Very limited		Very limited	
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00
CnbC—Coloma sand, 5 to 10 percent slopes					
Coloma	85	Very limited		Very limited	
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00
		Slope	0.16		
CvdA—Crosier loam, 0 to 1 percent slopes					
Crosier	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CvdB—Crosier loam, 1 to 4 percent slopes					
Crosier	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CwkA—Crumstown fine sandy loam, 0 to 1 percent slopes					
Crumstown	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CwkB—Crumstown fine sandy loam, 1 to 5 percent slopes					
Crumstown	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EchAN—Edwards muck, drained, 0 to 1 percent slopes					
Edwards, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EchAU—Edwards muck, undrained, 0 to 1 percent slopes					
Edwards, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EcrAN—Edselton muck, drained, 0 to 1 percent slopes					
Edselton, drained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EcrAU—Edselton muck, undrained, 0 to 1 percent slopes					
Edselton, undrained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
EmdA—Elston sandy loam, 0 to 2 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.08	Sand content	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
GczA—Gilford sandy loam, 0 to 1 percent slopes					
Gilford	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
GdnA—Gilford mucky sandy loam, 0 to 1 percent slopes					
Gilford	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HfbAN—Henrietta muck, drained, 0 to 1 percent slopes					
Henrietta, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HtbAN—Houghton muck, drained, 0 to 1 percent slopes					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
HtbAU—Houghton muck, undrained, 0 to 1 percent slopes					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
JaaAK—Jamestown silt loam, 0 to 1 percent slopes, occasionally flooded, brief duration					
Jamestown	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LpvA--Linkville sandy loam, 0 to 1 percent slopes					
Linkville	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LpvB--Linkville sandy loam, 1 to 4 percent slopes					
Linkville	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MaxAN--Maxinkuckee muck, drained, 0 to 1 percent slopes					
Maxinkuckee, drained	60	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
		Dusty	0.05	Dusty	0.05
MfrAN--Madaus muck, drained, 0 to 1 percent slopes					
Madaus, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
MgdAN--Martisco muck, drained, 0 to 1 percent slopes					
Martisco, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhbA—Maumee mucky loamy fine sand, 0 to 1 percent slopes					
Maumee	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
MouA—Milford silty clay loam, 0 to 1 percent slopes					
Milford	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MvhAN—Moston muck, drained, 0 to 1 percent slopes					
Moston, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Organic matter content	1.00	Organic matter content	1.00
MvhAU—Moston muck, undrained, 0 to 1 percent slopes					
Moston, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Organic matter content	1.00	Organic matter content	1.00

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MvkA—Morocco loamy sand, 0 to 1 percent slopes					
Morocco	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
MwzAN—Muskego muck, drained, 0 to 1 percent slopes					
Muskego, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
MwzAU—Muskego muck, undrained, 0 to 1 percent slopes					
Muskego, undrained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
NoeA—Newton loamy fine sand, 0 to 1 percent slopes					
Newton	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
OlcA—Oshtemo sandy loam, 0 to 1 percent slopes					
Oshtemo	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OlcB—Oshtemo sandy loam, 1 to 5 percent slopes					
Oshtemo	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OlcC2—Oshtemo sandy loam, 5 to 10 percent slopes, eroded					
Oshtemo	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Sand content	0.04
		Sand content	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
OlcD—Oshtemo sandy loam, 10 to 18 percent slopes					
Oshtemo	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	1.00	Slope	0.96
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OmgA—Osolo loamy sand, 0 to 1 percent slopes					
Osolo	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.81	Unstable excavation walls	0.81
OmgB—Osolo loamy sand, 1 to 5 percent slopes					
Osolo	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.81	Unstable excavation walls	0.81

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OndA—Owosso sandy loam, 0 to 2 percent slopes					
Owosso	70	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
PaaAN—Palms muck, drained, 0 to 1 percent slopes					
Palms, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PaaAU—Palms muck, undrained, 0 to 1 percent slopes					
Palms, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pmg—Pits, gravel					
Pits, gravel	100	Not rated		Not rated	
PnyA—Pinhook sandy loam, 0 to 2 percent slopes					
Pinhook	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.43	Unstable excavation walls	0.43
		Water gathering surface	0.33	Water gathering surface	0.33
PrxA—Plainfield sand, 0 to 2 percent slopes					
Plainfield	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PrxB—Plainfield sand, 2 to 6 percent slopes					
Plainfield	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
PrxC—Plainfield sand, 6 to 12 percent slopes					
Plainfield	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04
PrxD—Plainfield sand, 12 to 18 percent slopes					
Plainfield	70	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Unstable excavation walls	1.00
		Unstable excavation walls	1.00	Slope	1.00
PxIA—Psammaquents					
Psammaquents	85	Not rated		Not rated	
Pxo—Psamments					
Psamments	85	Not rated		Not rated	
RenA—Rensselaer mucky loam, 0 to 1 percent slopes					
Rensselaer	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ReyA—Rensselaer loam, 0 to 1 percent slopes					
Rensselaer	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RopA—Riddles-Oshtemo fine sandy loams, 0 to 1 percent slopes					
Riddles	50	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Oshtemo	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RopB—Riddles-Oshtemo fine sandy loams, 1 to 5 percent slopes					
Riddles	50	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Oshtemo	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RopC2—Riddles-Oshemo fine sandy loams, 5 to 10 percent slopes, eroded					
Riddles	50	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.02
		Dusty	0.02	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Oshemo	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Sand content	0.04
		Sand content	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01	Dusty	0.01
		Dusty	0.01		
RoqB—Riddles-Metea complex, 1 to 5 percent slopes					
Riddles	55	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Metea	30	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RoqC2—Riddles-Metea complex, 5 to 10 percent slopes, eroded					
Riddles	55	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.02
		Dusty	0.02	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Metea	30	Somewhat limited		Somewhat limited	
		Slope	0.16	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RoqD2—Riddles-Metea complex, 10 to 18 percent slopes, eroded					
Riddles	50	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Metea	30	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SdzA—Selfridge-Crosier complex, 0 to 1 percent slopes					
Selfridge	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
Crosier	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SdzaB—Selfridge-Brems loamy sands, 1 to 4 percent slopes					
Selfridge	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
Brems	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.90	Unstable excavation walls	0.90
SkgA—Shipshe sandy loam, 0 to 2 percent slopes					
Shipshe	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.81	Unstable excavation walls	0.81
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sn1A—Southwest silt loam, 0 to 1 percent slopes					
Southwest	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tn1A—Troxel silt loam, 0 to 1 percent slopes					
Troxel	60	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.40	Water gathering surface	0.40
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TxuA—Tyner loamy sand, 0 to 1 percent slopes					
Tyner	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
TxuB—Tyner loamy sand, 1 to 5 percent slopes					
Tyner	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
TxuC—Tyner loamy sand, 5 to 10 percent slopes					
Tyner	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
		Slope	0.16		
Uam—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UdkA—Urban land-Brady complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Brady	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
UdrA—Urban land-Bronson complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Bronson	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
UeaA—Urban land-Crosier complex, 0 to 3 percent slopes					
Urban land	50	Not rated		Not rated	
Crosier	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UeqA—Urban land-Gilford complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Gilford	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UewA—Urban land-Brems-Morocco complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Brems	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.90	Unstable excavation walls	0.90
Morocco	15	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
UfbA—Urban land-Brookston complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Brookston	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UfhB—Urban land-Coloma complex, 2 to 5 percent slopes					
Urban land	50	Not rated		Not rated	
Coloma	40	Very limited		Very limited	
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfhC—Urban land-Coloma complex, 5 to 10 percent slopes					
Urban land	50	Not rated		Not rated	
Coloma	40	Very limited		Very limited	
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Seepage	1.00	Seepage	1.00
		Slope	0.16		
UgrA—Urban land-Rensselaer complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Rensselaer	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UgsA—Urban land-Riddles-Oshtemo complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Riddles	25	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Oshtemo	15	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UgsB—Urban land-Riddles-Oshtemo complex, 1 to 5 percent slopes					
Urban land	50	Not rated		Not rated	
Riddles	25	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Oshtemo	15	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
UgvA—Urban land-Tyner complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Tyner	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
UgvB—Urban land-Tyner complex, 1 to 5 percent slopes					
Urban land	50	Not rated		Not rated	
Tyner	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
UgvC—Urban land-Tyner complex, 5 to 10 percent slopes					
Urban land	50	Not rated		Not rated	
Tyner	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
		Slope	0.16		

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UgvD—Urban land-Tyner complex, 10 to 18 percent slopes					
Urban land	50	Not rated		Not rated	
Tyner	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	1.00	Slope	0.96
		Unstable excavation walls	0.94	Unstable excavation walls	0.94
UkxA—Urban land-Oshtemo complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Oshtemo	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UkxB—Urban land-Oshtemo complex, 1 to 5 percent slopes					
Urban land	50	Not rated		Not rated	
Oshtemo	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UkxC—Urban land-Oshtemo complex, 5 to 10 percent slopes					
Urban land	50	Not rated		Not rated	
Oshtemo	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Sand content	0.04
		Sand content	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UmfB—Urban land-Riddles-Metea complex, 1 to 5 percent slopes					
Urban land	50	Not rated		Not rated	
Riddles	25	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Metea	15	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UmfC—Urban land-Riddles-Metea complex, 5 to 10 percent slopes					
Urban land	50	Not rated		Not rated	
Riddles	25	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.02
		Dusty	0.02	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Metea	15	Somewhat limited		Somewhat limited	
		Slope	0.16	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
UmfD—Urban land-Riddles-Metea complex, 10 to 18 percent slopes					
Urban land	50	Not rated		Not rated	
Riddles	25	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Metea	15	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UmuA—Urban land-Southwest complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Southwest	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UmxA—Urban land-Troxel complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Troxel	40	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.40	Water gathering surface	0.40
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UnoA—Urban land-Whitaker complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Whitaker	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UntA—Urban land-Wunabuna complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Wunabuna, drained	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Usl—Udorthents, rubbish					
Udorthents, rubbish	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WciAH—Waterford-Cohoctah loams, 0 to 2 percent slopes, frequently flooded, brief duration					
Waterford	50	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cohoctah	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
WcnAI—Waterford loam, 0 to 2 percent slopes, frequently flooded, long duration					
Waterford	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WftA—Washtenaw silt loam, 0 to 2 percent slopes					
Washtenaw	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WkxB—Wawasee sandy loam, 2 to 6 percent slopes					
Wawasee	70	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WkxC2—Wawasee sandy loam, 6 to 12 percent slopes, eroded					
Wawasee	70	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WkxD3—Wawasee sandy clay loam, 12 to 18 percent slopes, severely eroded					
Wawasee	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WoaA—Williamstown loam, 0 to 1 percent slopes					
Williamstown	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WoaB2—Williamstown loam, 1 to 5 percent slopes, eroded					
Williamstown	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WoaC2—Williamstown loam, 5 to 10 percent slopes, eroded					
Williamstown	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.16	Dusty	0.03
		Dusty	0.03	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Marshall County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WobB—Williamstown-Crosier loams, 1 to 5 percent slopes					
Williamstown	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Crosier	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WrxAN—Wunabuna silt loam, drained, 0 to 1 percent slopes					
Wunabuna, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
WtbA—Whitaker loam, 0 to 1 percent slopes					
Whitaker	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Marshall County, Indiana
 Survey Area Data: Version 17, Sep 9, 2014