

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	Adyeville	85	70	25	28	2.3	4.6
AbqD3	Adyeville silt loam, 12 to 18 percent slopes, severely eroded	Adyeville, severely eroded	85	65	23	26	2.1	4.2
AbqE	Adyeville silt loam, 18 to 25 percent slopes	Adyeville	85	---	---	---	1.8	3.6
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	Adyeville, severely eroded	85	---	---	---	1.7	3.4
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	35	---	---	---	0.0	0.0
AclF	Adyeville-Tipsaw-Wellston complex, 18 to 50 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AcmE	Adyeville-Wellston silt loams, 18 to 25 percent slopes	Adyeville	55	---	---	---	1.8	3.6
		Wellston	30	---	---	---	3.1	6.2
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	51	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
AgyB	Apalona-Udorthents complex, 2 to 6 percent slopes	Apalona	48	120	42	54	4.0	8.0
		Udorthents	42	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AgyC	Apalona-Udorthents complex, 6 to 12 percent slopes	Apalona	50	105	37	47	3.5	7.0
		Udorthents	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AloB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
AmoC2	Alvin-Bloomfield loamy fine sands, 4 to 10 percent slopes, eroded	Alvin	60	100	35	40	3.3	6.6
		Bloomfield	30	85	30	34	2.8	5.6
AmoE	Alvin-Bloomfield loamy fine sands, 15 to 35 percent slopes	Alvin	55	---	---	---	0.0	0.0
		Bloomfield	35	---	---	---	0.0	0.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	145	49	58	4.8	9.6
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Birds	75	130	35	0	0.0	0.0
BgeAW	Birds silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Birds	90	135	37	19	4.5	9.0
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	95	140	39	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Bonnie	85	155	44	22	5.1	10.2
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	53	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CkkC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
CkkC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	70	100	35	45	3.3	6.6
CktF	Chetwynd loam, 18 to 35 percent slopes	Chetwynd	92	---	---	---	0.0	0.0
CtwD2	Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	Crider	60	125	44	50	4.1	8.2
		Caneyville	40	60	21	27	2.0	4.0
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	90	115	40	0	0.0	0.0
CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded	Crider	52	125	44	50	4.1	8.2
		Haggatt	35	90	32	41	3.0	6.0
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	84	130	44	59	4.3	8.6
Dru	Dumps, gypsum mine	Dumps, gypsum mine	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EaaC2	Ebal silt loam, 6 to 12 percent slopes, eroded	Ebal	85	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EbdD2	Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded	Ebal	55	95	33	38	3.1	6.2
		Wellston	45	110	39	44	3.6	7.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	85	140	49	56	4.6	9.2
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	65	115	40	16	3.8	7.6
GmsF	Greybrook silt loam, 18 to 40 percent slopes	Greybrook	91	---	---	---	0.0	0.0
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	82	135	47	19	4.5	9.0
Hdbc2	Haubstadt silt loam, 6 to 15 percent slopes, eroded	Haubstadt	85	115	40	52	3.8	7.6
Hdbc3	Haubstadt silt loam, 6 to 15 percent slopes, severely eroded	Haubstadt, severely eroded	80	110	39	50	3.6	7.2
HeoD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	Hickory, severely eroded	85	110	39	44	3.6	7.2
HhrE2	Hickory silt loam, 12 to 25 percent slopes, eroded	Hickory	76	---	---	---	3.3	6.6
HtwD2	Haggatt-Caneyville silt loams, 12 to 25 slopes, eroded	Haggatt	51	75	26	34	2.5	5.0
		Caneyville	31	---	---	---	1.3	2.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MdvC3Q	Markland silty clay loam, 6 to 15 percent slopes, severely eroded, rarely flooded	Markland	90	105	37	42	3.5	7.0
MecA	Martinsville loam, 0 to 2 percent slopes	Martinsville	90	145	51	58	4.8	9.6
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	Martinsville	88	145	51	58	4.8	9.6
MfkBQ	Martinsville sandy loam, 2 to 10 percent slopes, rarely flooded	Martinsville	93	140	49	56	4.6	9.2
MikA	McGary silty clay loam, 0 to 2 percent slopes	McGary	87	140	46	56	4.6	9.2
MikAQ	McGary silty clay loam, 0 to 2 percent slopes, rarely flooded	McGary	97	140	46	56	4.6	9.2
MrcG	Minnehaha parachannery silty clay loam, 35 to 75 percent slopes	Minnehaha	90	---	---	---	0.0	0.0
MvnAH	Moundhaven loamy sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	90	70	25	0	0.0	0.0
NaeB	Nawakwa silt loam, 2 to 8 percent slopes	Nawakwa	85	145	51	65	4.8	9.6
NaeD	Nawakwa silt loam, 8 to 20 percent slopes	Nawakwa	85	120	42	54	4.0	8.0
NaeF	Nawakwa silt loam, 20 to 35 percent slopes	Nawakwa	85	---	---	---	0.0	0.0
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	95	130	42	0	0.0	0.0
NprAH	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	Nolin, frequently flooded	85	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OmrE	Orthents, 6 to 25 percent slopes	Typic Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pbbc2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	90	125	44	50	4.1	8.2
PbbD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	90	110	39	44	3.6	7.2
PcrB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	95	115	40	52	3.8	7.6
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	73	135	40	54	4.5	9.0
PhwB	Percell silt loam, 2 to 6 percent slopes	Percell	92	135	47	54	4.5	9.0
PlcAV	Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Piankeshaw	77	130	46	18	4.3	8.6
PlfB	Pike silt loam, 2 to 6 percent slopes	Pike	95	140	49	56	4.6	9.2
PryB	Potawatomi silt loam, 1 to 3 percent slopes	Potawatomi	87	140	49	63	4.6	9.2
SfoA	Shakamak silt loam, 1 to 3 percent slopes	Shakamak	80	130	46	59	4.3	8.6
SfvB2	Shircliff silty clay loam, 2 to 6 percent slopes, eroded	Shircliff	90	125	44	50	4.1	8.2
StaAW	Steff silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Steff	86	130	46	18	4.3	8.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Stendal	87	140	46	20	4.6	9.2
UcuA	Udorthents, loamy	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Usl	Udorthents, rubbish	Udorthents, rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
VdgA	Vigo silt loam, 0 to 2 percent slopes	Vigo	87	155	51	70	5.1	10.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	75	130	39	0	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6
WhfB	Wellston silt loam, 2 to 6 percent slopes	Wellston	90	135	47	54	4.5	9.0
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	80	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	78	125	44	0	0.0	0.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Martin County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WozD5	Wellston silt loam, 10 to 18 percent slopes, gullied	Wellston, very severely eroded	80	0	0	0	0.0	0.0
WpfG	Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	Wellston	50	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Adyeville	20	---	---	---	0.0	0.0
WpnE	Wellston-Adyeville complex, 12 to 30 percent slopes	Wellston	65	---	---	---	0.0	0.0
		Adyeville	35	---	---	---	0.0	0.0
WpoD2	Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	Wellston	70	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	45	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
		Ebal	25	95	33	38	3.1	6.2
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	80	105	37	0	0.0	0.0
WpvD	Wellston-Udorthents complex, 12 to 18 percent slopes	Wellston	55	110	39	44	3.6	7.2
		Udorthents	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ZcaAQ	Zipp silty clay, 0 to 1 percent slopes, rarely flooded	Zipp, rarely flooded	90	140	39	63	4.6	9.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.