

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	70	25	28	2.3	4.6
AbqD3	Adyeville silt loam, 12 to 18 percent slopes, severely eroded	65	23	26	2.1	4.2
AbqE	Adyeville silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
AcIG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	0	0	0	0.0	0.0
AcIF	Adyeville-Tipsaw-Wellston complex, 18 to 50 percent slopes	0	0	0	0.0	0.0
AcmE	Adyeville-Wellston silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	0	0	0	0.0	0.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	139	49	62	4.6	9.2
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	121	42	54	4.0	8.0
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
AgyB	Apalona-Udorthents complex, 2 to 6 percent slopes	64	22	41	3.1	6.2
AgyC	Apalona-Udorthents complex, 6 to 12 percent slopes	58	20	37	2.8	5.6
AloB2	Ava silt loam, 2 to 6 percent slopes, eroded	117	41	52	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

AmoC2	Alvin-Bloomfield loamy fine sands, 4 to 10 percent slopes, eroded	95	33	39	3.2	6.5
AmoE	Alvin-Bloomfield loamy fine sands, 15 to 35 percent slopes	0	0	0	0.0	0.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	145	49	58	4.8	9.6
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	130	35	0	0.0	0.0
BgeAW	Birds silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	135	37	19	0.0	0.0
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	140	39	1	0.0	0.0
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	155	44	22	0.0	0.0
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
CkkC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0
CkkC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	100	35	45	3.3	6.6
CktF	Chetwynd loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
CtwD2	Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	99	35	48	3.8	7.6
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	115	40	0	0.0	0.0
CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded	111	39	50	3.9	7.9
DfnA	Dubois silt loam, 0 to 2 percent slopes	130	44	59	4.3	8.6
Dru	Dumps, gypsum mine	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

EaaC2	Ebal silt loam, 6 to 12 percent slopes, eroded	100	35	40	3.3	6.6
EbdD2	Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded	102	36	39	3.2	6.5
EepB	Elkinsville silt loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	115	40	16	0.0	0.0
GmsF	Greybrook silt loam, 18 to 40 percent slopes	0	0	0	0.0	0.0
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	117	40	50	3.7	7.3
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	135	47	19	0.0	0.0
HdbC2	Haubstadt silt loam, 6 to 15 percent slopes, eroded	115	40	52	3.8	7.6
HdbC3	Haubstadt silt loam, 6 to 15 percent slopes, severely eroded	110	39	50	3.6	7.2
HeoD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	110	39	44	3.6	7.2
HhrE2	Hickory silt loam, 12 to 25 percent slopes, eroded	0	0	0	0.0	0.0
HtwD2	Haggatt-Caneyville silt loams, 12 to 25 slopes, eroded	47	16	29	2.2	4.3
MdvC3Q	Markland silty clay loam, 6 to 15 percent slopes, severely eroded, rarely flooded	105	37	42	3.5	7.0
MecA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	145	51	58	4.8	9.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

MfkBQ	Martinsville sandy loam, 2 to 10 percent slopes, rarely flooded	140	49	56	4.6	9.2
MikA	McGary silty clay loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
MikAQ	McGary silty clay loam, 0 to 2 percent slopes, rarely flooded	140	46	56	4.6	9.2
MrcG	Minnehaha parachannery silty clay loam, 35 to 75 percent slopes	0	0	0	0.0	0.0
MvnAH	Moundhaven loamy sand, 0 to 2 percent slopes, frequently flooded, brief duration	70	25	0	0.0	0.0
NaeB	Nawakwa silt loam, 2 to 8 percent slopes	145	51	65	4.8	9.6
NaeD	Nawakwa silt loam, 8 to 20 percent slopes	120	42	54	4.0	8.0
NaeF	Nawakwa silt loam, 20 to 35 percent slopes	0	0	0	0.0	0.0
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded	130	42	0	0.0	0.0
NprAH	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	120	42	0	0.0	0.0
OmrE	Orthents, 6 to 25 percent slopes	0	0	0	0.0	0.0
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PbbC2	Parke silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
PbbD2	Parke silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
PcrB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	116	41	52	3.8	7.6
PhaA	Peoga silt loam, 0 to 1 percent slopes	135	40	54	4.5	9.0
PhwB	Percell silt loam, 2 to 6 percent slopes	135	47	54	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

PlcAV	Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	46	18	0.0	0.0
PlfB	Pike silt loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
PryB	Potawatomi silt loam, 1 to 3 percent slopes	140	49	63	4.6	9.2
SfoA	Shakamak silt loam, 1 to 3 percent slopes	130	46	59	4.3	8.6
SfvB2	Shircliff silty clay loam, 2 to 6 percent slopes, eroded	125	44	50	4.1	8.2
StaAW	Steff silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	130	46	18	0.0	0.0
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	140	46	20	0.0	0.0
UcuA	Udorthents, loamy	0	0	0	0.0	0.0
Usl	Udorthents, rubbish	0	0	0	0.0	0.0
VdgA	Vigo silt loam, 0 to 2 percent slopes	155	51	70	5.1	10.2
W	Water	0	0	0	0.0	0.0
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	39	0	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	145	44	20	0.0	0.0
WhfB	Wellston silt loam, 2 to 6 percent slopes	135	47	54	4.5	9.0
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	118	41	48	4.0	8.0
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	102	36	42	3.5	7.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Martin County, Indiana

WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	44	0	0.0	0.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	140	49	20	0.0	0.0
WozD5	Wellston silt loam, 10 to 18 percent slopes, gullied	0	0	0	0.0	0.0
WpfG	Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	0	0	0	0.0	0.0
WpnE	Wellston-Adyeville complex, 12 to 30 percent slopes	0	0	0	0.0	0.0
WpoD2	Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	98	34	43	3.5	7.0
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	94	33	40	3.3	6.7
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	105	37	0	0.0	0.0
WpvD	Wellston-Udorthents complex, 12 to 18 percent slopes	61	21	35	2.9	5.8
ZcaAQ	Zipp silty clay, 0 to 1 percent slopes, rarely flooded	140	39	63	4.6	9.2