

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfB	Alford silt loam, 2 to 6 percent slopes	Alford	100	155	54	62	5.1	10.2
Ba	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	135	46	61	4.5	9.0
BdB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
BkF	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	50	---	---	---	0.0	0.0
		Gilwood	45	---	---	---	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	Bonnie	100	120	32	0	0.0	0.0
Bu	Burnside silt loam, occasionally flooded	Burnside	100	95	33	13	3.1	6.2
CaD	Caneyville silt loam, 12 to 18 percent slopes	Caneyville	100	65	23	29	2.1	4.2
Cb	Caneyville-Hagerstown silt loam, karst	Caneyville	55	65	23	29	2.1	4.2
		Hagerstown	45	100	35	45	3.3	6.6
ChF	Chetwynd silt loam, 25 to 70 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CoF	Corydon Variant-Caneyville Variant complex, 25 to 70 percent slopes	Corydon variant	55	---	---	---	0.0	0.0
		Caneyville variant	45	---	---	---	0.0	0.0
CrB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0
CrC	Crider silt loam, 6 to 12 percent slopes	Crider	80	140	49	56	4.6	9.2
CrD	Crider silt loam, 12 to 18 percent slopes	Crider	100	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CsC	Crider-Caneyville silt loams, 6 to 12 percent slopes	Crider	55	140	49	56	4.6	9.2
		Caneyville	45	80	28	36	2.6	5.2
CtB	Crider-Urban land complex, 2 to 6 percent slopes	Crider	60	0	0	0	0.0	0.0
		Urban land	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CtC	Crider-Urban land complex, 6 to 12 percent slopes	Crider	60	0	0	0	0.0	0.0
		Urban land	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Cu	Cuba silt loam, frequently flooded	Cuba	100	115	40	0	0.0	0.0
EbE	Ebal-Gilpin-Hagerstown silt loams, 18 to 25 percent slopes	Ebal	50	---	---	---	2.5	5.0
		Gilpin	30	---	---	---	2.1	4.2
		Hagerstown	20	---	---	---	2.1	4.2
EdD	Ebal-Wellston-Gilpin silt loams, 12 to 18 percent slopes	Ebal	60	95	33	38	3.1	6.2
		Wellston	25	110	39	44	3.6	7.2
		Gilpin	15	80	28	32	2.6	5.2
EkB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	155	54	62	5.1	10.2
EkF	Elkinsville silt loam, upland, 20 to 40 percent slopes	Elkinsville	100	---	---	---	0.0	0.0
GpD	Gilpin silt loam, 12 to 18 percent slopes	Gilpin	100	80	28	32	2.6	5.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GrD	Gilpin-Gullied land complex, 12 to 22 percent slopes	Gilpin, severely eroded	60	70	25	28	2.3	4.6
		Gullied land, very severely eroded	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HaC	Hagerstown silt loam, 6 to 12 percent slopes	Hagerstown	100	100	35	45	3.3	6.6
HaD	Hagerstown silt loam, 12 to 18 percent slopes	Hagerstown	100	85	30	38	2.8	5.6
HaE	Hagerstown silt loam, 18 to 25 percent slopes	Hagerstown	100	---	---	---	2.3	4.6
HbD3	Hagerstown silty clay loam, 12 to 22 percent slopes, severely eroded	Hagerstown, severely eroded	100	65	23	29	2.1	4.2
Hc	Hagerstown-Caneyville silt loams, karst	Hagerstown	70	85	30	38	2.8	5.6
		Caneyville	30	---	---	---	1.7	3.4
Hd	Haymond silt loam, frequently flooded	Haymond	97	120	42	0	0.0	0.0
HkF	Hickory silt loam, 25 to 70 percent slopes	Hickory	100	---	---	---	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	Hosmer	100	135	47	61	4.5	9.0
HoB	Hosmer silt loam, 2 to 6 percent slopes	Hosmer	100	135	47	61	4.5	9.0
HoC	Hosmer silt loam, 6 to 12 percent slopes	Hosmer	100	125	44	56	4.1	8.2
HtB	Hosmer-Urban land complex, 2 to 12 percent slopes	Hosmer	60	0	0	0	0.0	0.0
		Urban land	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
MbB	Martinsville loam, 2 to 6 percent slopes	Martinsville	100	140	49	56	4.6	9.2
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PaB	Parke silt loam, 2 to 6 percent slopes	Parke	100	150	53	60	5.0	10.0
PaC	Parke silt loam, 6 to 12 percent slopes	Parke	100	140	49	56	4.6	9.2
PcD	Parke-Chetwynd silt loams, 12 to 18 percent slopes	Parke	60	120	42	48	4.0	8.0
		Chetwynd	40	110	39	44	3.6	7.2
PeA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeC	Pekin silt loam, 6 to 12 percent slopes	Pekin	100	120	42	54	4.0	8.0
Po	Peoga silt loam	Peoga	100	150	46	60	5.0	10.0
PrC	Princeton loam, 4 to 10 percent slopes	Princeton	100	130	46	52	4.3	8.6
PrE	Princeton loam, 18 to 25 percent slopes	Princeton	100	---	---	---	3.3	6.6
RcB	Ryker silt loam, 2 to 6 percent slopes	Ryker	100	150	53	60	5.0	10.0
RcC	Ryker silt loam, 6 to 12 percent slopes	Ryker	100	140	49	56	4.6	9.2
RcD	Ryker silt loam, 12 to 18 percent slopes	Ryker	100	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sf	Steff silt loam, frequently flooded	Steff	97	110	39	0	0.0	0.0
St	Stendal silt loam, frequently flooded	Stendal	97	125	40	0	0.0	0.0
Sx	Stonelick silt loam, frequently flooded	Stonelick	100	105	37	15	3.5	7.0
TlA	Tilsit silt loam, 0 to 2 percent slopes	Tilsit	100	125	44	56	4.1	8.2
TlB	Zanesville silt loam, 2 to 6 percent slopes	Zanesville	75	135	47	61	4.5	9.0
Ua	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ud	Udorthents-Pits complex	Udorthents	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits	40	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, frequently flooded	Wakeland	97	130	39	0	0.0	0.0
WeC	Wellston silt loam, 6 to 12 percent slopes	Wellston	90	135	47	54	4.5	9.0
WmC	Wellston-Gilpin silt loams, 6 to 20 percent slopes	Wellston	60	125	44	50	4.1	8.2
		Gilpin	40	80	28	32	2.6	5.2
Wo	Whitaker loam	Whitaker	94	150	49	60	5.0	10.0
Wr	Wilbur silt loam, frequently flooded	Wilbur	97	125	44	0	0.0	0.0
ZnC	Zanesville silt loam, 6 to 12 percent slopes	Zanesville	100	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Zo	Zipp silty clay loam	Zipp	100	150	42	60	5.0	10.0
Zp	Zipp silty clay loam, frequently flooded	Zipp	100	115	30	0	0.0	0.0
Zs	Zipp Variant silt loam, frequently flooded	Zipp variant	94	115	37	0	0.0	0.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.