

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Monroe County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AfB	Alford silt loam, 2 to 6 percent slopes	155	54	62	5.1	10.2
Ba	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
BdB	Bedford silt loam, 2 to 6 percent slopes	136	47	60	4.5	9.0
BkF	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	---	---	---	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	120	32	0	0.0	0.0
Bu	Burnside silt loam, occasionally flooded	95	33	13	0.0	0.0
CaD	Caneyville silt loam, 12 to 18 percent slopes	65	23	29	2.1	4.2
Cb	Caneyville-Hagerstown silt loam, karst	81	28	32	2.4	4.7
ChF	Chetwynd silt loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
CoF	Corydon Variant-Caneyville Variant complex, 25 to 70 percent slopes	0	0	0	0.0	0.0
CrB	Crider silt loam, 2 to 6 percent slopes	144	50	61	5.0	9.9
CrC	Crider silt loam, 6 to 12 percent slopes	133	47	57	4.6	9.1
CrD	Crider silt loam, 12 to 18 percent slopes	125	44	50	4.1	8.2
CsC	Crider-Caneyville silt loams, 6 to 12 percent slopes	113	40	54	4.2	8.4
CtB	Crider-Urban land complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
CtC	Crider-Urban land complex, 6 to 12 percent slopes	0	0	0	0.0	0.0
Cu	Cuba silt loam, frequently flooded	115	40	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Monroe County, Indiana

EbE	Ebal-Gilpin-Hagerstown silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
EdD	Ebal-Wellston-Gilpin silt loams, 12 to 18 percent slopes	97	34	39	3.2	6.3
EkB	Elkinsville silt loam, 2 to 6 percent slopes	155	54	62	5.1	10.2
EkF	Elkinsville silt loam, upland, 20 to 40 percent slopes	0	0	0	0.0	0.0
GpD	Gilpin silt loam, 12 to 18 percent slopes	80	28	32	2.6	5.2
GrD	Gilpin-Gullied land complex, 12 to 22 percent slopes	42	15	17	1.4	2.8
HaC	Hagerstown silt loam, 6 to 12 percent slopes	100	35	45	3.3	6.6
HaD	Hagerstown silt loam, 12 to 18 percent slopes	85	30	38	2.8	5.6
HaE	Hagerstown silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
HbD3	Hagerstown silty clay loam, 12 to 22 percent slopes, severely eroded	65	23	29	2.1	4.2
Hc	Hagerstown-Caneyville silt loams, karst	60	21	35	2.6	5.1
Hd	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HkF	Hickory silt loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
HoB	Hosmer silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0
HoC	Hosmer silt loam, 6 to 12 percent slopes	125	44	56	4.1	8.2
HtB	Hosmer-Urban land complex, 2 to 12 percent slopes	0	0	0	0.0	0.0
IvA	Iva silt loam, 0 to 2 percent slopes	163	53	67	5.4	10.8

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Monroe County, Indiana

MbB	Martinsville loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PaB	Parke silt loam, 2 to 6 percent slopes	150	53	60	5.0	10.0
PaC	Parke silt loam, 6 to 12 percent slopes	140	49	56	4.6	9.2
PcD	Parke-Chetwynd silt loams, 12 to 18 percent slopes	116	41	47	3.9	7.8
PeA	Pekin silt loam, 0 to 2 percent slopes	131	46	58	4.3	8.6
PeB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PeC	Pekin silt loam, 6 to 12 percent slopes	120	42	54	4.0	8.0
Po	Peoga silt loam	150	46	60	5.0	10.0
PrC	Princeton loam, 4 to 10 percent slopes	130	46	52	4.3	8.6
PrE	Princeton loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
RcB	Ryker silt loam, 2 to 6 percent slopes	150	53	60	5.0	10.0
RcC	Ryker silt loam, 6 to 12 percent slopes	140	49	56	4.6	9.2
RcD	Ryker silt loam, 12 to 18 percent slopes	125	44	50	4.1	8.2
Sf	Steff silt loam, frequently flooded	110	39	0	0.0	0.0
St	Stendal silt loam, frequently flooded	125	40	0	0.0	0.0
Sx	Stonelick silt loam, frequently flooded	105	37	15	0.0	0.0
TIA	Tilsit silt loam, 0 to 2 percent slopes	125	44	56	4.1	8.2
TIB	Zanesville silt loam, 2 to 6 percent slopes	134	47	60	4.5	9.0
Ua	Udorthents, loamy	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Monroe County, Indiana

Ud	Udorthents-Pits complex	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, frequently flooded	130	39	0	0.0	0.0
WeC	Wellston silt loam, 6 to 12 percent slopes	132	46	54	4.5	9.0
WmC	Wellston-Gilpin silt loams, 6 to 20 percent slopes	107	37	47	3.9	7.7
Wo	Whitaker loam	150	49	60	5.0	10.0
Wr	Wilbur silt loam, frequently flooded	125	44	0	0.0	0.0
ZnC	Zanesville silt loam, 6 to 12 percent slopes	115	40	52	3.8	7.6
Zo	Zipp silty clay loam	150	42	60	5.0	10.0
Zp	Zipp silty clay loam, frequently flooded	115	30	0	0.0	0.0
Zs	Zipp Variant silt loam, frequently flooded	115	37	0	0.0	0.0