

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfA	Alford silt loam, 0 to 2 percent slopes	Alford	100	155	54	62	5.1	10.2
AfB	Alford silt loam, 2 to 6 percent slopes	Alford	100	155	54	62	5.1	10.2
AfC2	Alford silt loam, 6 to 12 percent slopes, eroded	Alford	100	155	54	62	5.1	10.2
Ar	Armiesburg silty clay loam	Armiesburg	100	130	46	0	0.0	0.0
AvB	Ava silt loam, 2 to 6 percent slopes	Ava	100	135	47	61	4.5	9.0
Ba	Banlic silt loam	Banlic	90	135	42	54	4.5	9.0
		Bonnie	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bd	Bartle silt loam	Bartle	90	140	47	63	4.6	9.2
		poorly drained aqualfs	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BeB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
		Crider	10	145	51	58	4.8	9.6
		Lawrence	5	130	44	59	4.3	8.6
BeC2	Bedford silt loam, 6 to 12 percent slopes, eroded	Bedford	100	115	40	52	3.8	7.6
BfG	Berks channery silt loam, 35 to 80 percent slopes	Berks	100	---	---	---	0.0	0.0
BmC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
Bo	Bonnie silt loam	Bonnie	100	125	33	0	0.0	0.0
Br	Brookston clay loam	Brookston	100	190	56	76	6.3	12.6

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ChF	Chetwynd loam, 18 to 80 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	100	110	39	50	3.6	7.2
CnD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	100	35	45	3.3	6.6
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
		Williamstown, eroded	5	140	49	63	4.6	9.2
		Treaty, drained	2	185	54	83	6.1	12.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby, eroded	64	150	49	68	5.0	10.0
		Miami, eroded	33	140	49	63	4.6	9.2
		Treaty, drained	3	185	54	83	6.1	12.2
EsC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	140	49	56	4.6	9.2
Ev	Evansville silty clay loam	Evansville	100	165	47	66	5.4	10.8
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Mahalasville	5	175	51	70	5.8	11.6

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
		Ockley	14	135	47	68	4.5	9.0
		Westland, drained	4	175	51	88	5.8	11.6
		Whitaker	2	155	51	62	5.1	10.2
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
		Ockley	8	135	47	68	4.5	9.0
		Fox, till substratum	6	100	35	50	3.3	6.6
		Westland, drained	6	160	46	80	5.3	10.6
FxC2	Fox complex, 6 to 15 percent slopes, eroded	Fox, eroded	65	85	30	43	2.8	5.6
		Fox, severely eroded	20	80	28	40	2.6	5.2
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Armiesburg	2	135	47	19	4.5	9.0
		Shoals	2	130	42	0	0.0	0.0
		Stonelick	2	90	32	0	0.0	0.0
GpC	Gilpin silt loam, 6 to 12 percent slopes	Gilpin	100	95	33	38	3.1	6.2
GpD	Gilpin silt loam, 12 to 18 percent slopes	Gilpin	100	80	28	32	2.6	5.2
GpE	Gilpin silt loam, 18 to 25 percent slopes	Gilpin	100	65	23	26	2.1	4.2
GrC	Grayford silt loam, 6 to 12 percent slopes	Grayford	100	130	46	52	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	100	110	39	44	3.6	7.2
Ha	Haymond silt loam	Haymond	100	130	46	18	4.3	8.6
HkF	Hickory loam, 18 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
MbD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
MbE	Markland silt loam, 18 to 25 percent slopes	Markland	100	---	---	---	3.0	6.0
MeA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MeB	Martinsville loam, 2 to 6 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	140	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
		Rainsville, eroded	10	130	46	59	4.3	8.6
		Treaty	3	185	54	74	6.1	12.2
		Crosby	2	140	46	63	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MnD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
		Rainsville, eroded	10	115	40	52	3.8	7.6
		Crosby	5	140	46	63	4.6	9.2
MnE	Miami silt loam, 18 to 25 percent slopes	Miami	100	---	---	---	3.5	7.0
MnF	Miami loam, 25 to 50 percent slopes	Miami	100	---	---	---	0.0	0.0
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
		Crosby	3	140	46	63	4.6	9.2
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	100	110	39	50	3.6	7.2
Mp	Milford silty clay loam	Milford	100	160	46	64	5.3	10.6
Mu	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
OcA	Ockley loam, 0 to 2 percent slopes	Ockley	80	135	47	68	4.5	9.0
		Fox	10	95	33	48	3.1	6.2
		Sleeth	10	145	47	73	4.8	9.6
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	Ockley	100	130	46	65	4.3	8.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PkC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	100	135	47	54	4.5	9.0
PkD	Parke silt loam, 12 to 18 percent slopes	Parke	100	125	44	50	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Pm	Patton silty clay loam, 0 to 2 percent slopes	Patton	95	175	51	70	5.8	11.6
		Reesville	2	155	51	62	5.1	10.2
		Wakeland	1	145	44	20	4.8	9.6
		Whitaker	1	155	51	62	5.1	10.2
		Wilbur	1	140	49	20	4.6	9.2
PnB	Pekin silt loam, 2 to 6 percent slopes	Pekin	100	135	47	61	4.5	9.0
PpA	Pike silt loam, 0 to 2 percent slopes	Pike	100	140	49	56	4.6	9.2
PpB2	Pike silt loam, 2 to 6 percent slopes, eroded	Pike	100	135	47	54	4.5	9.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrB	Princeton fine sandy loam, 2 to 6 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrC	Princeton fine sandy loam, 6 to 12 percent slopes	Princeton	100	130	46	52	4.3	8.6
PrD	Princeton fine sandy loam, 12 to 18 percent slopes	Princeton	100	115	40	46	3.8	7.6
PrE	Princeton fine sandy loam, 18 to 25 percent slopes	Princeton	100	---	---	---	3.3	6.6
Ps	Pits	Pits	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Rd	Reesville silt loam	Reesville	90	170	56	68	5.6	11.2
		poorly drained aqualfs	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Re	Rensselaer clay loam	Rensselaer	100	175	51	70	5.8	11.6
Ro	Ross loam	Ross	100	150	53	21	5.0	10.0
RuB	Russell silt loam, 2 to 6 percent slopes	Russell	90	155	54	70	5.1	10.2
		Brookston	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
Sn	Sloan silty clay loam	Sloan	100	140	39	0	0.0	0.0
St	Stonelick sandy loam	Stonelick	100	100	35	14	3.3	6.6
Ta	Taggart silt loam	Taggart	90	145	47	58	4.8	9.6
		poorly drained aqualfs	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
VoA	Vigo silt loam, 0 to 2 percent slopes	Vigo	90	155	51	62	5.1	10.2
		poorly drained aqualfs	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam	Wakeland	98	130	39	0	0.0	0.0
		poorly drained aquents	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WcG	Weikert channery silt loam, 40 to 80 percent slopes	Weikert	100	---	---	---	0.0	0.0
WfC	Wellston silt loam, 6 to 12 percent slopes	Wellston	90	135	47	54	4.5	9.0
		Gilpin	5	80	28	32	2.6	5.2
		Zanesville	5	120	42	54	4.0	8.0
Wr	Whitaker loam	Whitaker	90	155	51	62	5.1	10.2
		poorly drained aqualfs	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wu	Wilbur silt loam	Wilbur	100	125	44	0	0.0	0.0
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2
ZaB	Zanesville silt loam, 2 to 6 percent slopes	Zanesville	100	130	46	59	4.3	8.6
ZaC	Zanesville silt loam, 6 to 12 percent slopes	Zanesville	100	120	42	54	4.0	8.0
Zp	Zipp silty clay loam	Zipp	100	145	40	58	4.8	9.6