

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfA	Alford silt loam, 0 to 2 percent slopes	Alford	100	155	54	62	5.1	10.2
AfB	Alford silt loam, 2 to 6 percent slopes	Alford	100	155	54	62	5.1	10.2
AfC2	Alford silt loam, 6 to 12 percent slopes, eroded	Alford	100	155	54	62	5.1	10.2
Ar	Armiesburg silty clay loam	Armiesburg	100	130	46	0	0.0	0.0
AvB	Ava silt loam, 2 to 6 percent slopes	Ava	100	135	47	61	4.5	9.0
Ba	Banlic silt loam	Banlic	90	135	42	54	4.5	9.0
Bd	Bartle silt loam	Bartle	90	140	47	63	4.6	9.2
BeB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
BeC2	Bedford silt loam, 6 to 12 percent slopes, eroded	Bedford	100	115	40	52	3.8	7.6
BfG	Berks channery silt loam, 35 to 80 percent slopes	Berks	100	---	---	---	0.0	0.0
BmC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
Bo	Bonnie silt loam	Bonnie	100	125	33	0	0.0	0.0
Br	Brookston clay loam	Brookston	100	190	56	76	6.3	12.6
ChF	Chetwynd loam, 18 to 80 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	100	110	39	50	3.6	7.2
CnD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	100	35	45	3.3	6.6
CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	Crosby	93	155	51	70	5.1	10.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby, eroded	64	150	49	68	5.0	10.0
		Miami, eroded	33	140	49	63	4.6	9.2
EsC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	140	49	56	4.6	9.2
Ev	Evansville silty clay loam	Evansville	100	165	47	66	5.4	10.8
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
FxC2	Fox complex, 6 to 15 percent slopes, eroded	Fox, eroded	65	85	30	43	2.8	5.6
		Fox, severely eroded	20	80	28	40	2.6	5.2
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
GpC	Gilpin silt loam, 6 to 12 percent slopes	Gilpin	100	95	33	38	3.1	6.2
GpD	Gilpin silt loam, 12 to 18 percent slopes	Gilpin	100	80	28	32	2.6	5.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GpE	Gilpin silt loam, 18 to 25 percent slopes	Gilpin	100	65	23	26	2.1	4.2
GrC	Grayford silt loam, 6 to 12 percent slopes	Grayford	100	130	46	52	4.3	8.6
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	100	110	39	44	3.6	7.2
Ha	Haymond silt loam	Haymond	100	130	46	18	4.3	8.6
HkF	Hickory loam, 18 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
MbD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
MbE	Markland silt loam, 18 to 25 percent slopes	Markland	100	---	---	---	3.0	6.0
MeA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MeB	Martinsville loam, 2 to 6 percent slopes	Martinsville	100	145	51	58	4.8	9.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
MnD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
MnE	Miami silt loam, 18 to 25 percent slopes	Miami	100	---	---	---	3.5	7.0
MnF	Miami loam, 25 to 50 percent slopes	Miami	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	100	110	39	50	3.6	7.2
Mp	Milford silty clay loam	Milford	100	160	46	64	5.3	10.6
Mu	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
OcA	Ockley loam, 0 to 2 percent slopes	Ockley	80	135	47	68	4.5	9.0
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	Ockley	100	130	46	65	4.3	8.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PkC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	100	135	47	54	4.5	9.0
PkD	Parke silt loam, 12 to 18 percent slopes	Parke	100	125	44	50	4.1	8.2
Pm	Patton silty clay loam, 0 to 2 percent slopes	Patton	95	175	51	70	5.8	11.6
PnB	Pekin silt loam, 2 to 6 percent slopes	Pekin	100	135	47	61	4.5	9.0
PpA	Pike silt loam, 0 to 2 percent slopes	Pike	100	140	49	56	4.6	9.2
PpB2	Pike silt loam, 2 to 6 percent slopes, eroded	Pike	100	135	47	54	4.5	9.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrB	Princeton fine sandy loam, 2 to 6 percent slopes	Princeton	100	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PrC	Princeton fine sandy loam, 6 to 12 percent slopes	Princeton	100	130	46	52	4.3	8.6
PrD	Princeton fine sandy loam, 12 to 18 percent slopes	Princeton	100	115	40	46	3.8	7.6
PrE	Princeton fine sandy loam, 18 to 25 percent slopes	Princeton	100	---	---	---	3.3	6.6
Ps	Pits	Pits	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rd	Reesville silt loam	Reesville	90	170	56	68	5.6	11.2
Re	Rensselaer clay loam	Rensselaer	100	175	51	70	5.8	11.6
Ro	Ross loam	Ross	100	150	53	21	5.0	10.0
RuB	Russell silt loam, 2 to 6 percent slopes	Russell	90	155	54	70	5.1	10.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
Sn	Sloan silty clay loam	Sloan	100	140	39	0	0.0	0.0
St	Stonelick sandy loam	Stonelick	100	100	35	14	3.3	6.6
Ta	Taggart silt loam	Taggart	90	145	47	58	4.8	9.6
VoA	Vigo silt loam, 0 to 2 percent slopes	Vigo	90	155	51	62	5.1	10.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam	Wakeland	98	130	39	0	0.0	0.0
WcG	Weikert channery silt loam, 40 to 80 percent slopes	Weikert	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WfC	Wellston silt loam, 6 to 12 percent slopes	Wellston	90	135	47	54	4.5	9.0
Wr	Whitaker loam	Whitaker	90	155	51	62	5.1	10.2
Wu	Wilbur silt loam	Wilbur	100	125	44	0	0.0	0.0
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
ZaB	Zanesville silt loam, 2 to 6 percent slopes	Zanesville	100	130	46	59	4.3	8.6
ZaC	Zanesville silt loam, 6 to 12 percent slopes	Zanesville	100	120	42	54	4.0	8.0
Zp	Zipp silty clay loam	Zipp	100	145	40	58	4.8	9.6

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.