

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Morgan County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AfA	Alford silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
AfB	Alford silt loam, 2 to 6 percent slopes	155	54	62	5.1	10.2
AfC2	Alford silt loam, 6 to 12 percent slopes, eroded	155	54	62	5.1	10.2
Ar	Armiesburg silty clay loam	130	46	0	0.0	0.0
AvB	Ava silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0
Ba	Banlic silt loam	135	42	54	4.5	9.0
Bd	Bartle silt loam	140	47	63	4.6	9.2
BeB	Bedford silt loam, 2 to 6 percent slopes	136	47	60	4.5	9.0
BeC2	Bedford silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
BfG	Berks channery silt loam, 35 to 80 percent slopes	0	0	0	0.0	0.0
BmC	Bloomfield loamy fine sand, 6 to 12 percent slopes	85	30	34	2.8	5.6
Bo	Bonnie silt loam	125	33	0	0.0	0.0
Br	Brookston clay loam	190	56	76	6.3	12.6
ChF	Chetwynd loam, 18 to 80 percent slopes	0	0	0	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	110	39	50	3.6	7.2
CnD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	100	35	45	3.3	6.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Morgan County, Indiana

CrA	Crosby silt loam, fine-loamy subsoil, 0 to 2 percent slopes	155	51	70	5.1	10.2
CsB2	Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	148	49	67	5.0	9.9
EsC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	140	49	56	4.6	9.2
Ev	Evansville silty clay loam	165	47	66	5.4	10.8
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	168	54	73	5.4	10.8
FoA	Fox loam, 0 to 2 percent slopes	109	38	50	3.3	6.7
FoB2	Fox loam, 2 to 6 percent slopes, eroded	102	35	48	3.1	6.3
FxC2	Fox complex, 6 to 15 percent slopes, eroded	85	30	43	2.8	5.6
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	1	0.0	0.0
GpC	Gilpin silt loam, 6 to 12 percent slopes	95	33	38	3.1	6.2
GpD	Gilpin silt loam, 12 to 18 percent slopes	80	28	32	2.6	5.2
GpE	Gilpin silt loam, 18 to 25 percent slopes	65	23	26	2.1	4.2
GrC	Grayford silt loam, 6 to 12 percent slopes	130	46	52	4.3	8.6
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
Ha	Haymond silt loam	130	46	18	0.0	0.0
HkF	Hickory loam, 18 to 50 percent slopes	0	0	0	0.0	0.0
IvA	Iva silt loam, 0 to 2 percent slopes	163	53	67	5.4	10.8
MbD2	Markland silt loam, 12 to 18 percent slopes, eroded	100	35	40	3.3	6.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Morgan County, Indiana

MbE	Markland silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
MeA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MeB	Martinsville loam, 2 to 6 percent slopes	145	51	58	4.8	9.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	142	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	132	46	58	4.3	8.6
MnD2	Miami silt loam, 12 to 18 percent slopes, eroded	116	41	52	3.8	7.6
MnE	Miami silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
MnF	Miami loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	121	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
Mp	Milford silty clay loam	160	46	64	5.3	10.6
Mu	Montgomery silty clay loam	160	46	64	5.3	10.6
OcA	Ockley loam, 0 to 2 percent slopes	132	46	67	4.5	8.9
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	130	46	65	4.3	8.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PkC2	Parke silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
PkD	Parke silt loam, 12 to 18 percent slopes	125	44	50	4.1	8.2
Pm	Patton silty clay loam, 0 to 2 percent slopes	174	51	69	5.7	11.4
PnB	Pekin silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Morgan County, Indiana

PpA	Pike silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
PpB2	Pike silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
PrB	Princeton fine sandy loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
PrC	Princeton fine sandy loam, 6 to 12 percent slopes	130	46	52	4.3	8.6
PrD	Princeton fine sandy loam, 12 to 18 percent slopes	115	40	46	3.8	7.6
PrE	Princeton fine sandy loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
Ps	Pits	0	0	0	0.0	0.0
Rd	Reesville silt loam	170	56	68	5.6	11.2
Re	Rensselaer clay loam	175	51	70	5.8	11.6
Ro	Ross loam	150	53	21	0.0	0.0
RuB	Russell silt loam, 2 to 6 percent slopes	155	54	70	5.1	10.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0.0	0.0
Sn	Sloan silty clay loam	140	39	0	0.0	0.0
St	Stonelick sandy loam	100	35	14	0.0	0.0
Ta	Taggart silt loam	145	47	58	4.8	9.6
VoA	Vigo silt loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
W	Water	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Morgan County, Indiana

Wa	Wakeland silt loam	130	39	0	0.0	0.0
WcG	Weikert channery silt loam, 40 to 80 percent slopes	0	0	0	0.0	0.0
WfC	Wellston silt loam, 6 to 12 percent slopes	132	46	54	4.5	9.0
Wr	Whitaker loam	155	51	62	5.1	10.2
Wu	Wilbur silt loam	125	44	0	0.0	0.0
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5.0	10.0
ZaB	Zanesville silt loam, 2 to 6 percent slopes	130	46	59	4.3	8.6
ZaC	Zanesville silt loam, 6 to 12 percent slopes	120	42	54	4.0	8.0
Zp	Zipp silty clay loam	145	40	58	4.8	9.6