

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ad—Adrian muck					
Adrian, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
Am—Adrian muck, drained					
Adrian, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
Au—Aubbeenaubbee fine sandy loam					
Aubbeenaubbee	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BIA—Blount silt loam, 0 to 2 percent slopes					
Blount	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BIB2—Blount silt loam, 1 to 4 percent slopes, eroded					
Blount	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BoB—Boyer loamy sand, 1 to 6 percent slopes					
Boyer	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.68	Unstable excavation walls	0.68
BoC—Boyer loamy sand, 6 to 12 percent slopes					
Boyer	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.68	Unstable excavation walls	0.68
		Slope	0.63	Slope	0.04
BoD2—Boyer loamy sand, 12 to 18 percent slopes					
Boyer	85	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Slope	1.00
		Unstable excavation walls	0.65	Unstable excavation walls	0.65

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Br—Brady sandy loam					
Brady	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Bx—Brookston silt loam					
Brookston	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CcC3—Casco sandy clay loam, 8 to 15 percent slopes, severely eroded					
Casco, severely eroded	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.96	Unstable excavation walls	0.82
		Unstable excavation walls	0.82	Slope	0.37
		Dusty	0.01	Dusty	0.01
ChB—Chelsea fine sand, 2 to 6 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
ChC—Chelsea fine sand, 6 to 12 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CrA—Crosier loam, 0 to 2 percent slopes					
Crosier	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ed—Edwards muck					
Edwards, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Em—Edwards muck, drained					
Edwards, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FoA—Fox sandy loam, 0 to 2 percent slopes					
Fox	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FoB—Fox sandy loam, 2 to 6 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FoC2—Fox sandy loam, 6 to 12 percent slopes, eroded					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FsD2—Fox-Casco sandy loams, 12 to 18 percent slopes, eroded					
Fox	50	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Slope	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Casco	30	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Slope	1.00
		Unstable excavation walls	0.82	Unstable excavation walls	0.82
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FsE2—Fox-Casco sandy loams, 18 to 25 percent slopes, eroded					
Fox	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Casco	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.82	Unstable excavation walls	0.82
		Dusty	0.01	Dusty	0.01
Fu—Fulton silt loam					
Fulton	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
		Dusty	0.04	Dusty	0.04
Gf—Gilford sandy loam					
Gilford	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
Gp—Gravel pits					
Pits, gravel	100	Not rated		Not rated	
HaA—Haskins loam, 0 to 2 percent slopes					
Haskins	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Hh--Homer loam					
Homer	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hm--Houghton muck					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
Ho--Houghton muck, drained					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
La--Lake borders					
Lake borders	100	Not rated		Not rated	
Ma--Marl beds					
Marl beds	100	Not rated		Not rated	
Mb--Marsh					
Marsh	100	Not rated		Not rated	
MdB--Martinsville fine sandy loam, 2 to 6 percent slopes					
Martinsville	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MeB—Metea loamy fine sand, 2 to 6 percent slopes					
Metea	100	Somewhat limited		Somewhat limited	
		Sand content	0.44	Sand content	0.44
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfB2—Miami loam, 2 to 6 percent slopes, eroded					
Miami	95	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfC2—Miami loam, 6 to 12 percent slopes, eroded					
Miami	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfD2—Miami loam, 12 to 18 percent slopes, eroded					
Miami	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.94	Wetness	0.94
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfE2—Miami loam, 18 to 25 percent slopes, eroded					
Miami	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MgC3—Miami clay loam, 6 to 12 percent slopes, severely eroded					
Miami, severely eroded	97	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MgD3—Miami clay loam, 12 to 18 percent slopes, severely eroded					
Miami, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhA—Miami loam, gravelly substratum, 0 to 2 percent slopes					
Miami	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhB2—Miami loam, gravelly substratum, 2 to 6 percent slopes, eroded					
Miami	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mn—Milford silty clay loam					
Milford	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MrB2—Glynwood silt loam, 2 to 6 percent slopes, eroded					
Glynwood	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrC2—Morley silt loam, 6 to 12 percent slopes, eroded					
Morley	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrD2—Morley silt loam, 12 to 18 percent slopes, eroded					
Morley	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsC3—Morley silty clay loam, 6 to 12 percent slopes, severely eroded					
Morley, severely eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MsD3—Morley silty clay loam, 12 to 18 percent slopes, severely eroded					
Morley, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.99	Wetness	0.99
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MtE—Morley soils, 18 to 25 percent slopes					
Morley	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MuC2—Morley, Miami, and Rawson loams, 6 to 12 percent slopes, eroded					
Morley	40	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	30	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rawson	30	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsB—Oshtemo loamy sand, 2 to 6 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OsC—Oshtemo loamy sand, 6 to 12 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OtA—Oshtemo sandy loam, 0 to 2 percent slopes					
Oshtemo	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pb—Palms muck, drained					
Palms, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PdA—Parr loam, 0 to 2 percent slopes					
Parr	100	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pe—Pewamo silty clay loam					
Pewamo	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.09	Unstable excavation walls	0.09
		Dusty	0.04	Dusty	0.04
RaB—Rawson sandy loam, 2 to 6 percent slopes					
Rawson	95	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RaC2—Rawson sandy loam, 6 to 12 percent slopes, eroded					
Rawson	100	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RbA—Rawson loam, 0 to 2 percent slopes					
Rawson	90	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RbB—Rawson loam, 2 to 6 percent slopes					
Rawson	95	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RdB2—Rawson, Morley, and Miami loams, 2 to 6 percent slopes, eroded					
Rawson	40	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami	25	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Morley	25	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Re--Rensselaer loam					
Rensselaer	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RsA--Riddles sandy loam, 0 to 2 percent slopes					
Riddles	90	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RsB--Riddles sandy loam, 2 to 6 percent slopes					
Riddles	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RsC2--Riddles sandy loam, 6 to 12 percent slopes, eroded					
Riddles	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RsD2--Riddles sandy loam, 12 to 18 percent slopes, eroded					
Riddles	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Se--Sebewa loam, drained, 0 to 1 percent slopes					
Sebewa, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Too sandy	1.00	Too sandy	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sh—Shoals silt loam					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
To—Toledo silty clay loam					
Toledo	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.07	Unstable excavation walls	0.07
		Dusty	0.04	Dusty	0.04
W—Water					
Water	100	Not rated		Not rated	
Wa—Walkkill silt loam					
Walkkill	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
WrA—Warsaw loam, 0 to 2 percent slopes					
Warsaw	95	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ws—Washtenaw silt loam					
Washtenaw	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Noble County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wt--Whitaker loam					
Whitaker	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Seepage	0.22	Seepage	0.22
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Noble County, Indiana
 Survey Area Data: Version 19, Sep 10, 2014