

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Ohio County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
BaA	Bartle silt loam, 0 to 3 percent slopes	Bartle	83	135	46	61	4.5	9.0
BeC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	Bonnell	100	110	39	44	3.6	7.2
BeC3	Bonnell silt loam, 6 to 12 percent slopes, severely eroded	Bonnell, severely eroded	100	100	35	40	3.3	6.6
BeD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	Bonnell	100	95	33	38	3.1	6.2
BeD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	Bonnell, severely eroded	100	85	30	34	2.8	5.6
BeE	Bonnell silt loam, 18 to 35 percent slopes	Bonnell	100	---	---	---	0.0	0.0
CaC2	Carmel silt loam, 6 to 12 percent slopes, eroded	Carmel	100	90	32	41	3.0	6.0
CaD2	Carmel silt loam, 12 to 18 percent slopes, eroded	Carmel	100	75	26	34	2.5	5.0
CaE2	Carmel silt loam, 18 to 25 percent slopes, eroded	Carmel	100	---	---	---	2.0	4.0
CcC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	Carmel, severely eroded	100	85	30	38	2.8	5.6
CcD3	Carmel silty clay loam, 12 to 18 percent slopes, severely eroded	Carmel, severely eroded	100	70	25	32	2.3	4.6
CcE3	Carmel silty clay loam, 18 to 25 percent slopes, severely eroded	Carmel, severely eroded	100	---	---	---	1.8	3.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Ohio County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ch	Chagrin silt loam, frequently flooded	Chagrin	100	120	42	0	0.0	0.0
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
Ct	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
De	Dearborn silt loam, frequently flooded	Dearborn	100	120	42	17	4.0	8.0
Df	Dearborn channery loam, frequently flooded	Dearborn	100	115	40	16	3.8	7.6
EcE2	Eden silty clay loam, 15 to 25 percent slopes, eroded	Eden	100	45	16	20	1.5	3.0
EdE3	Eden flaggy silty clay loam, 15 to 25 percent slopes, severely eroded	Eden, severely eroded	100	---	---	---	1.0	2.0
EdF	Eden flaggy silty clay, 25 to 50 percent slopes	Eden	85	---	---	---	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	Elkinsville, rarely flooded	90	150	53	60	5.0	10.0
EkB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded	Elkinsville	100	145	51	58	4.8	9.6
EkC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	135	47	54	4.5	9.0
FoB2	Fox silt loam, 1 to 4 percent slopes, eroded	Fox	100	95	33	48	3.1	6.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Ohio County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hu	Huntington silt loam, 0 to 2 percent slopes, frequently flooded	Huntington, frequently flooded	85	130	46	0	0.0	0.0
Ju	Jules silt loam, frequently flooded	Jules	100	110	39	0	0.0	0.0
MaB2	Markland silt loam, 2 to 12 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MbD3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
Ne	Newark silt loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	90	130	42	0	0.0	0.0
OcA	Ockley silt loam, 0 to 3 percent slopes	Ockley	100	135	47	68	4.5	9.0
Or	Orrville silt loam, frequently flooded	Orrville	97	125	37	18	4.1	8.2
PaD2	Pate silty clay loam, 12 to 18 percent slopes, eroded	Pate	100	90	32	36	3.0	6.0
PaE2	Pate silty clay loam, 18 to 25 percent slopes, eroded	Pate	100	---	---	---	2.5	5.0
Pg	Pits, gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Rahm silt loam, occasionally flooded	Rahm	97	135	44	19	4.5	9.0
RdG	Rodman sandy loam, 40 to 60 percent slopes	Rodman	100	---	---	---	0.0	0.0
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Ohio County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
St	Stonelick sandy loam, frequently flooded	Stonelick	100	100	35	14	3.3	6.6
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	Switzerland	100	135	47	54	4.5	9.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	Switzerland	100	125	44	50	4.1	8.2
SwC3	Switzerland silt loam, 6 to 12 percent slopes, severely eroded	Switzerland, severely eroded	100	120	42	48	4.0	8.0
SwD2	Switzerland silt loam, 12 to 18 percent slopes, eroded	Switzerland	100	110	39	44	3.6	7.2
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	Weisburg	100	125	44	56	4.1	8.2
WbC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	Weisburg	100	115	40	52	3.8	7.6
WbC3	Weisburg silt loam, 6 to 12 percent slopes, severely eroded	Weisburg, severely eroded	100	100	35	45	3.3	6.6
WhA	Wheeling silt loam, 0 to 2 percent slopes	Wheeling	97	155	54	62	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.