

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Ohio County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	49	65	4.8	9.6
BaA	Bartle silt loam, 0 to 3 percent slopes	135	46	61	4.5	9.0
BeC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BeC3	Bonnell silt loam, 6 to 12 percent slopes, severely eroded	100	35	40	3.3	6.6
BeD2	Bonnell silt loam, 12 to 18 percent slopes, eroded	95	33	38	3.1	6.2
BeD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	85	30	34	2.8	5.6
BeE	Bonnell silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
CaC2	Carmel silt loam, 6 to 12 percent slopes, eroded	90	32	41	3.0	6.0
CaD2	Carmel silt loam, 12 to 18 percent slopes, eroded	75	26	34	2.5	5.0
CaE2	Carmel silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
CcC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	85	30	38	2.8	5.6
CcD3	Carmel silty clay loam, 12 to 18 percent slopes, severely eroded	70	25	32	2.3	4.6
CcE3	Carmel silty clay loam, 18 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
Ch	Chagrin silt loam, frequently flooded	120	42	0	0.0	0.0
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Ohio County, Indiana

CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
Ct	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
De	Dearborn silt loam, frequently flooded	120	42	17	0.0	0.0
Df	Dearborn channery loam, frequently flooded	115	40	16	0.0	0.0
EcE2	Eden silty clay loam, 15 to 25 percent slopes, eroded	45	16	20	1.5	3.0
EdE3	Eden flaggy silty clay loam, 15 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
EdF	Eden flaggy silty clay, 25 to 50 percent slopes	---	---	---	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	148	52	61	5.0	10.0
EkB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
EkC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
FoB2	Fox silt loam, 1 to 4 percent slopes, eroded	95	33	48	3.1	6.2
Hu	Huntington silt loam, 0 to 2 percent slopes, frequently flooded	129	45	0	0.0	0.0
Ju	Jules silt loam, frequently flooded	110	39	0	0.0	0.0
MaB2	Markland silt loam, 2 to 12 percent slopes, eroded	120	42	48	4.0	8.0
MbD3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	90	32	36	3.0	6.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Ohio County, Indiana

Ne	Newark silt loam, 0 to 2 percent slopes, frequently flooded	129	42	0	0.0	0.0
OcA	Ockley silt loam, 0 to 3 percent slopes	135	47	68	4.5	9.0
Or	Orrville silt loam, frequently flooded	125	37	18	0.0	0.0
PaD2	Pate silty clay loam, 12 to 18 percent slopes, eroded	90	32	36	3.0	6.0
PaE2	Pate silty clay loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
Pg	Pits, gravel	0	0	0	0.0	0.0
Ra	Rahm silt loam, occasionally flooded	135	44	19	0.0	0.0
RdG	Rodman sandy loam, 40 to 60 percent slopes	0	0	0	0.0	0.0
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
St	Stonelick sandy loam, frequently flooded	100	35	14	0.0	0.0
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
SwC3	Switzerland silt loam, 6 to 12 percent slopes, severely eroded	120	42	48	4.0	8.0
SwD2	Switzerland silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WbB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
Ohio County, Indiana

WbC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
WbC3	Weisburg silt loam, 6 to 12 percent slopes, severely eroded	100	35	45	3.3	6.6
WhA	Wheeling silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2