

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	Adyeville	85	70	25	28	2.3	4.6
AbqE2	Adyeville silt loam, 18 to 25 percent slopes, eroded	Adyeville	100	---	---	---	1.8	3.6
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	Adyeville, severely eroded	85	---	---	---	1.7	3.4
AcgF	Adyeville-Tipsaw-Ebal complex, 18 to 50 percent slopes	Adyeville	55	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Ebal	15	---	---	---	0.0	0.0
AciE	Adyeville-Tipsaw complex, 18 to 30 percent slopes	Adyeville	55	---	---	---	0.0	0.0
		Tipsaw	45	---	---	---	0.0	0.0
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	Adyeville	45	---	---	---	0.0	0.0
		Tipsaw	35	---	---	---	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	51	---	---	---	0.0	0.0
		Wellston	25	---	---	---	0.0	0.0
AgrA	Apalona silt loam, 0 to 2 percent slopes	Apalona	100	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	135	46	61	4.5	9.0
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	110	39	15	3.6	7.2
BdoA	Bedford silt loam, 0 to 2 percent slopes	Bedford	92	130	46	59	4.3	8.6
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
BuoA	Bromer silt loam, 0 to 2 percent slopes	Bromer	85	145	49	58	4.8	9.6
CbtD3	Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded	Caneyville, severely eroded	55	45	16	20	1.5	3.0
		Crider, severely eroded	45	115	40	46	3.8	7.6
CbuE	Caneyville-Crider silt loams, 18 to 25 percent slopes	Caneyville	55	---	---	---	1.7	3.4
		Crider	45	---	---	---	3.6	7.2
CbzG	Caneyville-Rock outcrop complex, 18 to 70 percent slopes	Caneyville	65	0	0	0	0.0	0.0
		Rock outcrop	35	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CspB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	80	140	49	56	4.6	9.2
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	70	130	46	52	4.3	8.6
CtwD2	Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	Crider	60	125	44	50	4.1	8.2
		Caneyville	40	60	21	27	2.0	4.0
CtyC2	Crider-Frederick-Caneyville silt loams, karst, 2 to 12 percent slopes, eroded	Crider, karst	50	140	49	56	4.6	9.2
		Frederick, karst	20	100	35	40	3.3	6.6
		Caneyville, karst	15	70	25	32	2.3	4.6
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	90	115	40	0	0.0	0.0
EepA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	90	145	51	58	4.8	9.6
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	85	155	54	62	5.1	10.2
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	130	46	52	4.3	8.6
FkhD2	Frederick silt loam, 12 to 18 percent slopes, eroded	Frederick	100	85	30	34	2.8	5.6
FkhF	Frederick silt loam, 18 to 50 percent slopes	Frederick	100	---	---	---	0.0	0.0
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	100	115	40	16	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HafD3	Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded	Haggatt, severely eroded	100	65	23	29	2.1	4.2
HarE2	Haggatt silt loam, 18 to 25 percent slopes, eroded	Haggatt	100	---	---	---	2.0	4.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	100	120	42	0	0.0	0.0
HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer, eroded	90	120	42	54	4.0	8.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	Montgomery	100	160	46	64	5.3	10.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	95	115	40	52	3.8	7.6
PhfA	Peoga silt loam, clayey substratum, 0 to 1 percent slopes	Peoga, clayey substratum	95	160	46	64	5.3	10.6
Pml	Pits, quarries	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	97	125	40	0	0.0	0.0
Tb1G	Tipsaw-Adyeville complex, 25 to 75 percent slopes	Tipsaw	55	---	---	---	0.0	0.0
		Adyeville	45	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ubx	Udorthents, gullied	Udorthents, gullied, very severely eroded	100	---	---	---	3.1	6.2
Usl	Udorthents, rubbish	Udorthents, rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	97	130	39	0	0.0	0.0
WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	125	44	50	4.1	8.2
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	80	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	86	125	44	0	0.0	0.0
WozD5	Wellston silt loam, 10 to 18 percent slopes, gullied	Wellston, very severely eroded	80	0	0	0	0.0	0.0
WpfG	Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	Wellston	50	---	---	---	0.0	0.0
		Tipsaw	30	---	---	---	0.0	0.0
		Adyeville	20	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Orange County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WpmD3	Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	45	100	35	40	3.3	6.6
		Ebal, severely eroded	35	75	26	34	2.5	5.0
		Adyeville, severely eroded	20	65	23	26	2.1	4.2
WpoD2	Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	Wellston	70	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	45	110	39	44	3.6	7.2
		Adyeville	30	70	25	28	2.3	4.6
		Ebal	25	95	33	38	3.1	6.2
WymC2	Wrays silt loam, 6 to 12 percent slopes, eroded	Wrays	100	110	39	44	3.6	7.2
WymD	Wrays silt loam, 12 to 18 percent slopes	Wrays	100	100	35	40	3.3	6.6

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.