

Crop and Pasture Limitations  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AbqD2: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqE2: Adyeville-----	100	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AbqE3: Adyeville-----	85	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AcgF: Adyeville-----	55	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Tipsaw-----	30	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Ebal-----	15	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
AciE: Adyeville-----	55	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Tipsaw-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AciG: Adyeville-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Tipsaw-----	35	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
AcmF: Adyeville-----	51	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
AgrA: Apalona-----	100	Limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph.
AgrB: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AgrC2: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity.	Limited rooting depth (fragipan), low ph, water erosion.
AgrC3: Apalona-----	45	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Zanesville-----	40	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity.	Limited rooting depth (fragipan), low ph, water erosion.
BbhA: Bartle-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
BcrAW: Beanblossom-----	89	Flooding, low ph, moderate available water capacity.	Flooding, low ph.
BdoA: Bedford-----	92	Limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BdoB: Bedford-----	85	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
BuoA: Bromer-----	85	Wetness, low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
CbtD3: Caneyville-----	55	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Crider-----	45	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
CbuE: Caneyville-----	55	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Crider-----	45	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
CbzG: Caneyville-----	65	Equipment limitation(slope), low ph, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
CspB: Crider-----	75	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
CspC2: Crider-----	80	Low ph, crusting, water erosion.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
CspC3: Crider-----	70	Low ph, crusting, water erosion.	Low ph, water erosion.
CtwD2: Crider-----	60	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
Caneyville-----	40	Equipment limitation(slope), low ph, water erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
CtyC2: Crider-----	50	Low ph, crusting, water erosion.	Low ph, water erosion.
Frederick-----	20	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Caneyville-----	15	Low ph, crusting, water erosion, low available water capacity.	Low ph, water erosion, low available water capacity.
CwaAH: Cuba-----	90	Low ph, crusting.	Low ph.
EepA: Elkinsville-----	90	Low ph, crusting.	Low ph.
EepB: Elkinsville-----	85	Low ph, crusting, water erosion.	Low ph, water erosion.
EepC2: Elkinsville-----	100	Low ph, crusting, water erosion.	Low ph, water erosion.
Fkhd2: Frederick-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
FkhF: Frederick-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
GacAW: Gatchel-----	100	Low ph, moderate available water capacity.	Low ph.
HafD3: Haggatt-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
HarE2: Haggatt-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
HcgAH: Haymond-----	100	Low ph, crusting.	Low ph.
HsaB2: Hosmer-----	90	Limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
JoaA: Johnsburg-----	88	Wetness, limited rooting depth (fragipan), low ph, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
MsvA: Montgomery-----	100	Ponding, wetness, clodding, restricted permeability.	Ponding, wetness, trafficability limitation.
PcrB: Pekin-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
PcrC2: Pekin-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
PhfA: Peoga-----	95	Ponding, wetness, low ph, crusting, restricted permeability.	Ponding, wetness, trafficability limitation, low ph.
StdAH: Stendal-----	97	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
Tb1G: Tipsaw-----	55	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Adyeville-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Ubx: Udorthents, gullied----	100	Not rated.	Not rated.
WaaAH: Wakeland-----	97	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WhfC2: Wellston-----	90	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
WhfC3: Wellston-----	100	Low ph, water erosion, moderate available water capacity.	Low ph, water erosion.
WhfD2: Wellston-----	80	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
WhfD3: Wellston-----	90	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
WokAH: Wilbur-----	86	Flooding, low ph, crusting.	Flooding, low ph.
WozD5: Wellston-----	80	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
WpfG: Wellston-----	50	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Tipsaw-----	30	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Adyeville-----	20	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WpmD3: Wellston-----	45	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Ebal-----	35	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Adyeville-----	20	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Orange County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
WpoD2: Wellston-----	70	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Adyeville-----	30	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WppD2: Wellston-----	45	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Adyeville-----	30	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Ebal-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
WymC2: Wrays-----	100	Low ph, water erosion, moderate available water capacity.	Low ph, water erosion.
WymD: Wrays-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.