

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Orange County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbqD2	Adyeville silt loam, 12 to 18 percent slopes, eroded	70	25	28	2.3	4.6
AbqE2	Adyeville silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
AbqE3	Adyeville silt loam, 18 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
AcgF	Adyeville-Tipsaw-Ebal complex, 18 to 50 percent slopes	0	0	0	0.0	0.0
AciE	Adyeville-Tipsaw complex, 18 to 30 percent slopes	0	0	0	0.0	0.0
AciG	Adyeville-Tipsaw complex, 20 to 60 percent slopes	0	0	0	0.0	0.0
AcmF	Adyeville-Wellston silt loams, 18 to 50 percent slopes	0	0	0	0.0	0.0
AgrA	Apalona silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	139	49	62	4.6	9.2
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	121	42	54	4.0	8.0
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
BbhA	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	110	39	15	0.0	0.0
BdoA	Bedford silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
BdoB	Bedford silt loam, 2 to 6 percent slopes	136	47	60	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Orange County, Indiana

BuoA	Bromer silt loam, 0 to 2 percent slopes	145	49	58	4.8	9.6
CbtD3	Caneyville-Crider complex, 12 to 18 percent slopes, severely eroded	77	27	25	2.0	3.9
CbuE	Caneyville-Crider silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
CbzG	Caneyville-Rock outcrop complex, 18 to 70 percent slopes	0	0	0	0.0	0.0
CspB	Crider silt loam, 2 to 6 percent slopes	144	50	61	5.0	9.9
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	140	49	56	4.6	9.2
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
CtwD2	Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	99	35	48	3.8	7.6
CtyC2	Crider-Frederick-Caneyville silt loams, karst, 2 to 12 percent slopes, eroded	118	41	54	4.4	8.8
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	115	40	0	0.0	0.0
EepA	Elkinsville silt loam, 0 to 2 percent slopes	144	50	59	4.8	9.6
EepB	Elkinsville silt loam, 2 to 6 percent slopes	155	54	62	5.1	10.2
EepC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
FkhD2	Frederick silt loam, 12 to 18 percent slopes, eroded	85	30	34	2.8	5.6
FkhF	Frederick silt loam, 18 to 50 percent slopes	0	0	0	0.0	0.0
GacAW	Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	115	40	16	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Orange County, Indiana

HafD3	Haggatt silty clay loam, 12 to 18 percent slopes, severely eroded	65	23	29	2.1	4.2
HarE2	Haggatt silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	122	43	54	4.0	8.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	160	46	64	5.3	10.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PcrB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	116	41	52	3.8	7.6
PhfA	Peoga silt loam, clayey substratum, 0 to 1 percent slopes	160	46	64	5.3	10.6
Pml	Pits, quarries	0	0	0	0.0	0.0
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	40	0	0.0	0.0
TblG	Tipsaw-Adyeville complex, 25 to 75 percent slopes	0	0	0	0.0	0.0
Ubx	Udorthents, gullied	0	0	0	0.0	0.0
Usl	Udorthents, rubbish	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	39	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Orange County, Indiana

WhfC2	Wellston silt loam, 6 to 12 percent slopes, eroded	118	41	48	4.0	8.0
WhfC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	125	44	50	4.1	8.2
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	105	37	42	3.5	7.0
WhfD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	102	36	42	3.5	7.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	44	0	0.0	0.0
WozD5	Wellston silt loam, 10 to 18 percent slopes, gullied	0	0	0	0.0	0.0
WpfG	Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	0	0	0	0.0	0.0
WpmD3	Wellston-Ebal-Adyeville complex, 12 to 18 percent slopes, severely eroded	84	29	39	3.1	6.1
WpoD2	Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	98	34	43	3.5	7.0
WppD2	Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	94	33	40	3.3	6.7
WymC2	Wrays silt loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
WymD	Wrays silt loam, 12 to 18 percent slopes	100	35	40	3.3	6.6