

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbgAU	Adrian muck, undrained, 0 to 1 percent slopes	Adrian, undrained	100	0	0	0	0.0	0.0
AfeC	Alvin-Bloomfield loamy sands, 6 to 12 percent slopes	Alvin	50	100	35	40	3.3	6.6
		Bloomfield	37	85	30	34	2.8	5.6
		Alvin, 2 to 6 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield, 2 to 6 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin, 12 to 18 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield, 12 to 18 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfeD	Alvin-Bloomfield loamy sands, 12 to 18 percent slopes	Alvin	50	85	30	34	2.8	5.6
		Bloomfield	34	70	25	28	2.3	4.6
		Alvin	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AffE	Alvin-Bloomfield-Princeton complex, 18 to 25 percent slopes	Alvin	45	---	---	---	2.3	4.6
		Bloomfield	27	---	---	---	1.8	3.6
		Princeton	18	---	---	---	3.1	6.2
		Alvin, 6 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield, 6 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gallimore, 18 to 25 percent slopes	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	Alvin	48	115	40	46	3.8	7.6
		Princeton	38	135	47	54	4.5	9.0
		Bobtown	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin, 6 to 12 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bloomfield, 2 to 12 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Princeton, 6 to 12 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfsC	Alvin-Princeton fine sandy loams, 6 to 12 percent slopes	Alvin	50	105	37	42	3.5	7.0
		Princeton	38	125	44	50	4.1	8.2
		Bloomfield, 6 to 18 percent slopes	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bobtown	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AftD	Alvin-Princeton sandy loams, 12 to 18 percent slopes	Alvin	48	90	32	36	3.0	6.0
		Princeton	33	110	39	44	3.6	7.2
		Bloomfield, 12 to 25 percent slopes	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin, 18 to 25 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin, 6 to 12 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ayrshire	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, poorly drained, loamy soil	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AhrAK	Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Armiesburg	95	135	47	19	4.5	9.0
		McAdoo	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newark	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AkeB2	Arney silt loam, 2 to 6 percent slopes, eroded	Arney	85	150	53	60	5.0	10.0
		Lieber	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stinesville	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AloB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
		Iva	3	165	54	66	5.4	10.8
		Shakamak	2	130	46	59	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AmkA	Ayrshire fine sandy loam, 0 to 2 percent slopes	Ayrshire	90	150	49	60	5.0	10.0
		Bobtown	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Lyles	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BdxAV	Belknap silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Belknap, drained	75	135	40	19	4.5	9.0
		Belknap, undrained	10	0	0	0	0.0	0.0
		Steff	10	130	46	18	4.3	8.6
		Bonnie	5	150	42	21	5.0	10.0
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Birds, undrained	83	0	0	0	0.0	0.0
		Wakeland	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Birds, drained	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wilhite	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	Bonnie	84	145	40	20	4.8	9.6
		Bonnie, undrained	10	0	0	0	0.0	0.0
		Belknap	3	135	40	19	4.5	9.0
		Stendal	3	135	44	19	4.5	9.0
CkkB2	Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded	Cincinnati, eroded	95	125	44	56	4.1	8.2
		Cincinnati, severely eroded	5	105	37	47	3.5	7.0

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CkkC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0
CkkC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
		Stendal, occasionally flooded, very brief	5	140	46	20	4.6	9.2
CkkD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	73	110	39	50	3.6	7.2
		Cincinnati, severely eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati, 6 to 12 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Otwell	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	80	140	49	56	4.6	9.2
		Crider, severely eroded	10	145	51	58	4.8	9.6
		Haggatt	4	105	37	47	3.5	7.0
		Crider	3	150	53	60	5.0	10.0
		Crider	3	130	46	52	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	70	130	46	52	4.3	8.6
		Crider	20	135	47	54	4.5	9.0
		Haggatt	9	95	33	43	3.1	6.2
		Grayford	1	135	47	54	4.5	9.0
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	84	130	44	59	4.3	8.6
		Peoga	8	135	40	54	4.5	9.0
		Haubstadt	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Dubois, 2 to 6 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EaaD2	Ebal silt loam, 12 to 18 percent slopes, eroded	Ebal	78	85	30	34	2.8	5.6
		Tulip	12	110	39	44	3.6	7.2
		Ebal, 6 to 12 percent slopes	10	100	35	40	3.3	6.6
GaaE2	Gallimore loam, 18 to 25 percent slopes, eroded	Gallimore	77	---	---	---	2.5	5.0
		Chetwynd	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gallimore, 25 to 35 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GabG	Gallimore-Chetwynd complex, 25 to 70 percent slopes	Gallimore	48	---	---	---	0.0	0.0
		Chetwynd	26	---	---	---	0.0	0.0
		Very deep, well drained, sandy soil	14	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pike	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GblAH	Gessie silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Gessie	88	120	42	0	0.0	0.0
		Stonelick	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gessie, occasionally or rarely flooded	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GmcD3	Grayford silt loam, 12 to 18 percent slopes, severely eroded	Grayford, severely eroded	80	105	37	42	3.5	7.0
		Ryker	14	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Grayford, 18 to 25 percent slopes	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GmcE2	Grayford silt loam, 18 to 25 percent slopes, eroded	Grayford	82	---	---	---	2.8	5.6
		Ryker	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Grayford, 25 to 35 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ryker	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gallimore	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GmhD2	Grayford-Ryker silt loams, 12 to 18 percent slopes, eroded	Grayford	57	110	39	44	3.6	7.2
		Ryker	31	120	42	48	4.0	8.0
		Ryker, 6 to 12 percent slopes	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Grayford, 18 to 25 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GmpE2	Greybrook silt loam, 18 to 25 percent slopes, eroded	Greybrook	91	---	---	---	3.3	6.6
		Greybrook, 25 to 35 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GmpF	Greybrook silt loam, 25 to 35 percent slopes	Greybrook	91	---	---	---	0.0	0.0
		Otwell	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	Haggatt	86	75	26	34	2.5	5.0
		Crider	8	125	44	50	4.1	8.2
		Caneyville	6	---	---	---	2.1	4.2
HarD3	Haggatt silt loam, 12 to 18 percent slopes, severely eroded	Haggatt, severely eroded	88	65	23	29	2.1	4.2
		Crider	8	125	44	50	4.1	8.2
		Caneyville	4	---	---	---	2.1	4.2
HasE2	Haggatt-Caneyville silt loams, 18 to 25 percent slopes, eroded	Haggatt	51	---	---	---	2.0	4.0
		Caneyville	31	---	---	---	1.5	3.0
		Crider	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ebal	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HccA	Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	80	145	51	65	4.8	9.6
		Dubois	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt, 2 to 6 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
		Dubois, eroded	10	120	40	54	4.0	8.0
		Wakeland, occasional, very brief, drained	4	145	44	20	4.8	9.6
		Haubstadt, eroded	2	105	37	47	3.5	7.0

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HccC3	Haubstadt silt loam, 6 to 12 percent slopes, severely eroded	Haubstadt, severely eroded	80	110	39	50	3.6	7.2
		Haubstadt, eroded	14	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt, 2 to 6 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	86	120	42	0	0.0	0.0
		Wirt	9	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wilbur	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HchA	Haymond silt loam, sinkhole, 0 to 2 percent slopes	Haymond, sinkhole	90	145	51	58	4.8	9.6
		Wilbur, sinkhole	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, sinkhole	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HefG	Hickory loam, 45 to 70 percent slopes	Hickory	78	---	---	---	0.0	0.0
		Hickory, 18 to 35 percent slopes	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Chetwynd	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
He1D2	Hickory-Stinesville silt loams, karst, hilly, eroded	Hickory, karst	62	95	33	38	3.1	6.2
		Stinesville, karst	27	140	49	56	4.6	9.2
		Haymond, sinkhole	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati, karst	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston, karst	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeoE	Hickory silt loam, 18 to 25 percent slopes	Hickory	76	---	---	---	3.3	6.6
		Cincinnati	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory, 25 to 70 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Chetwynd and Gallimore	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeoE3	Hickory silt loam, 18 to 25 percent slopes, severely eroded	Hickory, severely eroded	85	---	---	---	3.0	6.0
		Cincinnati	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory, 25 to 35 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeoG	Hickory silt loam, 25 to 70 percent slopes	Hickory	80	---	---	---	0.0	0.0
		Oldenburg	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory, 18 to 25 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Chetwynd and Gallimore	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HepG	Hickory-Adyeville complex, 35 to 60 percent slopes	Hickory	58	---	---	---	0.0	0.0
		Adyeville	21	---	---	---	0.0	0.0
		Hickory, 18 to 35 percent slopes	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Piankeshaw	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HesG	Hickory-Chetwynd loams, 35 to 70 percent slopes	Hickory	52	---	---	---	0.0	0.0
		Chetwynd	23	---	---	---	0.0	0.0
		Hickory and Chetwynd, 18 to 35 percent slopes	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory and Chetwynd, Cataract Lake, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pike	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeuE	Hickory-Wellston silt loams, 18 to 25 percent slopes	Hickory	55	---	---	---	3.3	6.6
		Wellston	27	---	---	---	3.1	6.2
		Holton	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory, 25 to 35 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Adyeville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeuF	Hickory-Wellston silt loams, 25 to 35 percent slopes	Hickory	49	---	---	---	0.0	0.0
		Wellston	26	---	---	---	0.0	0.0
		Hickory, 35 to 70 percent slopes	9	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Adyeville	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Piankeshaw	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HkaB	Hollybrook silt loam, 1 to 5 percent slopes	Hollybrook	93	155	51	62	5.1	10.2
		Tapawingo	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Nawakwa	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, loamy soil	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HleAV	Holton silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Holton	72	125	37	18	4.1	8.2
		Holton, undrained	20	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, poorly drained, loamy soil	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HnoA	Hoosierville silt loam, 0 to 1 percent slopes	Hoosierville	90	175	51	70	5.8	11.6
		Lieber	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LnFA	Lieber silt loam, 0 to 2 percent slopes	Lieber, drained	75	165	54	66	5.4	10.8
		Lieber, undrained	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hoosierville	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Arney	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LnFB	Lieber silt loam, 2 to 4 percent slopes	Lieber	88	165	54	66	5.4	10.8
		Arney	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hoosierville	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MecA	Martinsville loam, 0 to 2 percent slopes	Martinsville	90	145	51	58	4.8	9.6
		Aquic Hapludalfs, very deep, loamy	5	145	51	58	4.8	9.6
		Whitaker	3	135	44	19	4.5	9.0
		Martinsville, 2 to 6 percent slopes	2	145	51	58	4.8	9.6
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	Martinsville	88	145	51	58	4.8	9.6
		Martinsville, 2 to 6 percent slopes, rarely flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, moderately well drained, loamy soil, rarely flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Whitaker, rarely flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MecB	Martinsville loam, 2 to 6 percent slopes	Martinsville	92	145	51	58	4.8	9.6
		Very deep, moderately well drained, loamy soil	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Martinsville, 0 to 2 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MhhAH	McAdoo silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	McAdoo	90	120	42	0	0.0	0.0
		Gessie	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newark	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MhhAK	McAdoo silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	McAdoo	90	125	44	18	4.1	8.2
		Armiesburg	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		McAdoo, frequently flooded, brief duration	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newark	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
		Shircliff	7	120	42	48	4.0	8.0
		Zipp	3	140	39	56	4.6	9.2
MrcG	Minnehaha silty clay loam, 35 to 75 percent slopes	Minnehaha	90	---	---	---	0.0	0.0
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Typic Udorthents, very deep, loamy, compacted	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Typic Udorthents, very deep, loamy, cut area	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	Montgomery	82	160	46	64	5.3	10.6
		Montgomery, undrained	5	0	0	0	0.0	0.0
		Montgomery, overwash	5	150	42	60	5.0	10.0
		Zipp	5	140	39	56	4.6	9.2
		McGary	3	130	42	52	4.3	8.6
MvrAH	Moundhaven loamy fine sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	88	70	25	0	0.0	0.0
		Stonelick	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gessie	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Newark	93	130	42	0	0.0	0.0
		Lindsay	3	120	42	0	0.0	0.0
		Birds	2	140	39	0	0.0	0.0
		Wilhite	2	115	30	0	0.0	0.0
OfaAV	Oldenburg silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Oldenburg	83	120	42	17	4.0	8.0
		Holton	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OfcAV	Oldenburg fine sandy loam, sandy substratum, 0 to 2 percent slopes, frequently flooded, very brief duration	Oldenburg	90	115	40	16	3.8	7.6
		Holton	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pope	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OfeB	Olephant silt loam, 1 to 3 percent slopes	Olephant	95	155	54	62	5.1	10.2
		Haubstadt	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OmkC2	Otwell silt loam, 6 to 12 percent slopes, eroded	Otwell	73	130	46	59	4.3	8.6
		Otwell, severely eroded	15	125	44	56	4.1	8.2
		Stendal	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Otwell	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OmkC3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	Otwell, severely eroded	73	125	44	56	4.1	8.2
		Otwell, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Otwell	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OmK3	Otwell silt loam, 12 to 18 percent slopes, severely eroded	Otwell, severely eroded	72	95	33	43	3.1	6.2
		Otwell, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained, loamy soil	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Greybrook	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Otwell	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PbbC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	91	130	46	52	4.3	8.6
		Pike	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke, 12 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PbbC3	Parke silt loam, 6 to 12 percent slopes, severely eroded	Parke, severely eroded	91	130	46	52	4.3	8.6
		Pike	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke, 12 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PbbD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	82	115	40	46	3.8	7.6
		Chetwynd	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke, 6 to 12 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pike	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PbbD3	Parke silt loam, 12 to 18 percent slopes, severely eroded	Parke, severely eroded	82	115	40	46	3.8	7.6
		Chetwynd	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke, 6 to 12 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pike	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcnA	Patrickburg silt loam, 0 to 2 percent slopes	Patrickburg	90	135	46	61	4.5	9.0
		Potawatomi	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, poorly drained, silty soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrAQ	Pekin silt loam, 0 to 2 percent slopes, rarely flooded	Pekin	90	145	51	65	4.8	9.6
		Elkinsville	5	155	54	62	5.1	10.2
		Very deep, somewhat poorly drained, silty soil	3	145	44	20	4.8	9.6
		Bartle	2	145	49	65	4.8	9.6
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	90	130	46	59	4.3	8.6
		Bartle	6	145	49	65	4.8	9.6
		Pekin, 6 to 12 percent slopes	4	110	39	50	3.6	7.2
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	88	120	42	54	4.0	8.0
		Pottersville	5	120	42	48	4.0	8.0
		Pekin, 2 to 6 percent slopes	4	120	42	54	4.0	8.0
		Very deep, somewhat poorly drained, silty soil	3	145	44	20	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga, drained	73	150	46	60	5.0	10.0
		Peoga soils, undrained, undrained	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Dubois	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PhaAP	Peoga silt loam, ponded, 0 to 1 percent slopes	Peoga, ponded, undrained	95	0	0	0	0.0	0.0
		Taggart	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlcAV	Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Piankeshaw	77	130	46	18	4.3	8.6
		Piankeshaw, deep or moderately deep	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	3	100	35	14	3.3	6.6
PlfA	Pike silt loam, 0 to 2 percent slopes	Pike	92	135	47	54	4.5	9.0
		Pike	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlfB2	Pike silt loam, 2 to 6 percent slopes, eroded	Pike	92	130	46	52	4.3	8.6
		Pike, 0 to 2 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pml	Pits, quarry	Pits, quarries	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Loamy and clayey udorthents	12	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PrwAV	Pope fine sandy loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Pope	80	105	37	15	3.5	7.0
		Wirt	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PryB	Potawatomi silt loam, 1 to 3 percent slopes	Potawatomi	87	140	49	63	4.6	9.2
		Patrickburg	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zanesville, soft bedrock substratum	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PsaD3	Pottersville silt loam, 12 to 18 percent slopes, severely eroded	Pottersville, severely eroded	92	110	39	44	3.6	7.2
		Otwell	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PsaG	Pottersville silt loam, 25 to 50 percent slopes	Pottersville	85	---	---	---	0.0	0.0
		Otwell	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pottersville, 12 to 25 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PsbF	Pottersville silt loam, karst, steep	Pottersville, karst	85	---	---	---	0.0	0.0
		Pottersville, karst	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haymond, sinkhole	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Rnn	Riverwash	Riverwash	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Moundhaven	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RpzG	Romona-Corydon-Rock outcrop complex, 35 to 60 percent slopes	Romona	39	0	0	0	0.0	0.0
		Corydon	27	0	0	0	0.0	0.0
		Rock outcrop	17	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very shallow, well drained, clayey soil	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Caneyville	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RtcC3	Ryker silt loam, 6 to 12 percent slopes, severely eroded	Ryker, severely eroded	78	130	46	52	4.3	8.6
		Stinesville	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Grayford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ryker, sinkhole	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, moderately well drained, silty soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SfoA	Shakamak silt loam, 1 to 3 percent slopes	Shakamak	80	130	46	59	4.3	8.6
		Ava	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Vigo	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	Shircliff	90	125	44	50	4.1	8.2
		McGary	7	155	51	62	5.1	10.2
		Shircliff	2	135	47	54	4.5	9.0
		Markland	1	120	42	48	4.0	8.0
SfyC2	Shircliff silt loam, 6 to 12 percent slopes, eroded	Shircliff	82	115	40	46	3.8	7.6
		Shircliff, severely eroded	10	135	47	54	4.5	9.0
		Shircliff, 1 to 6 percent slopes	3	145	51	58	4.8	9.6
		Wakeland	3	145	44	20	4.8	9.6
		Markland	2	---	---	---	0.0	0.0
SneC2	Solsberry silt loam, 6 to 12 percent slopes, eroded	Solsberry	73	115	40	52	3.8	7.6
		Solsberry, severely eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Solsberry, 12 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ava and Cincinnati	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SneC3	Solsberry silt loam, 6 to 12 percent slopes, severely eroded	Solsberry, severely eroded	73	110	39	50	3.6	7.2
		Solsberry, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Solsberry, 12 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ava and Cincinnati	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SneD2	Solsberry silt loam, 12 to 18 percent slopes, eroded	Solsberry	75	110	39	50	3.6	7.2
		Solsberry, severely eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Solsberry, 6 to 12 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SneD3	Solsberry silt loam, 12 to 18 percent slopes, severely eroded	Solsberry, severely eroded	75	105	37	47	3.5	7.0
		Solsberry, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Solsberry, 6 to 12 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SneD5	Solsberry silt loam, 12 to 18 percent slopes, gullied	Solsberry, very severely eroded	74	0	0	0	0.0	0.0
		Solsberry, slightly or moderately eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Chetwynd and Gallimore	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Parke	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StaAV	Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Steff	85	130	46	18	4.3	8.6
		Belknap	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cuba	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	85	125	40	0	0.0	0.0
		Steff	10	130	46	18	4.3	8.6
		Bonnie	5	135	37	19	4.5	9.0
StfB2	Stinesville silt loam, 2 to 6 percent slopes, eroded	Stinesville	96	150	53	60	5.0	10.0
		Stinesville, 6 to 12 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stinesville, karst	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StfC2	Stinesville silt loam, 6 to 12 percent slopes, eroded	Stinesville	94	140	49	56	4.6	9.2
		Stinesville, 2 to 6 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stinesville, karst	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StgC2	Stinesville-Ryker-Grayford silt loams, karst, rolling, eroded	Stinesville, karst	43	150	53	60	5.0	10.0
		Ryker, karst	28	135	47	54	4.5	9.0
		Grayford, karst	24	125	44	50	4.1	8.2
		Haymond, sinkhole	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StgD2	Stinesville-Ryker-Grayford silt loams, karst, hilly, eroded	Stinesville, karst	40	140	49	56	4.6	9.2
		Ryker, karst	27	120	42	48	4.0	8.0
		Grayford, karst	23	---	---	---	2.8	5.6
		Haymond, sinkhole	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stinesville, 1 to 4 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Caneyville, karst	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SupAH	Stonelick sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stonelick	92	90	32	0	0.0	0.0
		Moundhaven	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gessie	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SwhG	Stubenville-Hickory complex, 35 to 70 percent slopes	Stubenville	51	---	---	---	0.0	0.0
		Hickory	40	---	---	---	0.0	0.0
		Holton	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Otwell	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
TadA	Taggart silt loam, 0 to 2 percent slopes	Taggart	90	150	49	60	5.0	10.0
		Peoga	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, moderately well drained, silty soil	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
TahB	Tapawingo and Nawakwa silt loams, 2 to 8 percent slopes	Tapawingo	58	145	51	65	4.8	9.6
		Nawakwa	36	145	51	65	4.8	9.6
		Water	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, loamy soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
TcgG	Tipsaw-Rock outcrop complex, 35 to 70 percent slopes	Tipsaw	53	0	0	0	0.0	0.0
		Rock outcrop	22	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Adyeville	12	0	0	0	0.0	0.0
		Hickory	4	0	0	0	0.0	0.0
		Lithic Dystrudepts, Loamy	3	0	0	0	0.0	0.0
		Piankeshaw	3	0	0	0	0.0	0.0
		Tipsaw	3	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
TtaG	Tulip-Tipsaw complex, 25 to 60 percent slopes	Tulip	59	---	---	---	0.0	0.0
		Tipsaw	25	---	---	---	0.0	0.0
		Adyeville	6	---	---	---	1.8	3.6
		Wellston	5	105	37	42	3.5	7.0
		Piankeshaw	2	130	46	18	4.3	8.6
		Zanesville, soft bedrock substratum	2	120	42	54	4.0	8.0
		Hickory	1	---	---	---	0.0	0.0
TtcE	Tulip-Wellston-Adyeville silt loams, 18 to 25 percent slopes	Tulip	38	---	---	---	3.1	6.2
		Wellston	25	---	---	---	3.1	6.2
		Adyeville	21	---	---	---	1.8	3.6
		Tulip, 12 to 18 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston, 12 to 18 percent slopes	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zanesville, soft bedrock substratum	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ebal	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Piankeshaw	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Uaa	Udorthents, cut and filled	Udorthents	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents, rarely or occasionally flooded	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rock outcrop	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
VdgA	Vigo silt loam, 0 to 2 percent slopes	Vigo	87	155	51	70	5.1	10.2
		Shakamak	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Typic Epiaqualfs, very deep, silty	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeaA	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes	Wea, sandy substratum	63	145	51	73	4.8	9.6
		Elston	27	115	40	58	3.8	7.6
		Very deep, well drained, loamy soil	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Whitaker	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeaAQ	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes, rarely flooded	Wea, sandy substratum	66	145	51	73	4.8	9.6
		Elston	29	120	42	48	4.0	8.0
		Whitaker	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	85	105	37	42	3.5	7.0
		Zanesville, soft bedrock substratum	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tulip	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Adyeville	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WlmAK	Whitaker loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Whitaker	92	135	44	19	4.5	9.0
		Very deep, moderately well drained, loamy soil	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Martinsville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	83	125	44	0	0.0	0.0
		Wakeland	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haymond	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WolAI	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, long duration	Wilhite	96	95	23	0	0.0	0.0
		Very deep, poorly drained, moderately fine textured soil	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WomAH	Wilhite silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Wilhite	92	115	30	0	0.0	0.0
		Newark	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, poorly drained, moderately fine textured soil	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WprAQ	Wirt loam, 0 to 2 percent slopes, rarely flooded	Wirt	90	120	42	48	4.0	8.0
		Martinsville, rarely flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt, occasionally flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WpuAK	Wirt silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Wirt	90	110	39	15	3.6	7.2
		Stonelick	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WpuAV	Wirt silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wirt	86	115	40	16	3.8	7.6
		Haymond	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Oldenburg	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt, occasionally flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WpyBJ	Wirt-Pekin silt loams, 0 to 6 percent slopes, frequently flooded, very long duration	Wirt	53	90	32	0	0.0	0.0
		Pekin	23	95	33	0	0.0	0.0
		Oldenburg and Wilbur	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pekin	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland and Holton	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, well drained, loamy soil	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZamB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
		Wellston, eroded	10	140	49	56	4.6	9.2
		Johnsburg	5	150	51	68	5.0	10.0
ZamC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
		Deuchars, eroded	10	140	49	56	4.6	9.2
		Wellston, eroded	5	130	46	52	4.3	8.6
ZamC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZamD2	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, eroded	Zanesville, soft bedrock substratum	70	105	37	47	3.5	7.0
		Zanesville, soft bedrock substratum, severely eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tulip	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zanesville, soft bedrock substratum, 6 to 12 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ZamD5	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, gullied	Zanesville, soft bedrock substratum, very severely eroded	72	0	0	0	0.0	0.0
		Zanesville, soft bedrock substratum, slightly or moderately eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tulip	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZapD3	Zanesville, soft bedrock substratum-Tulip silt loams, 12 to 18 percent slopes, severely eroded	Zanesville, soft bedrock substratum	45	95	33	43	3.1	6.2
		Tulip, severely eroded	30	90	32	36	3.0	6.0
		Zanesville, soft bedrock substratum and Tulip, slightly or moderately eroded	17	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wellston	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zanesville, soft bedrock substratum, 6 to 12 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated