

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbgAU	Adrian muck, undrained, 0 to 1 percent slopes	Adrian, undrained	100	0	0	0	0.0	0.0
AfeC	Alvin-Bloomfield loamy sands, 6 to 12 percent slopes	Alvin	50	100	35	40	3.3	6.6
		Bloomfield	37	85	30	34	2.8	5.6
AfeD	Alvin-Bloomfield loamy sands, 12 to 18 percent slopes	Alvin	50	85	30	34	2.8	5.6
		Bloomfield	34	70	25	28	2.3	4.6
AffE	Alvin-Bloomfield-Princeton complex, 18 to 25 percent slopes	Alvin	45	---	---	---	2.3	4.6
		Bloomfield	27	---	---	---	1.8	3.6
		Princeton	18	---	---	---	3.1	6.2
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	Alvin	48	115	40	46	3.8	7.6
				115	40	46	3.8	7.6
		Princeton	38	135	47	54	4.5	9.0
AfsC	Alvin-Princeton fine sandy loams, 6 to 12 percent slopes	Alvin	50	105	37	42	3.5	7.0
		Princeton	38	125	44	50	4.1	8.2
AftD	Alvin-Princeton sandy loams, 12 to 18 percent slopes	Alvin	48	90	32	36	3.0	6.0
		Princeton	33	110	39	44	3.6	7.2
AhrAK	Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Armiesburg	95	135	47	19	4.5	9.0
AkeB2	Arney silt loam, 2 to 6 percent slopes, eroded	Arney	85	150	53	60	5.0	10.0
AloB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AmkA	Ayrshire fine sandy loam, 0 to 2 percent slopes	Ayrshire	90	150	49	60	5.0	10.0
BdxAV	Belknap silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Belknap, drained	75	135	40	19	4.5	9.0
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Birds, undrained	83	0	0	0	0.0	0.0
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	Bonnie	84	145	40	20	4.8	9.6
CkkB2	Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded	Cincinnati, eroded	95	125	44	56	4.1	8.2
CkkC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
CkkC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
CkkD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	73	110	39	50	3.6	7.2
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	80	140	49	56	4.6	9.2
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	70	130	46	52	4.3	8.6
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	84	130	44	59	4.3	8.6
EaaD2	Ebal silt loam, 12 to 18 percent slopes, eroded	Ebal	78	85	30	34	2.8	5.6
GaaE2	Gallimore loam, 18 to 25 percent slopes, eroded	Gallimore	77	---	---	---	2.5	5.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GabG	Gallimore-Chetwynd complex, 25 to 70 percent slopes	Gallimore	48	---	---	---	0.0	0.0
		Chetwynd	26	---	---	---	0.0	0.0
GblAH	Gessie silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Gessie	88	120	42	0	0.0	0.0
GmcD3	Grayford silt loam, 12 to 18 percent slopes, severely eroded	Grayford, severely eroded	80	105	37	42	3.5	7.0
GmcE2	Grayford silt loam, 18 to 25 percent slopes, eroded	Grayford	82	---	---	---	2.8	5.6
GmhD2	Grayford-Ryker silt loams, 12 to 18 percent slopes, eroded	Grayford	57	110	39	44	3.6	7.2
		Ryker	31	120	42	48	4.0	8.0
GmpE2	Greybrook silt loam, 18 to 25 percent slopes, eroded	Greybrook	91	---	---	---	3.3	6.6
GmpF	Greybrook silt loam, 25 to 35 percent slopes	Greybrook	91	---	---	---	0.0	0.0
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	Haggatt	86	75	26	34	2.5	5.0
HarD3	Haggatt silt loam, 12 to 18 percent slopes, severely eroded	Haggatt, severely eroded	88	65	23	29	2.1	4.2
HasE2	Haggatt-Caneyville silt loams, 18 to 25 percent slopes, eroded	Haggatt	51	---	---	---	2.0	4.0
		Caneyville	31	---	---	---	1.5	3.0
HccA	Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	80	145	51	65	4.8	9.6
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HccC3	Haubstadt silt loam, 6 to 12 percent slopes, severely eroded	Haubstadt, severely eroded	80	110	39	50	3.6	7.2
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	86	120	42	0	0.0	0.0
HchA	Haymond silt loam, sinkhole, 0 to 2 percent slopes	Haymond, sinkhole	90	145	51	58	4.8	9.6
HefG	Hickory loam, 45 to 70 percent slopes	Hickory	78	---	---	---	0.0	0.0
Held2	Hickory-Stinesville silt loams, karst, hilly, eroded	Hickory, karst	62	95	33	38	3.1	6.2
		Stinesville, karst	27	140	49	56	4.6	9.2
HeoE	Hickory silt loam, 18 to 25 percent slopes	Hickory	76	---	---	---	3.3	6.6
HeoE3	Hickory silt loam, 18 to 25 percent slopes, severely eroded	Hickory, severely eroded	85	---	---	---	3.0	6.0
HeoG	Hickory silt loam, 25 to 70 percent slopes	Hickory	80	---	---	---	0.0	0.0
HepG	Hickory-Adyeville complex, 35 to 60 percent slopes	Hickory	58	---	---	---	0.0	0.0
		Adyeville	21	---	---	---	0.0	0.0
HesG	Hickory-Chetwynd loams, 35 to 70 percent slopes	Hickory	52	---	---	---	0.0	0.0
		Chetwynd	23	---	---	---	0.0	0.0
HeuE	Hickory-Wellston silt loams, 18 to 25 percent slopes	Hickory	55	---	---	---	3.3	6.6
		Wellston	27	---	---	---	3.1	6.2
HeuF	Hickory-Wellston silt loams, 25 to 35 percent slopes	Hickory	49	---	---	---	0.0	0.0
		Wellston	26	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HkaB	Hollybrook silt loam, 1 to 5 percent slopes	Hollybrook	93	155	51	62	5.1	10.2
HleAV	Holton silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Holton	72	125	37	18	4.1	8.2
HnoA	Hoosierville silt loam, 0 to 1 percent slopes	Hoosierville	90	175	51	70	5.8	11.6
LnfA	Lieber silt loam, 0 to 2 percent slopes	Lieber, drained	75	165	54	66	5.4	10.8
LnfB	Lieber silt loam, 2 to 4 percent slopes	Lieber	88	165	54	66	5.4	10.8
MecA	Martinsville loam, 0 to 2 percent slopes	Martinsville	90	145	51	58	4.8	9.6
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	Martinsville	88	145	51	58	4.8	9.6
MecB	Martinsville loam, 2 to 6 percent slopes	Martinsville	92	145	51	58	4.8	9.6
MhhAH	McAdoo silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	McAdoo	90	120	42	0	0.0	0.0
MhhAK	McAdoo silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	McAdoo	90	125	44	18	4.1	8.2
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
MrcG	Minnehaha silty clay loam, 35 to 75 percent slopes	Minnehaha	90	---	---	---	0.0	0.0
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	Montgomery	82	160	46	64	5.3	10.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MvrAH	Moundhaven loamy fine sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	88	70	25	0	0.0	0.0
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Newark	93	130	42	0	0.0	0.0
OfaAV	Oldenburg silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Oldenburg	83	120	42	17	4.0	8.0
OfcAV	Oldenburg fine sandy loam, sandy substratum, 0 to 2 percent slopes, frequently flooded, very brief duration	Oldenburg	90	115	40	16	3.8	7.6
OfeB	Olephant silt loam, 1 to 3 percent slopes	Olephant	95	155	54	62	5.1	10.2
OmK2	Otwell silt loam, 6 to 12 percent slopes, eroded	Otwell	73	130	46	59	4.3	8.6
OmK3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	Otwell, severely eroded	73	125	44	56	4.1	8.2
OmK3	Otwell silt loam, 12 to 18 percent slopes, severely eroded	Otwell, severely eroded	72	95	33	43	3.1	6.2
PbbC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	91	130	46	52	4.3	8.6
PbbC3	Parke silt loam, 6 to 12 percent slopes, severely eroded	Parke, severely eroded	91	130	46	52	4.3	8.6
PbbD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	82	115	40	46	3.8	7.6
PbbD3	Parke silt loam, 12 to 18 percent slopes, severely eroded	Parke, severely eroded	82	115	40	46	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PcnA	Patrickburg silt loam, 0 to 2 percent slopes	Patrickburg	90	135	46	61	4.5	9.0
PcrAQ	Pekin silt loam, 0 to 2 percent slopes, rarely flooded	Pekin	90	145	51	65	4.8	9.6
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	90	130	46	59	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	88	120	42	54	4.0	8.0
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga, drained	73	150	46	60	5.0	10.0
PhaAP	Peoga silt loam, ponded, 0 to 1 percent slopes	Peoga, ponded, undrained	95	0	0	0	0.0	0.0
PlcAV	Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Piankeshaw	77	130	46	18	4.3	8.6
PlfA	Pike silt loam, 0 to 2 percent slopes	Pike	92	135	47	54	4.5	9.0
PlfB2	Pike silt loam, 2 to 6 percent slopes, eroded	Pike	92	130	46	52	4.3	8.6
Pml	Pits, quarry	Pits, quarries	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrwAV	Pope fine sandy loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Pope	80	105	37	15	3.5	7.0
PryB	Potawatomi silt loam, 1 to 3 percent slopes	Potawatomi	87	140	49	63	4.6	9.2
PsaD3	Pottersville silt loam, 12 to 18 percent slopes, severely eroded	Pottersville, severely eroded	92	110	39	44	3.6	7.2
PsaG	Pottersville silt loam, 25 to 50 percent slopes	Pottersville	85	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PsbF	Pottersville silt loam, karst, steep	Pottersville, karst	85	---	---	---	0.0	0.0
Rnn	Riverwash	Riverwash	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RpzG	Romona-Corydon-Rock outcrop complex, 35 to 60 percent slopes	Romona	39	0	0	0	0.0	0.0
		Corydon	27	0	0	0	0.0	0.0
		Rock outcrop	17	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RtcC3	Ryker silt loam, 6 to 12 percent slopes, severely eroded	Ryker, severely eroded	78	130	46	52	4.3	8.6
SfoA	Shakamak silt loam, 1 to 3 percent slopes	Shakamak	80	130	46	59	4.3	8.6
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	Shircliff	90	125	44	50	4.1	8.2
SfyC2	Shircliff silt loam, 6 to 12 percent slopes, eroded	Shircliff	82	115	40	46	3.8	7.6
SneC2	Solsberry silt loam, 6 to 12 percent slopes, eroded	Solsberry	73	115	40	52	3.8	7.6
SneC3	Solsberry silt loam, 6 to 12 percent slopes, severely eroded	Solsberry, severely eroded	73	110	39	50	3.6	7.2
SneD2	Solsberry silt loam, 12 to 18 percent slopes, eroded	Solsberry	75	110	39	50	3.6	7.2
SneD3	Solsberry silt loam, 12 to 18 percent slopes, severely eroded	Solsberry, severely eroded	75	105	37	47	3.5	7.0
SneD5	Solsberry silt loam, 12 to 18 percent slopes, gullied	Solsberry, very severely eroded	74	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StaAV	Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Steff	85	130	46	18	4.3	8.6
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	85	125	40	0	0.0	0.0
		Steff	10	130	46	18	4.3	8.6
StfB2	Stinesville silt loam, 2 to 6 percent slopes, eroded	Stinesville	96	150	53	60	5.0	10.0
StfC2	Stinesville silt loam, 6 to 12 percent slopes, eroded	Stinesville	94	140	49	56	4.6	9.2
StgC2	Stinesville-Ryker-Grayford silt loams, karst, rolling, eroded	Stinesville, karst	43	150	53	60	5.0	10.0
		Ryker, karst	28	135	47	54	4.5	9.0
		Grayford, karst	24	125	44	50	4.1	8.2
StgD2	Stinesville-Ryker-Grayford silt loams, karst, hilly, eroded	Stinesville, karst	40	140	49	56	4.6	9.2
		Ryker, karst	27	120	42	48	4.0	8.0
		Grayford, karst	23	---	---	---	2.8	5.6
SupAH	Stonelick sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stonelick	92	90	32	0	0.0	0.0
SwhG	Stubenville-Hickory complex, 35 to 70 percent slopes	Stubenville	51	---	---	---	0.0	0.0
		Hickory	40	---	---	---	0.0	0.0
TadA	Taggart silt loam, 0 to 2 percent slopes	Taggart	90	150	49	60	5.0	10.0
TahB	Tapawingo and Nawakwa silt loams, 2 to 8 percent slopes	Tapawingo	58	145	51	65	4.8	9.6
		Nawakwa	36	145	51	65	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
TcgG	Tipsaw-Rock outcrop complex, 35 to 70 percent slopes	Tipsaw	53	0	0	0	0.0	0.0
		Rock outcrop	22	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
TtaG	Tulip-Tipsaw complex, 25 to 60 percent slopes	Tulip	59	---	---	---	0.0	0.0
		Tipsaw	25	---	---	---	0.0	0.0
TtcE	Tulip-Wellston-Adyeville silt loams, 18 to 25 percent slopes	Tulip	38	---	---	---	3.1	6.2
		Wellston	25	---	---	---	3.1	6.2
		Adyeville	21	---	---	---	1.8	3.6
Uaa	Udorthents, cut and filled	Udorthents	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
VdgA	Vigo silt loam, 0 to 2 percent slopes	Vigo	87	155	51	70	5.1	10.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeaA	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes	Wea, sandy substratum	63	145	51	73	4.8	9.6
		Elston	27	115	40	58	3.8	7.6
WeaAQ	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes, rarely flooded	Wea, sandy substratum	66	145	51	73	4.8	9.6
		Elston	29	120	42	48	4.0	8.0
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	85	105	37	42	3.5	7.0
WlmAK	Whitaker loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Whitaker	92	135	44	19	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	83	125	44	0	0.0	0.0
WolAI	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, long duration	Wilhite	96	95	23	0	0.0	0.0
WomAH	Wilhite silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Wilhite	92	115	30	0	0.0	0.0
WprAQ	Wirt loam, 0 to 2 percent slopes, rarely flooded	Wirt	90	120	42	48	4.0	8.0
WpuAK	Wirt silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Wirt	90	110	39	15	3.6	7.2
WpuAV	Wirt silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wirt	86	115	40	16	3.8	7.6
WpyBJ	Wirt-Pekin silt loams, 0 to 6 percent slopes, frequently flooded, very long duration	Wirt	53	90	32	0	0.0	0.0
		Pekin	23	95	33	0	0.0	0.0
ZamB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
ZamC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
ZamC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Owen County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZamD2	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, eroded	Zanesville, soft bedrock substratum	70	105	37	47	3.5	7.0
ZamD5	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, gullied	Zanesville, soft bedrock substratum, very severely e	72	0	0	0	0.0	0.0
ZapD3	Zanesville, soft bedrock substratum-Tulip silt loams, 12 to 18 percent slopes, severely eroded	Zanesville, soft bedrock substratum	45	95	33	43	3.1	6.2
		Tulip, severely eroded	30	90	32	36	3.0	6.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.