

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbgAU	Adrian muck, undrained, 0 to 1 percent slopes	0	0	0	0.0	0.0
AfeC	Alvin-Bloomfield loamy sands, 6 to 12 percent slopes	94	33	39	3.2	6.4
AfeD	Alvin-Bloomfield loamy sands, 12 to 18 percent slopes	79	28	33	2.7	5.4
Affe	Alvin-Bloomfield-Princeton complex, 18 to 25 percent slopes	0	0	0	0.0	0.0
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	115	40	46	3.8	7.6
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	124	43	48	3.9	7.9
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	118	41	48	3.9	7.9
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	115	40	48	3.9	7.9
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	111	39	47	3.9	7.8
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	109	38	47	3.9	7.8
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	107	37	47	3.9	7.8
AfsC	Alvin-Princeton fine sandy loams, 6 to 12 percent slopes	114	40	44	3.6	7.3
AftD	Alvin-Princeton sandy loams, 12 to 18 percent slopes	98	34	37	3.1	6.2
AhrAK	Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded, brief duration	135	47	19	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

AkeB2	Arney silt loam, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
AloB2	Ava silt loam, 2 to 6 percent slopes, eroded	117	41	52	3.8	7.6
AmkA	Ayrshire fine sandy loam, 0 to 2 percent slopes	150	49	60	5.0	10.0
BdxAV	Belknap silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	135	40	19	0.0	0.0
BgeAH	Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	0	0	0	0.0	0.0
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	145	40	20	0.0	0.0
CkkB2	Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded	124	43	56	4.1	8.2
CkkC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	107	37	47	3.5	7.0
CkkC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	102	36	43	3.1	6.3
CkkD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	110	39	50	3.6	7.2
CspC2	Crider silt loam, 6 to 12 percent slopes, eroded	140	49	56	4.6	9.2
CspC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
DfnA	Dubois silt loam, 0 to 2 percent slopes	130	44	59	4.3	8.6
EaaD2	Ebal silt loam, 12 to 18 percent slopes, eroded	85	30	34	2.8	5.6
GaaE2	Gallimore loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
GabG	Gallimore-Chetwynd complex, 25 to 70 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

GblAH	Gessie silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
GmcD3	Grayford silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
GmcE2	Grayford silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
GmhD2	Grayford-Ryker silt loams, 12 to 18 percent slopes, eroded	114	40	45	3.7	7.3
GmpE2	Greybrook silt loam, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
GmpF	Greybrook silt loam, 25 to 35 percent slopes	0	0	0	0.0	0.0
HarD2	Haggatt silt loam, 12 to 18 percent slopes, eroded	75	26	34	2.5	5.0
HarD3	Haggatt silt loam, 12 to 18 percent slopes, severely eroded	65	23	29	2.1	4.2
HasE2	Haggatt-Caneyville silt loams, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
HasE2	Haggatt-Caneyville silt loams, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
HccA	Haubstadt silt loam, 0 to 2 percent slopes	145	51	65	4.8	9.6
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	117	40	50	3.7	7.3
HccC3	Haubstadt silt loam, 6 to 12 percent slopes, severely eroded	110	39	50	3.6	7.2
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
HchA	Haymond silt loam, sinkhole, 0 to 2 percent slopes	145	51	58	4.8	9.6
HefG	Hickory loam, 45 to 70 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

HelD2	Hickory-Stinesville silt loams, karst, hilly, eroded	109	38	40	3.3	6.5
HeoE	Hickory silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
HeoE3	Hickory silt loam, 18 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
HeoG	Hickory silt loam, 25 to 70 percent slopes	0	0	0	0.0	0.0
HepG	Hickory-Adyeville complex, 35 to 60 percent slopes	0	0	0	0.0	0.0
HesG	Hickory-Chetwynd loams, 35 to 70 percent slopes	0	0	0	0.0	0.0
HeuE	Hickory-Wellston silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
HeuF	Hickory-Wellston silt loams, 25 to 35 percent slopes	0	0	0	0.0	0.0
HkaB	Hollybrook silt loam, 1 to 5 percent slopes	155	51	62	5.1	10.2
HleAV	Holton silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	125	37	18	0.0	0.0
HnoA	Hoosierville silt loam, 0 to 1 percent slopes	175	51	70	5.8	11.6
LnfA	Lieber silt loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
LnfB	Lieber silt loam, 2 to 4 percent slopes	165	54	66	5.4	10.8
MecA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	145	51	58	4.8	9.6
MecB	Martinsville loam, 2 to 6 percent slopes	145	51	58	4.8	9.6
MhhAH	McAdoo silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

MhhAK	McAdoo silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	125	44	18	0.0	0.0
MhuA	McGary silt loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
MrcG	Minnehaha silty clay loam, 35 to 75 percent slopes	0	0	0	0.0	0.0
MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	160	46	64	5.3	10.6
MvrAH	Moundhaven loamy fine sand, 0 to 2 percent slopes, frequently flooded, brief duration	70	25	0	0.0	0.0
NbhAH	Newark silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	0	0.0	0.0
OfaAV	Oldenburg silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	120	42	17	0.0	0.0
OfcAV	Oldenburg fine sandy loam, sandy substratum, 0 to 2 percent slopes, frequently flooded, very brief duration	115	40	16	0.0	0.0
OfeB	Olephant silt loam, 1 to 3 percent slopes	155	54	62	5.1	10.2
OmK2	Otwell silt loam, 6 to 12 percent slopes, eroded	130	46	59	4.3	8.6
OmK3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	125	44	56	4.1	8.2
OmK3	Otwell silt loam, 12 to 18 percent slopes, severely eroded	95	33	43	3.1	6.2
PbbC2	Parke silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
PbbC3	Parke silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
PbbD2	Parke silt loam, 12 to 18 percent slopes, eroded	115	40	46	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

PbbD3	Parke silt loam, 12 to 18 percent slopes, severely eroded	115	40	46	3.8	7.6
PcnA	Patricksburg silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
PcrAQ	Pekin silt loam, 0 to 2 percent slopes, rarely flooded	145	51	65	4.8	9.6
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	130	46	59	4.3	8.6
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	120	42	54	4.0	8.0
PhaA	Peoga silt loam, 0 to 1 percent slopes	150	46	60	5.0	10.0
PhaAP	Peoga silt loam, ponded, 0 to 1 percent slopes	0	0	0	0.0	0.0
PlcAV	Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	46	18	0.0	0.0
PlfA	Pike silt loam, 0 to 2 percent slopes	135	47	54	4.5	9.0
PlfB2	Pike silt loam, 2 to 6 percent slopes, eroded	130	46	52	4.3	8.6
Pml	Pits, quarry	0	0	0	0.0	0.0
PrwAV	Pope fine sandy loam, 0 to 2 percent slopes, frequently flooded, very brief duration	105	37	15	0.0	0.0
PryB	Potawatomi silt loam, 1 to 3 percent slopes	140	49	63	4.6	9.2
PsaD3	Pottersville silt loam, 12 to 18 percent slopes, severely eroded	110	39	44	3.6	7.2
PsaG	Pottersville silt loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
PsbF	Pottersville silt loam, karst, steep	0	0	0	0.0	0.0
Rnn	Riverwash	0	0	0	0.0	0.0
Rnn	Riverwash	0	0	0	0.0	0.0
RpzG	Romona-Corydon-Rock outcrop complex, 35 to 60 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

RtcC3	Ryker silt loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
SfoA	Shakamak silt loam, 1 to 3 percent slopes	130	46	59	4.3	8.6
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	125	44	50	4.1	8.2
SfyC2	Shircliff silt loam, 6 to 12 percent slopes, eroded	115	40	46	3.8	7.6
SneC2	Solsberry silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
SneC3	Solsberry silt loam, 6 to 12 percent slopes, severely eroded	110	39	50	3.6	7.2
SneD2	Solsberry silt loam, 12 to 18 percent slopes, eroded	110	39	50	3.6	7.2
SneD3	Solsberry silt loam, 12 to 18 percent slopes, severely eroded	105	37	47	3.5	7.0
SneD5	Solsberry silt loam, 12 to 18 percent slopes, gullied	0	0	0	0.0	0.0
StaAV	Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	130	46	18	0.0	0.0
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	126	41	2	0.0	0.0
StfB2	Stinesville silt loam, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
StfC2	Stinesville silt loam, 6 to 12 percent slopes, eroded	140	49	56	4.6	9.2
StgC2	Stinesville-Ryker-Grayford silt loams, karst, rolling, eroded	139	49	58	4.8	9.7
StgD2	Stinesville-Ryker-Grayford silt loams, karst, hilly, eroded	98	34	51	4.2	8.4

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

SupAH	Stonelick sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	90	32	0	0.0	0.0
SwhG	Stubenville-Hickory complex, 35 to 70 percent slopes	0	0	0	0.0	0.0
TadA	Taggart silt loam, 0 to 2 percent slopes	150	49	60	5.0	10.0
TahB	Tapawingo and Nawakwa silt loams, 2 to 8 percent slopes	145	51	65	4.8	9.6
TcgG	Tipsaw-Rock outcrop complex, 35 to 70 percent slopes	0	0	0	0.0	0.0
TtaG	Tulip-Tipsaw complex, 25 to 60 percent slopes	0	0	0	0.0	0.0
TtcE	Tulip-Wellston-Adyeville silt loams, 18 to 25 percent slopes	0	0	0	0.0	0.0
Uaa	Udorthents, cut and filled	0	0	0	0.0	0.0
VdgA	Vigo silt loam, 0 to 2 percent slopes	155	51	70	5.1	10.2
W	Water	0	0	0	0.0	0.0
WeaA	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes	136	48	71	4.7	9.4
WeaAQ	Wea, sandy substratum-Elston complex, 0 to 2 percent slopes, rarely flooded	137	48	67	4.7	9.4
WhfD2	Wellston silt loam, 12 to 18 percent slopes, eroded	105	37	42	3.5	7.0
WlmAK	Whitaker loam, 0 to 2 percent slopes, occasionally flooded, brief duration	135	44	19	0.0	0.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	44	0	0.0	0.0
WolAI	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, long duration	95	23	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Owen County, Indiana

WomAH	Wilhite silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	115	30	0	0.0	0.0
WprAQ	Wirt loam, 0 to 2 percent slopes, rarely flooded	120	42	48	4.0	8.0
WpuAK	Wirt silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	110	39	15	0.0	0.0
WpuAV	Wirt silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	115	40	16	0.0	0.0
WpyBJ	Wirt-Pekin silt loams, 0 to 6 percent slopes, frequently flooded, very long duration	92	32	0	0.0	0.0
ZamB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	134	47	60	4.4	8.9
ZamC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	121	42	54	4.0	8.0
ZamC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
ZamD2	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, eroded	105	37	47	3.5	7.0
ZamD5	Zanesville silt loam, soft bedrock substratum, 12 to 18 percent slopes, gullied	0	0	0	0.0	0.0
ZapD3	Zanesville, soft bedrock substratum-Tulip silt loams, 12 to 18 percent slopes, severely eroded	93	33	41	3.1	6.2