

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AfB2—Alford silt loam, 2 to 5 percent slopes, moderately eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfC2—Alford silt loam, 5 to 8 percent slopes, moderately eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Slope	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
AhC3—Alford soils, 5 to 8 percent slopes, severely eroded					
Alford, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Al—Allison silty clay loam					
Allison	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ar--Armiesburg silty clay loam					
Armiesburg	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
As--Ayrshire fine sandy loam					
Ayrshire	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bp--Bonpas silty clay loam					
Bonpas	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CaA--Camden loam, 0 to 2 percent slopes					
Camden	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CaB--Camden loam, 2 to 5 percent slopes					
Camden	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CdA--Camden silt loam, 0 to 2 percent slopes					
Camden	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CdB—Camden silt loam, 2 to 5 percent slopes					
Camden	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CdC2—Camden silt loam, 5 to 8 percent slopes, moderately eroded					
Camden	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
ChB—Chelsea loamy fine sand, 2 to 5 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
ChC—Chelsea loamy fine sand, 5 to 8 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.04		
ChD—Chelsea loamy fine sand, 8 to 15 percent slopes					
Chelsea	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	1.00	Slope	0.63

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ChF—Chelsea loamy fine sand, 15 to 40 percent slopes					
Chelsea	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
CnD2—Cincinnati-Hickory complex, 8 to 15 percent slopes, moderately eroded					
Cincinnati	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.84	Slope	0.16
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory	30	Somewhat limited		Somewhat limited	
		Slope	0.84	Slope	0.16
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CnD3—Cincinnati-Hickory complex, 8 to 15 percent slopes, severely eroded					
Cincinnati, severely eroded	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.84	Slope	0.16
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, severely eroded	30	Somewhat limited		Somewhat limited	
		Slope	0.84	Slope	0.16
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cp—Clay pits					
Clay pits	100	Not rated		Not rated	

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ea—Eel loam					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Eb—Eel loam, high bottom					
Eel	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EI—Eel silt loam					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Em—Eel silt loam, high bottom					
Eel	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
En—Eel silty clay loam					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EoA—Elston loam, 0 to 3 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.08	Sand content	0.08
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EsA—Elston sandy loam, 0 to 3 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.08	Sand content	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
EsC2—Elston sandy loam, 5 to 8 percent slopes, moderately eroded					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Sand content	0.08
		Sand content	0.08	Unstable excavation walls	0.01
		Unstable excavation walls	0.01	Dusty	0.01
		Dusty	0.01		
FcA—Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes					
Fincastle	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FcB—Fincastle silt loam, 2 to 5 percent slopes					
Fincastle	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FmA--Fox loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FmB--Fox loam, 2 to 5 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FmC2--Fox loam, 5 to 8 percent slopes, moderately eroded					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.16	Dusty	0.03
		Dusty	0.03	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
FmD2--Fox loam, 8 to 15 percent slopes, moderately eroded					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	1.00	Slope	0.63
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FsA—Fox sandy loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FsB—Fox sandy loam, 2 to 5 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FsC—Fox sandy loam, 5 to 8 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.16	Dusty	0.02
		Dusty	0.02	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
FsD2—Fox sandy loam, 8 to 15 percent slopes, moderately eroded					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	1.00	Slope	0.63
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FtA—Fox silt loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FtB—Fox silt loam, 2 to 5 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FtD2—Fox silt loam, 8 to 15 percent slopes, moderately eroded					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	1.00	Slope	0.63
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gf—Genesee fine sandy loam					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gh—Genesee loam					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gm—Genesee loam, high bottom					
Genesee	100	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Gn—Genesee silt loam					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Go—Genesee silt loam, high bottom					
Genesee	100	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gr—Gravel pits					
Pits, gravel	100	Not rated		Not rated	
HnF—Hennepin association, 30 to 60 percent slopes					
Hennepin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HrE2—Hennepin-Russell complex, 15 to 30 percent slopes, moderately eroded					
Hennepin	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Russell	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HsE—Hickory complex, 15 to 30 percent slopes					
Hickory	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, eroded	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HsF—Hickory complex, 30 to 70 percent slopes					
Hickory	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, shallow	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hu—Huntsville silt loam					
Huntsville	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IvA—Iva silt loam, 0 to 2 percent slopes					
Iva	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IvB—Iva silt loam, 2 to 5 percent slopes					
Iva	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lm—Linwood muck					
Linwood, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mp—Mine pits and dumps					
Mine pits and dumps	95	Not rated		Not rated	
NsE—Negley soils, 15 to 60 percent slopes					
Negley	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OaA—Ockley loam, 0 to 2 percent slopes					
Ockley	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OaB—Ockley loam, 2 to 5 percent slopes					
Ockley	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OcA—Ockley silt loam, 0 to 2 percent slopes					
Ockley	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OcB—Ockley silt loam, 2 to 6 percent slopes					
Ockley	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OcC2—Ockley silt loam, 5 to 8 percent slopes, moderately eroded					
Ockley	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Dusty	0.05
		Dusty	0.05	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
Omz—Orthents, earthen dam					
Orthents	100	Not rated		Not rated	
PaB—Parke silt loam, 2 to 5 percent slopes					
Parke	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PaC2—Parke silt loam, 5 to 8 percent slopes, moderately eroded					
Parke	100	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
PaD2—Parke silt loam, 8 to 15 percent slopes, moderately eroded					
Parke	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.63
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PrA—Princeton fine sandy loam, 0 to 2 percent slopes					
Princeton	100	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrB—Princeton fine sandy loam, 2 to 5 percent slopes					
Princeton	100	Somewhat limited		Somewhat limited	
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrC2—Princeton fine sandy loam, 5 to 8 percent slopes, moderately eroded					
Princeton	100	Somewhat limited		Somewhat limited	
		Slope	0.16	Dusty	0.01
		Dusty	0.01	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
PrD2—Princeton fine sandy loam, 8 to 15 percent slopes, moderately eroded					
Princeton	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.63
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrE—Princeton fine sandy loam, 15 to 30 percent slopes					
Princeton	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ra—Ragsdale silt loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rc—Ragsdale silty clay loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReA—Reesville silt loam, 0 to 2 percent slopes					
Reesville	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReB—Reesville silt loam, 2 to 5 percent slopes					
Reesville	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RoE—Rodman gravelly soils, 15 to 30 percent slopes					
Rodman	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
		Sand content	0.86	Sand content	0.86
		Dusty	0.01	Dusty	0.01
RoF—Rodman gravelly soils, 30 to 70 percent slopes					
Rodman	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
		Sand content	0.86	Sand content	0.86
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RsB—Russell loam, 2 to 5 percent slopes					
Russell	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RsC—Russell loam, 5 to 8 percent slopes					
Russell	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
RtB2—Russell silt loam, 2 to 5 percent slopes, moderately eroded					
Russell	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RtC2—Russell silt loam, 5 to 8 percent slopes, moderately eroded					
Russell	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
RtD2—Russell silt loam, 8 to 15 percent slopes, moderately eroded					
Russell	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.63
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RuB3—Russell soils, 2 to 5 percent slopes, severely eroded					
Russell, severely eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RuC3—Russell soils, 5 to 8 percent slopes, severely eroded					
Russell, severely eroded	100	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Slope	0.16	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
RuD3—Russell soils, 8 to 15 percent slopes, severely eroded					
Russell, severely eroded	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.63
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sb—Shoals silt loam					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ShA—Sleeth loam, loamy substratum, 0 to 2 percent slopes					
Sleeth	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SmA—Sleeth silt loam, loamy substratum, 0 to 2 percent slopes					
Sleeth	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
St—Steep stony and rocky land					
Steep and rocky land	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WbA—Warsaw loam, 0 to 2 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WbB—Warsaw loam, 2 to 5 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WbC2—Warsaw loam, 5 to 8 percent slopes, moderately eroded					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.16	Dusty	0.04
		Dusty	0.04	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
WcA—Warsaw silt loam, 0 to 2 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WcB--Warsaw silt loam, 2 to 5 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wd--Westland loam, loamy substratum					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wo--Westland silt loam					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
Wp--Westland silty clay loam					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
Wr--Westland silty clay loam, loamy substratum					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Parke County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ww—Whitson silt loam					
Whitson	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zc—Zipp silty clay loam					
Zipp	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06

### Data Source Information

Soil Survey Area: Parke County, Indiana  
 Survey Area Data: Version 18, Sep 10, 2014