

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfB2	Alford silt loam, 2 to 5 percent slopes, moderately eroded	Alford	100	150	53	60	5.0	10.0
AfC2	Alford silt loam, 6 to 12 percent slopes, eroded	Alford	100	155	54	62	5.1	10.2
AhC3	Alford soils, 5 to 8 percent slopes, severely eroded	Alford, severely eroded	100	135	47	54	4.5	9.0
Al	Allison silty clay loam	Allison	90	135	47	0	0.0	0.0
		Allison	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ar	Armiesburg silty clay loam	Armiesburg	90	130	46	0	0.0	0.0
		Armiesburg	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
As	Ayrshire fine sandy loam	Ayrshire	90	145	47	58	4.8	9.6
		Lyles	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bp	Bonpas silty clay loam	Bonpas	100	160	46	64	5.3	10.6
CaA	Camden loam, 0 to 2 percent slopes	Camden	100	150	53	60	5.0	10.0
CaB	Camden loam, 2 to 5 percent slopes	Camden	100	150	53	60	5.0	10.0
CdA	Camden silt loam, 0 to 2 percent slopes	Camden	100	155	54	62	5.1	10.2
CdB	Camden silt loam, 2 to 5 percent slopes	Camden	100	155	54	62	5.1	10.2
CdC2	Camden silt loam, 5 to 8 percent slopes, moderately eroded	Camden	100	140	49	56	4.6	9.2
ChB	Chelsea loamy fine sand, 2 to 5 percent slopes	Chelsea	100	85	30	34	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ChC	Chelsea loamy fine sand, 5 to 8 percent slopes	Chelsea	100	85	30	34	2.8	5.6
ChD	Chelsea loamy fine sand, 8 to 15 percent slopes	Chelsea	100	75	26	30	2.5	5.0
ChF	Chelsea loamy fine sand, 15 to 40 percent slopes	Chelsea	100	---	---	---	0.0	0.0
CnD2	Cincinnati-Hickory complex, 8 to 15 percent slopes, moderately eroded	Cincinnati	50	115	40	52	3.8	7.6
		Hickory	30	125	44	50	4.1	8.2
CnD3	Cincinnati-Hickory complex, 8 to 15 percent slopes, severely eroded	Cincinnati, severely eroded	50	100	35	45	3.3	6.6
		Hickory, severely eroded	30	120	42	48	4.0	8.0
Cp	Clay pits	Clay pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ea	Eel loam	Eel	90	120	42	0	0.0	0.0
		Eel	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Eb	Eel loam, high bottom	Eel	100	145	51	58	4.8	9.6
El	Eel silt loam	Eel	90	120	42	0	0.0	0.0
		Eel	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Em	Eel silt loam, high bottom	Eel	100	145	51	58	4.8	9.6
En	Eel silty clay loam	Eel	90	120	42	0	0.0	0.0
		Eel	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EoA	Elston loam, 0 to 3 percent slopes	Elston	100	125	44	63	4.1	8.2
EsA	Elston sandy loam, 0 to 3 percent slopes	Elston	100	120	42	60	4.0	8.0
EsC2	Elston sandy loam, 5 to 8 percent slopes, moderately eroded	Elston	100	110	39	55	3.6	7.2
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Mahalasville	5	175	51	70	5.8	11.6
FcB	Fincastle silt loam, 2 to 5 percent slopes	Fincastle	90	165	54	74	5.4	10.8
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FmA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
		Ockley	14	135	47	68	4.5	9.0
		Westland, drained	4	175	51	88	5.8	11.6
		Whitaker	2	155	51	62	5.1	10.2
FmB	Fox loam, 2 to 6 percent slopes	Fox	80	100	35	50	3.3	6.6
		Casco, eroded	8	65	23	33	2.1	4.2
		Ockley	7	135	47	68	4.5	9.0
		Thackery	5	135	47	68	4.5	9.0
FmC2	Fox loam, 5 to 8 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6
FmD2	Fox loam, 8 to 15 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FsA	Fox sandy loam, 0 to 2 percent slopes	Fox	100	95	33	48	3.1	6.2
FsB	Fox sandy loam, 2 to 5 percent slopes	Fox	100	95	33	48	3.1	6.2
FsC	Fox sandy loam, 5 to 8 percent slopes	Fox	100	85	30	43	2.8	5.6
FsD2	Fox sandy loam, 8 to 15 percent slopes, moderately eroded	Fox	100	80	28	40	2.6	5.2
FtA	Fox silt loam, 0 to 2 percent slopes	Fox	85	100	35	50	3.3	6.6
		Ockley	10	135	47	68	4.5	9.0
		Westland, drained	5	175	51	88	5.8	11.6
FtB	Fox silt loam, 2 to 5 percent slopes	Fox	100	100	35	50	3.3	6.6
FtD2	Fox silt loam, 8 to 15 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6
Gf	Genesee fine sandy loam	Genesee	90	115	40	0	0.0	0.0
		Genesee	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Gh	Genesee loam	Genesee	90	120	42	0	0.0	0.0
		Genesee	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Gm	Genesee loam, high bottom	Genesee	100	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Gn	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Armiesburg	2	135	47	19	4.5	9.0
		Shoals	2	130	42	0	0.0	0.0
		Stonelick	2	90	32	0	0.0	0.0
Go	Genesee silt loam, high bottom	Genesee	100	145	51	58	4.8	9.6
Gr	Gravel pits	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HnF	Hennepin association, 30 to 60 percent slopes	Hennepin	100	---	---	---	0.0	0.0
HrE2	Hennepin-Russell complex, 15 to 30 percent slopes, moderately eroded	Hennepin	50	---	---	---	0.0	0.0
		Russell	30	---	---	---	3.6	7.2
HsE	Hickory complex, 15 to 30 percent slopes	Hickory	70	---	---	---	0.0	0.0
		Hickory, eroded	30	---	---	---	0.0	0.0
HsF	Hickory complex, 30 to 70 percent slopes	Hickory	70	---	---	---	0.0	0.0
		Hickory, shallow	30	---	---	---	0.0	0.0
Hu	Huntsville silt loam	Huntsville	90	135	47	0	0.0	0.0
		Huntsville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
IvB	Iva silt loam, 2 to 5 percent slopes	Iva	100	165	54	66	5.4	10.8
Lm	Linwood muck	Linwood, drained	100	160	42	64	5.3	10.6
Mp	Mine pits and dumps	Mine pits and dumps	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
NsE	Negley soils, 15 to 60 percent slopes	Negley	100	---	---	---	0.0	0.0
OaA	Ockley loam, 0 to 2 percent slopes	Ockley	100	140	49	70	4.6	9.2
OaB	Ockley loam, 2 to 5 percent slopes	Ockley	100	110	39	55	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
OcB	Ockley silt loam, 2 to 6 percent slopes	Ockley	90	135	47	68	4.5	9.0
		Fox, eroded	5	95	33	48	3.1	6.2
		Sleeth	5	145	47	73	4.8	9.6

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcC2	Ockley silt loam, 5 to 8 percent slopes, moderately eroded	Ockley	100	95	33	48	3.1	6.2
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PaB	Parke silt loam, 2 to 5 percent slopes	Parke	100	150	53	60	5.0	10.0
PaC2	Parke silt loam, 5 to 8 percent slopes, moderately eroded	Parke	100	135	47	54	4.5	9.0
PaD2	Parke silt loam, 8 to 15 percent slopes, moderately eroded	Parke	100	135	47	54	4.5	9.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrB	Princeton fine sandy loam, 2 to 5 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrC2	Princeton fine sandy loam, 5 to 8 percent slopes, moderately eroded	Princeton	100	125	44	50	4.1	8.2
PrD2	Princeton fine sandy loam, 8 to 15 percent slopes, moderately eroded	Princeton	100	125	44	50	4.1	8.2
PrE	Princeton fine sandy loam, 15 to 30 percent slopes	Princeton	100	---	---	---	0.0	0.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Rc	Ragsdale silty clay loam, 0 to 2 percent slopes	Ragsdale	90	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Reesville	5	170	56	77	5.6	11.2

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
		Ragsdale	5	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
ReB	Reesville silt loam, 2 to 5 percent slopes	Reesville	90	170	56	77	5.6	11.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RoE	Rodman gravelly soils, 15 to 30 percent slopes	Rodman	100	---	---	---	0.0	0.0
RoF	Rodman gravelly soils, 30 to 70 percent slopes	Rodman	100	0	0	0	0.0	0.0
RsB	Russell loam, 2 to 5 percent slopes	Russell	100	155	54	70	5.1	10.2
RsC	Russell loam, 5 to 8 percent slopes	Russell	100	145	51	65	4.8	9.6
RtB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
		Williamstown, eroded	10	140	49	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Treaty	2	185	54	74	6.1	12.2
RtC2	Russell silt loam, 5 to 8 percent slopes, moderately eroded	Russell	100	140	49	63	4.6	9.2
RtD2	Russell silt loam, 8 to 15 percent slopes, moderately eroded	Russell	100	140	49	63	4.6	9.2
RuB3	Russell soils, 2 to 5 percent slopes, severely eroded	Russell, severely eroded	100	145	51	65	4.8	9.6
RuC3	Russell soils, 5 to 8 percent slopes, severely eroded	Russell, severely eroded	100	135	47	61	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RuD3	Russell soils, 8 to 15 percent slopes, severely eroded	Russell, severely eroded	100	135	47	61	4.5	9.0
Sb	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
ShA	Sleeth loam, loamy substratum, 0 to 2 percent slopes	Sleeth	90	155	51	62	5.1	10.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SmA	Sleeth silt loam, loamy substratum, 0 to 2 percent slopes	Sleeth	90	155	51	62	5.1	10.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
St	Steep stony and rocky land	Steep and rocky land	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbA	Warsaw loam, 0 to 2 percent slopes	Warsaw	100	145	51	73	4.8	9.6
WbB	Warsaw loam, 2 to 5 percent slopes	Warsaw	100	130	46	65	4.3	8.6
WbC2	Warsaw loam, 5 to 8 percent slopes, moderately eroded	Warsaw	100	115	40	58	3.8	7.6
WcA	Warsaw silt loam, 0 to 2 percent slopes	Warsaw	100	140	49	70	4.6	9.2
WcB	Warsaw silt loam, 2 to 5 percent slopes	Warsaw	100	125	44	63	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued  
 Parke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wd	Westland loam, loamy substratum	Westland	100	165	47	83	5.4	10.8
Wo	Westland silt loam	Westland	100	165	47	83	5.4	10.8
Wp	Westland silty clay loam	Westland	100	165	47	83	5.4	10.8
Wr	Westland silty clay loam, loamy substratum	Westland	100	165	47	83	5.4	10.8
Ww	Whitson silt loam	Whitson	100	165	47	66	5.4	10.8
Zc	Zipp silty clay loam	Zipp	100	145	40	58	4.8	9.6