

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	Adyeville	29	70	25	28	2.3	4.6
		Wellston	25	105	37	42	3.5	7.0
		Deuchars	18	115	40	46	3.8	7.6
		Apalona, eroded	9	120	42	54	4.0	8.0
		Adyeville, stoney silt loams	5	60	21	24	2.0	4.0
		Ebal	5	95	33	38	3.1	6.2
		Adyeville	3	---	---	---	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6
		Ebal	1	---	---	---	0.0	0.0
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tipsaw	1	---	---	---	0.0	0.0
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	Adyeville, severely eroded	29	65	23	26	2.1	4.2
		Wellston, severely eroded	25	100	35	40	3.3	6.6
		Deuchars, severely eroded	18	110	39	44	3.6	7.2
		Apalona, eroded	9	120	42	54	4.0	8.0
		Adyeville, stoney silt loams	5	60	21	24	2.0	4.0
		Ebal	5	95	33	38	3.1	6.2
		Adyeville	3	---	---	---	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6
		Ebal	1	---	---	---	0.0	0.0
		Rock outcrop	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tipsaw	1	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	Adyeville	31	---	---	---	0.0	0.0
		Tipsaw	24	---	---	---	0.0	0.0
		Ebal	17	---	---	---	0.0	0.0
		Rock outcrop	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Adyeville	4	70	25	28	2.3	4.6
		Deuchars	4	115	40	46	3.8	7.6
		Gatchel	4	115	40	16	3.8	7.6
		Jubin	4	---	---	---	0.0	0.0
		Wellston	4	105	37	42	3.5	7.0
		Branchville	3	---	---	---	0.0	0.0
AcuF	Alford silt loam, 18 to 35 percent slopes	Alford	85	---	---	---	0.0	0.0
		Alford	10	---	---	---	0.0	0.0
		Alford	5	140	49	56	4.6	9.2
AfzG	Alvin-Tobinsport complex, 25 to 45 percent slopes	Alvin	44	---	---	---	0.0	0.0
		Tobinsport	36	---	---	---	0.0	0.0
		Bloomfield	10	80	28	32	2.6	5.2
		Tobinsport	6	110	39	44	3.6	7.2
		Alvin	4	90	32	36	3.0	6.0
AgrA	Apalona silt loam, 0 to 2 percent slopes	Apalona	95	135	47	61	4.5	9.0
		Johnsburg	5	145	49	58	4.8	9.6
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
		Wellston	10	145	51	58	4.8	9.6
		Johnsburg	5	150	51	68	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
		Deuchars, eroded	10	140	49	56	4.6	9.2
		Wellston, eroded	5	130	46	52	4.3	8.6
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	Bloomfield	48	80	28	32	2.6	5.2
		Alvin	40	105	37	42	3.5	7.0
		Alford	3	140	49	56	4.6	9.2
		Bloomfield	3	90	32	36	3.0	6.0
		Alvin	2	115	40	46	3.8	7.6
		Alvin	2	---	---	---	2.5	5.0
		Bloomfield	2	50	18	20	1.7	3.4
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	90	130	35	0	0.0	0.0
		Stendal	10	125	40	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BodAM	Bonnie silt loam, ponded, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie, ponded, undrained	100	0	0	0	0.0	0.0
CndAH	Combs loam, 0 to 2 percent slopes, frequently flooded, brief duration	Combs	95	105	37	0	0.0	0.0
		Huntington	5	130	46	0	0.0	0.0
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	87	115	40	0	0.0	0.0
		Cuba	4	105	37	0	0.0	0.0
		Steff	3	115	40	0	0.0	0.0
		Wakeland	3	130	39	0	0.0	0.0
		Wilbur	3	125	44	0	0.0	0.0
DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	Deuchars	90	130	46	52	4.3	8.6
		Ebal	7	100	35	40	3.3	6.6
		Apalona, eroded	3	120	42	54	4.0	8.0
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	Ebal	34	85	30	34	2.8	5.6
		Deuchars	22	115	40	46	3.8	7.6
		Kitterman	19	75	26	34	2.5	5.0
		Ebal, severely eroded	10	70	25	32	2.3	4.6
		Jubin	5	70	25	28	2.3	4.6
		Apalona, eroded	4	120	42	54	4.0	8.0
		Ebal	2	---	---	---	0.0	0.0
		Gatchel	2	115	40	16	3.8	7.6
		Adyeville	1	---	---	---	0.0	0.0
		Tipsaw	1	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	Ebal, severely eroded	34	75	26	34	2.5	5.0
		Deuchars, severely eroded	22	110	39	44	3.6	7.2
		Kitterman, severely eroded	19	65	23	29	2.1	4.2
		Ebal	10	85	30	34	2.8	5.6
		Jubin	5	70	25	28	2.3	4.6
		Apalona, eroded	4	120	42	54	4.0	8.0
		Ebal	2	---	---	---	0.0	0.0
		Gatchel	2	115	40	16	3.8	7.6
		Adyeville	1	---	---	---	0.0	0.0
		Tipsaw	1	---	---	---	0.0	0.0
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	Elk	90	140	49	56	4.6	9.2
		Cuba	5	115	40	0	0.0	0.0
		Steff	5	140	49	56	4.6	9.2
EesA	Elkinsville-Millstone complex, 0 to 2 percent slopes	Elkinsville	52	145	51	58	4.8	9.6
		Millstone	43	135	47	54	4.5	9.0
		Sciotoville	5	135	47	54	4.5	9.0
EesAQ	Elkinsville-Millstone complex, 0 to 2 percent slopes, rarely flooded	Elkinsville	44	150	53	60	5.0	10.0
		Millstone	36	135	47	54	4.5	9.0
		Elkinsville, occasionally flooded	9	130	46	18	4.3	8.6
		Millstone, occasionally flooded	6	115	40	16	3.8	7.6
		Sciotoville	5	130	46	52	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EesD2	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded	Elkinsville	60	115	40	46	3.8	7.6
		Millstone	40	105	37	42	3.5	7.0
EesDQ	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded, rarely flooded	Elkinsville	50	115	40	46	3.8	7.6
		Millstone	30	105	37	42	3.5	7.0
		Elkinsville, occasionally flooded	10	95	33	13	3.1	6.2
		Millstone, occasionally flooded	10	85	30	12	2.8	5.6
EesFQ	Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded	Elkinsville	60	---	---	---	0.0	0.0
		Millstone	40	---	---	---	0.0	0.0
GacAW	Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Gatchel	88	115	40	16	3.8	7.6
		Haymond, occasionally flooded	12	135	47	19	4.5	9.0
GhaA	Ginat silt loam, 0 to 1 percent slopes	Ginat	80	160	46	64	5.3	10.6
		Ginat, ponded	13	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hatfield	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, fine-textured soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HbhA	Hartz silt loam, 0 to 2 percent slopes	Hartz	90	155	54	62	5.1	10.2
		Lauer	7	165	54	66	5.4	10.8
		Percell	3	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HcaA	Hatfield silt loam, 0 to 2 percent slopes	Hatfield	90	145	49	58	4.8	9.6
		Sciotoville	10	135	47	54	4.5	9.0
HcbAQ	Hatfield silty clay loam, 0 to 2 percent slopes, rarely flooded	Hatfield	80	135	46	54	4.5	9.0
		Sciotoville	15	130	46	52	4.3	8.6
		Ginat	5	160	46	64	5.3	10.6
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
		Wilbur	7	125	44	0	0.0	0.0
		Wirt	5	105	37	0	0.0	0.0
		Gatchel	3	125	44	50	4.1	8.2
HcgAQ	Haymond silt loam, 0 to 2 percent slopes, rarely flooded	Haymond	85	145	51	58	4.8	9.6
		Wilbur	7	150	53	60	5.0	10.0
		Wirt	5	130	46	52	4.3	8.6
		Gatchel	3	125	44	50	4.1	8.2
HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer, eroded	90	120	42	54	4.0	8.0
		Alford, eroded	4	155	54	62	5.1	10.2
		Zanesville, eroded	4	130	46	59	4.3	8.6
		Wellston, eroded	2	140	49	56	4.6	9.2
HubAH	Huntington silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Huntington	87	130	46	0	0.0	0.0
		McAdoo	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		A very deep, moderately well drained, silty soil	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	145	49	58	4.8	9.6
		Apalona	5	135	47	61	4.5	9.0
		Zanesville	5	130	46	59	4.3	8.6
		Peoga	2	155	47	62	5.1	10.2
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	Jubin	40	0	0	0	0.0	0.0
		Branchville	32	0	0	0	0.0	0.0
		Rock outcrop	18	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ebal	5	0	0	0	0.0	0.0
		Tipsaw	5	0	0	0	0.0	0.0
LeaA	Lauer silt loam, 0 to 2 percent slopes	Lauer	90	165	54	66	5.4	10.8
		Hartz	7	155	54	62	5.1	10.2
		Percell	3	135	47	54	4.5	9.0
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	74	115	40	46	3.8	7.6
		Markland, severely eroded	10	105	37	42	3.5	7.0
		Percell	8	125	44	50	4.1	8.2
		Shircliff	5	110	39	44	3.6	7.2
		Markland	3	100	35	40	3.3	6.6
McngQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	Markland	75	---	---	---	0.0	0.0
		Markland, occasionally flooded	10	95	33	13	3.1	6.2
		Markland, severely eroded	10	105	37	42	3.5	7.0
		Wilbur	5	125	44	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	73	105	37	42	3.5	7.0
		Markland	12	115	40	46	3.8	7.6
		Percell	7	125	44	50	4.1	8.2
		Markland, severely eroded	5	90	32	36	3.0	6.0
		Shircliff	3	120	42	48	4.0	8.0
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	Markland, severely eroded	70	90	32	36	3.0	6.0
		Markland, occasionally flooded	10	95	33	13	3.1	6.2
		Markland	10	115	40	46	3.8	7.6
		Markland, rarely flooded	5	105	37	42	3.5	7.0
		Percell	5	110	39	44	3.6	7.2
MhkAH	McAdoo silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	McAdoo	90	120	42	0	0.0	0.0
		Huntington	5	130	46	0	0.0	0.0
		Lindside, frequently flooded	5	120	42	0	0.0	0.0
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	85	140	46	56	4.6	9.2
		Shircliff	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		McGary, 2 to 4 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MsbB	Millstone-Elkinsville complex, 2 to 6 percent slopes	Millstone	57	140	49	56	4.6	9.2
		Elkinsville	38	150	53	60	5.0	10.0
		Sciotoville	5	125	44	50	4.1	8.2
MsbBQ	Millstone-Elkinsville complex, 2 to 6 percent slopes, rarely flooded	Millstone	52	140	49	56	4.6	9.2
		Elkinsville	33	150	53	60	5.0	10.0
		Millstone, occasionally flooded	6	120	42	17	4.0	8.0
		Sciotoville	5	125	44	50	4.1	8.2
		Elkinsville, occasionally flooded	4	130	46	18	4.3	8.6
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	Millstone	52	120	42	48	4.0	8.0
		Elkinsville	43	130	46	52	4.3	8.6
		Sciotoville	5	115	40	46	3.8	7.6
MsbCQ	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded, rarely flooded	Millstone	47	120	42	48	4.0	8.0
		Elkinsville	38	130	46	52	4.3	8.6
		Elkinsville, occasionally flooded	5	150	53	60	5.0	10.0
		Millstone, occasionally flooded	5	135	47	54	4.5	9.0
		Sciotoville	5	125	44	50	4.1	8.2
NbgAH	Newark silty clay loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	95	130	42	0	0.0	0.0
		Lindside, frequently flooded	3	120	42	0	0.0	0.0
		Melvin, frequently flooded	2	130	35	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PhwA	Percell silt loam, 0 to 2 percent slopes	Percell	90	140	49	56	4.6	9.2
		Hartz	10	155	54	62	5.1	10.2
PhwB2	Percell silt loam, 2 to 6 percent slopes, eroded	Percell	92	135	47	54	4.5	9.0
		Shircliff	6	120	42	48	4.0	8.0
		Markland	2	100	35	40	3.3	6.6
PkaAH	Petrolia silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Petrolia	75	140	39	0	0.0	0.0
		Petrolia, ponded, undrained	20	0	0	0	0.0	0.0
		Newark	5	130	42	0	0.0	0.0
PsmA	Princeton loam, 0 to 2 percent slopes	Princeton	90	140	49	56	4.6	9.2
		Alvin	7	105	37	42	3.5	7.0
		Bloomfield	3	80	28	32	2.6	5.2
RatAH	Rahm silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Rahm	90	130	42	0	0.0	0.0
		Woodmere	7	105	37	0	0.0	0.0
		Petrolia	3	140	39	0	0.0	0.0
RgvB	Rickert-Alford silt loams, 2 to 6 percent slopes	Rickert	57	155	54	62	5.1	10.2
		Alford	38	155	54	62	5.1	10.2
		Apalona	2	125	44	56	4.1	8.2
		Rickert	2	140	49	56	4.6	9.2
		Alford	1	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RgvC2	Rickert-Alford silt loams, 6 to 12 percent slopes, eroded	Rickert	55	140	49	56	4.6	9.2
		Alford	35	140	49	56	4.6	9.2
		Apalona	3	125	44	56	4.1	8.2
		Wellston	3	120	42	48	4.0	8.0
		Alford	2	125	44	50	4.1	8.2
		Rickert, 12 to 18 percent slope	2	125	44	50	4.1	8.2
RgvC3	Rickert-Alford silt loams, 6 to 12 percent slopes, severely eroded	Rickert, severely eroded	55	135	47	54	4.5	9.0
		Alford, severely eroded	35	135	47	54	4.5	9.0
		Apalona, severely eroded	3	125	44	56	4.1	8.2
		Wellston, severely eroded	3	100	35	40	3.3	6.6
		Alford, severely eroded	2	120	42	48	4.0	8.0
		Rickert, severely eroded	2	120	42	48	4.0	8.0
RgvD3	Rickert-Alford silt loams, 12 to 18 percent slopes, severely eroded	Rickert, severely eroded	64	120	42	48	4.0	8.0
		Alford, severely eroded	21	120	42	48	4.0	8.0
		Rickert	5	140	49	56	4.6	9.2
		Wellston, severely eroded	5	100	35	40	3.3	6.6
		Alford	3	140	49	56	4.6	9.2
		Adyeville, severely eroded	2	65	23	26	2.1	4.2

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	100	145	51	58	4.8	9.6
RtcC2	Ryker silt loam, 6 to 12 percent slopes, eroded	Ryker	90	135	47	54	4.5	9.0
		Haggatt	10	90	32	41	3.0	6.0
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	88	135	47	54	4.5	9.0
		Elkinsville	5	145	51	58	4.8	9.6
		Hatfield	4	145	49	58	4.8	9.6
		Elkinsville	3	145	51	58	4.8	9.6
ScbAQ	Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded	Sciotoville	76	130	46	52	4.3	8.6
		Sciotoville, occasionally flooded	12	110	39	15	3.6	7.2
		Elkinsville	5	150	53	60	5.0	10.0
		Hatfield	4	145	49	58	4.8	9.6
		Millstone	3	135	47	54	4.5	9.0
ScdB	Sciotoville silt loam, 2 to 4 percent slopes	Sciotoville	90	125	44	50	4.1	8.2
		Elkinsville	4	150	53	60	5.0	10.0
		Millstone	3	140	49	56	4.6	9.2
		Sciotoville	3	125	44	50	4.1	8.2
ScdBQ	Sciotoville silt loam, 2 to 4 percent slopes, rarely flooded	Sciotoville	78	125	44	50	4.1	8.2
		Sciotoville, occasionally flooded	12	105	37	15	3.5	7.0
		Elkinsville	5	150	53	60	5.0	10.0
		Millstone	5	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	Shircliff	90	120	42	48	4.0	8.0
		McGary	6	140	46	56	4.6	9.2
		Shircliff	4	110	39	44	3.6	7.2
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	85	125	40	0	0.0	0.0
		Bonnie	8	130	35	0	0.0	0.0
		Steff	7	115	40	0	0.0	0.0
TakC	Tapawingo silt loam, 2 to 12 percent slopes	Tapawingo	95	130	46	59	4.3	8.6
		Jubin	3	85	30	34	2.8	5.6
		Tapawingo, stoney	2	125	44	56	4.1	8.2
TakD	Tapawingo silt loam, 12 to 20 percent slopes	Tapawingo	95	115	40	52	3.8	7.6
		Jubin	3	70	25	28	2.3	4.6
		Tapawingo, stoney	2	110	39	50	3.6	7.2
TckA	Tobinsport silt loam, 0 to 2 percent slopes	Tobinsport	95	135	47	54	4.5	9.0
		Princeton	5	140	49	56	4.6	9.2
TckB	Tobinsport silt loam, 2 to 4 percent slopes	Tobinsport	95	135	47	54	4.5	9.0
		Princeton	5	140	49	56	4.6	9.2
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UabBK	Udipsammments sandy loam, 1 to 6 percent slopes, occasionally flooded, brief duration	Udipsammments	90	65	23	9	2.1	4.2
		Combs	5	105	37	0	0.0	0.0
		Udipsammments	5	---	9	---	0.8	1.6
Uas	Udorthents-Pits, quarries complex	Udorthents	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits, quarry	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UddD	Urban land-Alford complex, 6 to 18 percent slopes	Urban land	43	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alford	29	0	0	0	0.0	0.0
		Very deep, loamy soil	20	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alford	5	0	0	0	0.0	0.0
		Rickert	3	0	0	0	0.0	0.0
UehB	Urban land-Elkinsville-Hatfield complex, 0 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Elkinsville	20	0	0	0	0.0	0.0
		Hatfield	15	0	0	0	0.0	0.0
		A very deep, loamy soil	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Millstone	6	0	0	0	0.0	0.0
		Sciotoville	3	0	0	0	0.0	0.0
		Ginat	1	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UffY	Urban land, leveed	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, loamy soil	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Woodmere	10	0	0	0	0.0	0.0
		McAdoo	5	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	84	130	39	0	0.0	0.0
		Bonnie	8	130	35	0	0.0	0.0
		Wilbur	6	125	44	0	0.0	0.0
		Wakeland, rarely flooded	2	155	47	62	5.1	10.2
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	86	125	44	0	0.0	0.0
		Wakeland	8	130	39	0	0.0	0.0
		Haymond	6	120	42	0	0.0	0.0
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	87	105	37	0	0.0	0.0
		Haymond	10	120	42	0	0.0	0.0
		Gatchel	3	115	40	16	3.8	7.6
WrlAH	Woodmere silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Woodmere	87	105	37	0	0.0	0.0
		Rahm	10	130	42	0	0.0	0.0
		McAdoo	3	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZcaA	Zipp silty clay, 0 to 1 percent slopes	Zipp	95	140	39	63	4.6	9.2
		McGary	3	130	42	52	4.3	8.6
		Very deep, fine-textured, dark colored soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated