

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	Adyeville	29	70	25	28	2.3	4.6
		Wellston	25	105	37	42	3.5	7.0
		Deuchars	18	115	40	46	3.8	7.6
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	Adyeville, severely eroded	29	65	23	26	2.1	4.2
		Wellston, severely eroded	25	100	35	40	3.3	6.6
		Deuchars, severely eroded	18	110	39	44	3.6	7.2
AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	Adyeville	31	---	---	---	0.0	0.0
		Tipsaw	24	---	---	---	0.0	0.0
		Ebal	17	---	---	---	0.0	0.0
AcuF	Alford silt loam, 18 to 35 percent slopes	Alford	85	---	---	---	0.0	0.0
AfzG	Alvin-Tobinsport complex, 25 to 45 percent slopes	Alvin	44	---	---	---	0.0	0.0
		Tobinsport	36	---	---	---	0.0	0.0
AgrA	Apalona silt loam, 0 to 2 percent slopes	Apalona	95	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	Bloomfield	48	80	28	32	2.6	5.2
		Alvin	40	105	37	42	3.5	7.0
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	90	130	35	0	0.0	0.0
BodAM	Bonnie silt loam, ponded, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie, ponded, undrained	100	0	0	0	0.0	0.0
CndAH	Combs loam, 0 to 2 percent slopes, frequently flooded, brief duration	Combs	95	105	37	0	0.0	0.0
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	87	115	40	0	0.0	0.0
DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	Deuchars	90	130	46	52	4.3	8.6
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	Ebal	34	85	30	34	2.8	5.6
		Deuchars	22	115	40	46	3.8	7.6
		Kitterman	19	75	26	34	2.5	5.0
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	Ebal, severely eroded	34	75	26	34	2.5	5.0
		Deuchars, severely eroded	22	110	39	44	3.6	7.2
		Kitterman, severely eroded	19	65	23	29	2.1	4.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	Elk	90	140	49	56	4.6	9.2
EesA	Elkinsville-Millstone complex, 0 to 2 percent slopes	Elkinsville	52	145	51	58	4.8	9.6
		Millstone	43	135	47	54	4.5	9.0
EesAQ	Elkinsville-Millstone complex, 0 to 2 percent slopes, rarely flooded	Elkinsville	44	150	53	60	5.0	10.0
		Millstone	36	135	47	54	4.5	9.0
EesD2	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded	Elkinsville	60	115	40	46	3.8	7.6
		Millstone	40	105	37	42	3.5	7.0
EesDQ	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded, rarely flooded	Elkinsville	50	115	40	46	3.8	7.6
		Millstone	30	105	37	42	3.5	7.0
EesFQ	Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded	Elkinsville	60	---	---	---	0.0	0.0
		Millstone	40	---	---	---	0.0	0.0
GacAW	Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Gatchel	88	115	40	16	3.8	7.6
GhaA	Ginat silt loam, 0 to 1 percent slopes	Ginat	80	160	46	64	5.3	10.6
HbhA	Hartz silt loam, 0 to 2 percent slopes	Hartz	90	155	54	62	5.1	10.2
HcaA	Hatfield silt loam, 0 to 2 percent slopes	Hatfield	90	145	49	58	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HcbAQ	Hatfield silty clay loam, 0 to 2 percent slopes, rarely flooded	Hatfield	80	135	46	54	4.5	9.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
HcgAQ	Haymond silt loam, 0 to 2 percent slopes, rarely flooded	Haymond	85	145	51	58	4.8	9.6
HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer, eroded	90	120	42	54	4.0	8.0
HubAH	Huntington silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Huntington	87	130	46	0	0.0	0.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	145	49	58	4.8	9.6
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	Jubin	40	0	0	0	0.0	0.0
		Branchville	32	0	0	0	0.0	0.0
		Rock outcrop	18	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LeaA	Lauer silt loam, 0 to 2 percent slopes	Lauer	90	165	54	66	5.4	10.8
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	74	115	40	46	3.8	7.6
McngQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	Markland	75	---	---	---	0.0	0.0
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	73	105	37	42	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	Markland, severely eroded	70	90	32	36	3.0	6.0
MhkAH	McAdoo silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	McAdoo	90	120	42	0	0.0	0.0
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	85	140	46	56	4.6	9.2
MsbB	Millstone-Elkinsville complex, 2 to 6 percent slopes	Millstone	57	140	49	56	4.6	9.2
		Elkinsville	38	150	53	60	5.0	10.0
MsbBQ	Millstone-Elkinsville complex, 2 to 6 percent slopes, rarely flooded	Millstone	52	140	49	56	4.6	9.2
		Elkinsville	33	150	53	60	5.0	10.0
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	Millstone	52	120	42	48	4.0	8.0
		Elkinsville	43	130	46	52	4.3	8.6
MsbCQ	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded, rarely flooded	Millstone	47	120	42	48	4.0	8.0
		Elkinsville	38	130	46	52	4.3	8.6
NbgAH	Newark silty clay loam, 0 to 2 percent slopes, frequently flooded	Newark, frequently flooded	95	130	42	0	0.0	0.0
PhwA	Percell silt loam, 0 to 2 percent slopes	Percell	90	140	49	56	4.6	9.2
PhwB2	Percell silt loam, 2 to 6 percent slopes, eroded	Percell	92	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PkaAH	Petrolia silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Petrolia	75	140	39	0	0.0	0.0
PsmA	Princeton loam, 0 to 2 percent slopes	Princeton	90	140	49	56	4.6	9.2
RatAH	Rahm silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Rahm	90	130	42	0	0.0	0.0
RgvB	Rickert-Alford silt loams, 2 to 6 percent slopes	Rickert	57	155	54	62	5.1	10.2
		Alford	38	155	54	62	5.1	10.2
RgvC2	Rickert-Alford silt loams, 6 to 12 percent slopes, eroded	Rickert	55	140	49	56	4.6	9.2
		Alford	35	140	49	56	4.6	9.2
RgvC3	Rickert-Alford silt loams, 6 to 12 percent slopes, severely eroded	Rickert, severely eroded	55	135	47	54	4.5	9.0
		Alford, severely eroded	35	135	47	54	4.5	9.0
RgvD3	Rickert-Alford silt loams, 12 to 18 percent slopes, severely eroded	Rickert, severely eroded	64	120	42	48	4.0	8.0
		Alford, severely eroded	21	120	42	48	4.0	8.0
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	100	145	51	58	4.8	9.6
RtcC2	Ryker silt loam, 6 to 12 percent slopes, eroded	Ryker	90	135	47	54	4.5	9.0
		Haggatt	10	90	32	41	3.0	6.0
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	88	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ScbAQ	Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded	Sciotoville	76	130	46	52	4.3	8.6
ScdB	Sciotoville silt loam, 2 to 4 percent slopes	Sciotoville	90	125	44	50	4.1	8.2
ScdBQ	Sciotoville silt loam, 2 to 4 percent slopes, rarely flooded	Sciotoville	78	125	44	50	4.1	8.2
		Sciotoville, occasionally flooded	12	105	37	15	3.5	7.0
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	Shircliff	90	120	42	48	4.0	8.0
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	85	125	40	0	0.0	0.0
TakC	Tapawingo silt loam, 2 to 12 percent slopes	Tapawingo	95	130	46	59	4.3	8.6
TakD	Tapawingo silt loam, 12 to 20 percent slopes	Tapawingo	95	115	40	52	3.8	7.6
TckA	Tobinsport silt loam, 0 to 2 percent slopes	Tobinsport	95	135	47	54	4.5	9.0
TckB	Tobinsport silt loam, 2 to 4 percent slopes	Tobinsport	95	135	47	54	4.5	9.0
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UabBK	Udipsammments sandy loam, 1 to 6 percent slopes, occasionally flooded, brief duration	Udipsammments	90	65	23	9	2.1	4.2
Uas	Udorthents-Pits, quarries complex	Udorthents	60	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pits, quarry	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Perry County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UddD	Urban land-Alford complex, 6 to 18 percent slopes	Urban land	43	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alford	29	0	0	0	0.0	0.0
UehB	Urban land-Elkinsville-Hatfield complex, 0 to 6 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Elkinsville	20	0	0	0	0.0	0.0
		Hatfield	15	0	0	0	0.0	0.0
UffY	Urban land, leveed	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	84	130	39	0	0.0	0.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	86	125	44	0	0.0	0.0
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	87	105	37	0	0.0	0.0
WrlAH	Woodmere silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Woodmere	87	105	37	0	0.0	0.0
ZcaA	Zipp silty clay, 0 to 1 percent slopes	Zipp	95	140	39	63	4.6	9.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.