

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Perry County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AbvD2	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, eroded	93	33	33	2.7	5.3
AbvD3	Adyeville-Wellston-Deuchars silt loams, 8 to 20 percent slopes, severely eroded	88	31	31	2.5	5.0
AccG	Adyeville-Tipsaw-Ebal complex, 20 to 50 percent slopes, very rocky	0	0	0	0.0	0.0
AcuF	Alford silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
AfzG	Alvin-Tobinsport complex, 25 to 45 percent slopes	0	0	0	0.0	0.0
AgrA	Apalona silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
AgrB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	138	48	63	4.6	9.2
AgrC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	118	41	55	4.0	8.0
AgrC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	113	39	51	3.8	7.5
BkeC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	91	32	34	2.8	5.6
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	130	35	0	0.0	0.0
BodAM	Bonnie silt loam, ponded, 0 to 1 percent slopes, frequently flooded, brief duration	0	0	0	0.0	0.0
CndAH	Combs loam, 0 to 2 percent slopes, frequently flooded, brief duration	105	37	0	0.0	0.0
CwaAH	Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	115	40	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Perry County, Indiana

DduC2	Deuchars silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
EabD2	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, eroded	91	32	37	3.0	5.9
EabD3	Ebal-Deuchars-Kitterman complex, 12 to 24 percent slopes, severely eroded	83	29	35	2.7	5.3
EemAQ	Elk silt loam, moderately wet substratum, 0 to 2 percent slopes, rarely flooded	140	49	56	4.6	9.2
EesA	Elkinsville-Millstone complex, 0 to 2 percent slopes	140	49	57	4.7	9.4
EesAQ	Elkinsville-Millstone complex, 0 to 2 percent slopes, rarely flooded	143	50	59	4.9	9.7
EesD2	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded	111	39	45	3.8	7.5
EesDQ	Elkinsville-Millstone complex, 12 to 18 percent slopes, eroded, rarely flooded	111	39	45	3.8	7.5
EesFQ	Elkinsville-Millstone complex, 18 to 40 percent slopes, rarely flooded	0	0	0	0.0	0.0
GacAW	Gatchel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	117	41	16	0.0	0.0
GhaA	Ginat silt loam, 0 to 1 percent slopes	160	46	64	5.3	10.6
HbhA	Hartz silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
HcaA	Hatfield silt loam, 0 to 2 percent slopes	144	49	58	4.8	9.6
HcbAQ	Hatfield silty clay loam, 0 to 2 percent slopes, rarely flooded	135	46	54	4.5	9.0
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
HcgAQ	Haymond silt loam, 0 to 2 percent slopes, rarely flooded	145	51	58	4.8	9.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Perry County, Indiana

HsaB2	Hosmer silt loam, 2 to 6 percent slopes, eroded	120	42	54	4.0	8.0
HubAH	Huntington silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	46	0	0.0	0.0
JoaA	Johnsburg silt loam, 0 to 2 percent slopes	144	49	59	4.8	9.6
JoeG	Jubin-Branchville-Rock outcrop complex, 20 to 50 percent slopes, very bouldery	0	0	0	0.0	0.0
LeaA	Lauer silt loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	115	40	46	3.8	7.6
McnGQ	Markland silt loam, 18 to 50 percent slopes, rarely flooded	0	0	0	0.0	0.0
McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	105	37	42	3.5	7.0
McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	90	32	36	3.0	6.0
MhkAH	McAdoo silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	120	42	0	0.0	0.0
MhuA	McGary silt loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
MsbB	Millstone-Elkinsville complex, 2 to 6 percent slopes	144	50	57	4.7	9.4
MsbBQ	Millstone-Elkinsville complex, 2 to 6 percent slopes, rarely flooded	144	50	57	4.7	9.4
MsbC2	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded	125	44	49	4.0	8.1
MsbCQ	Millstone-Elkinsville complex, 6 to 12 percent slopes, eroded, rarely flooded	124	44	49	4.0	8.1
NbgAH	Newark silty clay loam, 0 to 2 percent slopes, frequently flooded	130	42	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Perry County, Indiana

PhwA	Percell silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
PhwB2	Percell silt loam, 2 to 6 percent slopes, eroded	133	47	54	4.5	9.0
PkaAH	Petrolia silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	140	39	0	0.0	0.0
PsmA	Princeton loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
RatAH	Rahm silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	0	0.0	0.0
RgvB	Rickert-Alford silt loams, 2 to 6 percent slopes	155	54	62	5.1	10.2
RgvC2	Rickert-Alford silt loams, 6 to 12 percent slopes, eroded	140	49	56	4.6	9.2
RgvC3	Rickert-Alford silt loams, 6 to 12 percent slopes, severely eroded	135	47	54	4.5	9.0
RgvD3	Rickert-Alford silt loams, 12 to 18 percent slopes, severely eroded	120	42	48	4.0	8.0
RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	145	51	58	4.8	9.6
RtcC2	Ryker silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
ScbA	Sciotoville silt loam, 0 to 2 percent slopes	136	48	54	4.5	9.0
ScbAQ	Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded	130	46	52	4.3	8.6
ScdB	Sciotoville silt loam, 2 to 4 percent slopes	125	44	50	4.1	8.2
ScdBQ	Sciotoville silt loam, 2 to 4 percent slopes, rarely flooded	122	43	46	3.6	7.1
SfyB2	Shircliff silt loam, 2 to 6 percent slopes, eroded	120	42	48	4.0	8.0
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	40	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Perry County, Indiana

TakC	Tapawingo silt loam, 2 to 12 percent slopes	130	46	59	4.3	8.6
TakD	Tapawingo silt loam, 12 to 20 percent slopes	115	40	52	3.8	7.6
TckA	Tobinsport silt loam, 0 to 2 percent slopes	135	47	54	4.5	9.0
TckB	Tobinsport silt loam, 2 to 4 percent slopes	135	47	54	4.5	9.0
Uaa	Udorthents, cut and filled	0	0	0	0.0	0.0
UabBK	Udipsamments sandy loam, 1 to 6 percent slopes, occasionally flooded, brief duration	65	23	9	0.0	0.0
Uas	Udorthents-Pits, quarries complex	0	0	0	0.0	0.0
UddD	Urban land-Alford complex, 6 to 18 percent slopes	0	0	0	0.0	0.0
UehB	Urban land-Elkinsville-Hatfield complex, 0 to 6 percent slopes	0	0	0	0.0	0.0
UffY	Urban land, leveed	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	39	0	0.0	0.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	125	44	0	0.0	0.0
WprAH	Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	105	37	0	0.0	0.0
WrlAH	Woodmere silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	105	37	0	0.0	0.0
ZcaA	Zipp silty clay, 0 to 1 percent slopes	137	38	62	4.5	9.0