

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AdA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
		Iva	10	165	54	66	5.4	10.8
AdB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AdC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
		Hosmer, eroded	6	110	39	50	3.6	7.2
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	Alvin	100	115	40	46	3.8	7.6
AoC	Alvin-Bloomfield complex, 6 to 15 percent slopes	Alvin	64	105	37	42	3.5	7.0
		Bloomfield	33	85	30	34	2.8	5.6
		Lyles	3	140	39	56	4.6	9.2
Ar	Armiesburg silty clay loam, occasionally flooded	Armiesburg	94	130	46	18	4.3	8.6
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		poorly drained aquepts	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ay	Ayrshire fine sandy loam, loamy substratum	Ayrshire, loamy substratum	97	150	49	60	5.0	10.0
		Lyles	3	140	39	56	4.6	9.2
Ba	Bartle silt loam	Bartle	97	145	49	58	4.8	9.6
		Peoga	3	135	40	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Bb	Beaucoup silty clay loam, frequently flooded	Beaucoup	100	140	39	0	0.0	0.0
Bf	Belknap silt loam, rarely flooded	Belknap	97	150	46	60	5.0	10.0
		Bonnie	3	150	42	60	5.0	10.0
Bg	Belknap silt loam, 0 to 2 percent slopes, frequently flooded	Belknap, frequently flooded	90	125	37	0	0.0	0.0
		Bonnie, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Piopolis, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bh	Birds silt loam, occasionally flooded	Birds	100	135	37	19	4.5	9.0
Bk	Birds silt loam, frequently flooded	Birds	100	130	35	0	0.0	0.0
BlF	Bloomfield loamy fine sandy, 25 to 50 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Bo	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	90	130	35	0	0.0	0.0
		Belknap	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bp	Bonnie silt loam, ponded	Bonnie, ponded, undrained	100	0	0	0	0.0	0.0
ClF	Chetwynd silt loam, 25 to 50 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
DbA	Dubois silt loam, 0 to 2 percent slopes	Dubois	97	135	46	61	4.5	9.0
		Peoga	3	135	40	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EkA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	97	150	53	60	5.0	10.0
		Peoga	3	135	40	54	4.5	9.0
FaB	Fairpoint silt loam, reclaimed, 1 to 15 percent slopes	Fairpoint	100	135	47	54	4.5	9.0
FbC	Fairpoint-Bethesda complex, 8 to 15 percent slopes	Fairpoint	55	115	40	52	3.8	7.6
		Bethesda	45	110	39	44	3.6	7.2
FbG	Fairpoint-Bethesda complex, 25 to 70 percent slopes	Fairpoint	60	---	---	---	0.0	0.0
		Bethesda	40	---	---	---	0.0	0.0
GnE	Gilpin silt loam, 15 to 30 percent slopes	Gilpin	100	---	---	---	0.0	0.0
GnE3	Gilpin silt loam, 15 to 25 percent slopes, severely eroded	Gilpin, severely eroded	100	---	---	---	1.8	3.6
GoF	Gilpin-Berks loams, 25 to 50 percent slopes	Gilpin	65	---	---	---	0.0	0.0
		Berks	35	---	---	---	0.0	0.0
HbB	Haubstadt silt loam, 1 to 6 percent slopes	Haubstadt	100	130	46	59	4.3	8.6
Hd	Haymond silt loam, frequently flooded	Haymond	97	120	42	0	0.0	0.0
		Petrolia	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeA	Henshaw silt loam, 0 to 3 percent slopes	Henshaw	100	155	51	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HkF	Hickory silt loam, 18 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	Hosmer	90	140	49	63	4.6	9.2
		Iva	10	170	56	68	5.6	11.2
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
		Alford, eroded	10	155	54	62	5.1	10.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
		Stoy, severely eroded	5	120	40	54	4.0	8.0
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	Hosmer, severely eroded	90	105	37	47	3.5	7.0
		Alford, severely eroded	5	125	44	50	4.1	8.2
		Zanesville, severely eroded	5	90	32	41	3.0	6.0
Hu	Huntsville silt loam, rarely flooded	Huntsville	97	160	56	64	5.3	10.6
		Vincennes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ln	Lindside silt loam, frequently flooded	Lindside	94	120	42	0	0.0	0.0
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Petrolia	3	130	35	0	0.0	0.0
MbC3	Markland silty clay loam, 6 to 15 percent slopes, severely eroded	Markland, severely eroded	97	105	37	42	3.5	7.0
		Birds	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MgA	McGary silty clay loam, 0 to 2 percent slopes	McGary	97	140	46	56	4.6	9.2
		Montgomery	3	140	39	63	4.6	9.2
Mt	Montgomery silty clay	Montgomery	100	150	42	68	5.0	10.0
MuA	Muren silt loam, 0 to 2 percent slopes	Muren	100	155	54	62	5.1	10.2
No	Nolin silty clay loam, frequently flooded	Nolin	91	120	42	0	0.0	0.0
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Petrolia	3	130	35	0	0.0	0.0
		Wilhite	3	115	30	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OtB2	Otwell silt loam, 2 to 6 percent slopes, eroded	Otwell	100	130	46	59	4.3	8.6
OtC3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	Otwell, severely eroded	100	115	40	52	3.8	7.6
OtD3	Otwell silt loam, 12 to 18 percent slopes, severely eroded	Otwell, severely eroded	100	100	35	45	3.3	6.6

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PcB	Pekin silt loam, 2 to 6 percent slopes	Pekin	100	130	46	59	4.3	8.6
Pe	Peoga silt loam	Peoga	100	155	47	62	5.1	10.2
Ph	Petrolia silty clay loam, frequently flooded	Petrolia	100	140	39	0	0.0	0.0
Pm	Petrolia silty clay loam, frequently flooded, very long duration	Petrolia	100	80	18	0	0.0	0.0
PpD3	Pike silt loam, 12 to 18 percent slopes, severely eroded	Pike, severely eroded	100	100	35	40	3.3	6.6
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	135	47	54	4.5	9.0
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	97	170	56	68	5.6	11.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Se	Steff silt loam, rarely flooded	Steff	97	135	47	54	4.5	9.0
		Bonnie	3	150	42	60	5.0	10.0
Sf	Steff silt loam, frequently flooded	Steff	97	110	39	0	0.0	0.0
		Bonnie	3	125	33	0	0.0	0.0
So	Stendal silt loam, frequently flooded	Stendal	97	125	40	0	0.0	0.0
		Petrolia	3	140	39	0	0.0	0.0
Sw	Stonelick fine sandy loam, frequently flooded	Stonelick	100	100	35	0	0.0	0.0
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	Sylvan	100	155	54	62	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	Sylvan, severely eroded	100	140	49	56	4.6	9.2
SyF	Sylvan silt loam, 25 to 50 percent slopes	Sylvan	100	---	---	---	0.0	0.0
Ud	Udorthents, cut and filled	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Vn	Vincennes clay loam, occasionally flooded	Vincennes	100	140	39	20	4.6	9.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
		Birds, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeE	Wellston silt loam, 15 to 30 percent slopes	Wellston	100	---	---	---	0.0	0.0
Wh	Wilhite silty clay loam, frequently flooded	Wilhite	100	120	32	0	0.0	0.0
ZaB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	Apalona	45	140	49	63	4.6	9.2
		Zanesville	40	135	47	61	4.5	9.0
		Wellston	10	145	51	58	4.8	9.6
		Johnsburg	5	150	51	68	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Pike County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	Zanesville, severely eroded	100	90	32	41	3.0	6.0