

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Pike County, Indiana

| Map Unit Symbol | Map unit name  | Component                   | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AdA             | Alford silt loam, 0 to 2 percent slopes                      | Alford                      | 90         | 160        | 56             | 64                 | 5.3                      | 10.6        |
| AdB2            | Alford silt loam, 2 to 5 percent slopes, eroded              | Alford, eroded              | 95         | 155        | 54             | 62                 | 5.1                      | 10.2        |
| AdC2            | Alford silt loam, 5 to 10 percent slopes, eroded             | Alford, eroded              | 90         | 145        | 51             | 58                 | 4.8                      | 9.6         |
| AnB             | Alvin fine sandy loam, 2 to 6 percent slopes                 | Alvin                       | 100        | 115        | 40             | 46                 | 3.8                      | 7.6         |
| AoC             | Alvin-Bloomfield complex, 6 to 15 percent slopes             | Alvin                       | 64         | 105        | 37             | 42                 | 3.5                      | 7.0         |
|                 |  | Bloomfield                  | 33         | 85         | 30             | 34                 | 2.8                      | 5.6         |
| Ar              | Armiesburg silty clay loam, occasionally flooded             | Armiesburg                  | 94         | 130        | 46             | 18                 | 4.3                      | 8.6         |
| Ay              | Ayrshire fine sandy loam, loamy substratum                   | Ayrshire, loamy substratum  | 97         | 150        | 49             | 60                 | 5.0                      | 10.0        |
| Ba              | Bartle silt loam   | Bartle                      | 97         | 145        | 49             | 58                 | 4.8                      | 9.6         |
| Bb              | Beaucoup silty clay loam, frequently flooded                 | Beaucoup                    | 100        | 140        | 39             | 0                  | 0.0                      | 0.0         |
| Bf              | Belknap silt loam, rarely flooded                            | Belknap                     | 97         | 150        | 46             | 60                 | 5.0                      | 10.0        |
| Bg              | Belknap silt loam, 0 to 2 percent slopes, frequently flooded | Belknap, frequently flooded | 90         | 125        | 37             | 0                  | 0.0                      | 0.0         |
| Bh              | Birds silt loam, occasionally flooded                        | Birds                       | 100        | 135        | 37             | 19                 | 4.5                      | 9.0         |
| Bk              | Birds silt loam, frequently flooded                          | Birds                       | 100        | 130        | 35             | 0                  | 0.0                      | 0.0         |
| BlF             | Bloomfield loamy fine sandy, 25 to 50 percent slopes         | Bloomfield                  | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Pike County, Indiana

| Map Unit Symbol | Map unit name   | Component                  | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Bo              | Bonnie silt loam, 0 to 2 percent slopes, frequently flooded | Bonnie, frequently flooded | 90         | 130        | 35             | 0                  | 0.0                      | 0.0         |
| Bp              | Bonnie silt loam, ponded                                    | Bonnie, ponded, undrained  | 100        | 0          | 0              | 0                  | 0.0                      | 0.0         |
| ClF             | Chetwynd silt loam, 25 to 50 percent slopes                 | Chetwynd                   | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| DbA             | Dubois silt loam, 0 to 2 percent slopes                     | Dubois                     | 97         | 135        | 46             | 61                 | 4.5                      | 9.0         |
| Du              | Dumps, mine   | Dumps                      | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| Eka             | Elkinsville silt loam, 0 to 2 percent slopes                | Elkinsville                | 97         | 150        | 53             | 60                 | 5.0                      | 10.0        |
| FaB             | Fairpoint silt loam, reclaimed, 1 to 15 percent slopes      | Fairpoint                  | 100        | 135        | 47             | 54                 | 4.5                      | 9.0         |
| FbC             | Fairpoint-Bethesda complex, 8 to 15 percent slopes          | Fairpoint                  | 55         | 115        | 40             | 52                 | 3.8                      | 7.6         |
|                 |   | Bethesda                   | 45         | 110        | 39             | 44                 | 3.6                      | 7.2         |
| FbG             | Fairpoint-Bethesda complex, 25 to 70 percent slopes         | Fairpoint                  | 60         | ---        | ---            | ---                | 0.0                      | 0.0         |
|                 |   | Bethesda                   | 40         | ---        | ---            | ---                | 0.0                      | 0.0         |
| GnE             | Gilpin silt loam, 15 to 30 percent slopes                   | Gilpin                     | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| GnE3            | Gilpin silt loam, 15 to 25 percent slopes, severely eroded  | Gilpin, severely eroded    | 100        | ---        | ---            | ---                | 1.8                      | 3.6         |
| GoF             | Gilpin-Berks loams, 25 to 50 percent slopes                 | Gilpin                     | 65         | ---        | ---            | ---                | 0.0                      | 0.0         |
|                 |   | Berks                      | 35         | ---        | ---            | ---                | 0.0                      | 0.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Pike County, Indiana

| Map Unit Symbol | Map unit name   | Component                 | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|---------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| HbB             | Haubstadt silt loam, 1 to 6 percent slopes                        | Haubstadt                 | 100        | 130        | 46             | 59                 | 4.3                      | 8.6         |
| Hd              | Haymond silt loam, frequently flooded                             | Haymond                   | 97         | 120        | 42             | 0                  | 0.0                      | 0.0         |
| HeA             | Henshaw silt loam, 0 to 3 percent slopes                          | Henshaw                   | 100        | 155        | 51             | 62                 | 5.1                      | 10.2        |
| HkF             | Hickory silt loam, 18 to 50 percent slopes                        | Hickory                   | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| HoA             | Hosmer silt loam, 0 to 2 percent slopes                           | Hosmer                    | 90         | 140        | 49             | 63                 | 4.6                      | 9.2         |
| HoB2            | Hosmer silt loam, 2 to 5 percent slopes, eroded                   | Hosmer, eroded            | 90         | 135        | 47             | 61                 | 4.5                      | 9.0         |
| HoC3            | Hosmer silt loam, 5 to 10 percent slopes, severely eroded         | Hosmer, severely eroded   | 95         | 105        | 37             | 47                 | 3.5                      | 7.0         |
| HoD3            | Hosmer silt loam, 10 to 18 percent slopes, severely eroded        | Hosmer, severely eroded   | 90         | 105        | 37             | 47                 | 3.5                      | 7.0         |
| Hu              | Huntsville silt loam, rarely flooded                              | Huntsville                | 97         | 160        | 56             | 64                 | 5.3                      | 10.6        |
| IoA             | Iona silt loam, 0 to 2 percent slopes                             | Iona                      | 100        | 160        | 56             | 64                 | 5.3                      | 10.6        |
| IvA             | Iva silt loam, 0 to 2 percent slopes                              | Iva                       | 90         | 165        | 54             | 66                 | 5.4                      | 10.8        |
| Ln              | Lindside silt loam, frequently flooded                            | Lindside                  | 94         | 120        | 42             | 0                  | 0.0                      | 0.0         |
| MbC3            | Markland silty clay loam, 6 to 15 percent slopes, severely eroded | Markland, severely eroded | 97         | 105        | 37             | 42                 | 3.5                      | 7.0         |
| MgA             | McGary silty clay loam, 0 to 2 percent slopes                     | McGary                    | 97         | 140        | 46             | 56                 | 4.6                      | 9.2         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Pike County, Indiana

| Map Unit Symbol | Map unit name  | Component               | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Mt              | Montgomery silty clay  | Montgomery              | 100        | 150        | 42             | 68                 | 5.0                      | 10.0        |
| MuA             | Muren silt loam, 0 to 2 percent slopes                           | Muren                   | 100        | 155        | 54             | 62                 | 5.1                      | 10.2        |
| No              | Nolin silty clay loam, frequently flooded                        | Nolin                   | 91         | 120        | 42             | 0                  | 0.0                      | 0.0         |
| Omz             | Orthents, earthen dam  | Orthents                | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| OtB2            | Otwell silt loam, 2 to 6 percent slopes, eroded                  | Otwell                  | 100        | 130        | 46             | 59                 | 4.3                      | 8.6         |
| OtC3            | Otwell silt loam, 6 to 12 percent slopes, severely eroded        | Otwell, severely eroded | 100        | 115        | 40             | 52                 | 3.8                      | 7.6         |
| OtD3            | Otwell silt loam, 12 to 18 percent slopes, severely eroded       | Otwell, severely eroded | 100        | 100        | 35             | 45                 | 3.3                      | 6.6         |
| PcB             | Pekin silt loam, 2 to 6 percent slopes                           | Pekin                   | 100        | 130        | 46             | 59                 | 4.3                      | 8.6         |
| Pe              | Peoga silt loam  | Peoga                   | 100        | 155        | 47             | 62                 | 5.1                      | 10.2        |
| Ph              | Petrolia silty clay loam, frequently flooded                     | Petrolia                | 100        | 140        | 39             | 0                  | 0.0                      | 0.0         |
| Pm              | Petrolia silty clay loam, frequently flooded, very long duration | Petrolia                | 100        | 80         | 18             | 0                  | 0.0                      | 0.0         |
| PpD3            | Pike silt loam, 12 to 18 percent slopes, severely eroded         | Pike, severely eroded   | 100        | 100        | 35             | 40                 | 3.3                      | 6.6         |
| PrA             | Princeton fine sandy loam, 0 to 2 percent slopes                 | Princeton               | 100        | 135        | 47             | 54                 | 4.5                      | 9.0         |
| ReA             | Reesville silt loam, 0 to 2 percent slopes                       | Reesville               | 97         | 170        | 56             | 68                 | 5.6                      | 11.2        |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Pike County, Indiana

| Map Unit Symbol | Map unit name   | Component                    | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Se              | Steff silt loam, rarely flooded                               | Steff                        | 97         | 135        | 47             | 54                 | 4.5                      | 9.0         |
| Sf              | Steff silt loam, frequently flooded                           | Steff                        | 97         | 110        | 39             | 0                  | 0.0                      | 0.0         |
| So              | Stendal silt loam, frequently flooded                         | Stendal                      | 97         | 125        | 40             | 0                  | 0.0                      | 0.0         |
| Sw              | Stonelick fine sandy loam, frequently flooded                 | Stonelick                    | 100        | 100        | 35             | 0                  | 0.0                      | 0.0         |
| SyB2            | Sylvan silt loam, 2 to 6 percent slopes, eroded               | Sylvan                       | 100        | 155        | 54             | 62                 | 5.1                      | 10.2        |
| SyC3            | Sylvan silt loam, 6 to 12 percent slopes, severely eroded     | Sylvan, severely eroded      | 100        | 140        | 49             | 56                 | 4.6                      | 9.2         |
| SyF             | Sylvan silt loam, 25 to 50 percent slopes                     | Sylvan                       | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| Ud              | Udorthents, cut and filled                                    | Udorthents                   | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| Vn              | Vincennes clay loam, occasionally flooded                     | Vincennes                    | 100        | 140        | 39             | 20                 | 4.6                      | 9.2         |
| W               | Water   | Water                        | 100        | Not Rated  | Not Rated      | Not Rated          | Not Rated                | Not Rated   |
| Wa              | Wakeland silt loam, 0 to 2 percent slopes, frequently flooded | Wakeland, frequently flooded | 95         | 130        | 39             | 0                  | 0.0                      | 0.0         |
| WeE             | Wellston silt loam, 15 to 30 percent slopes                   | Wellston                     | 100        | ---        | ---            | ---                | 0.0                      | 0.0         |
| Wh              | Wilhite silty clay loam, frequently flooded                   | Wilhite                      | 100        | 120        | 32             | 0                  | 0.0                      | 0.0         |
| ZaB             | Apalona-Zanesville silt loams, 2 to 6 percent slopes          | Apalona                      | 45         | 140        | 49             | 63                 | 4.6                      | 9.2         |
|                 |   | Zanesville                   | 40         | 135        | 47             | 61                 | 4.5                      | 9.0         |

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Pike County, Indiana

| Map Unit Symbol | Map unit name  | Component                   | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| ZaC3            | Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded | Apalona, severely eroded    | 45         | 115        | 40             | 52                 | 3.8                      | 7.6         |
|                 |  | Zanesville, severely eroded | 40         | 110        | 39             | 50                 | 3.6                      | 7.2         |
| ZaD3            | Zanesville silt loam, 12 to 18 percent slopes, severely eroded         | Zanesville, severely eroded | 100        | 90         | 32             | 41                 | 3.0                      | 6.0         |

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.