

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Pike County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AdA	Alford silt loam, 0 to 2 percent slopes	161	56	64	5.3	10.6
AdB2	Alford silt loam, 2 to 5 percent slopes, eroded	153	54	62	5.1	10.2
AdC2	Alford silt loam, 5 to 10 percent slopes, eroded	137	48	57	4.7	9.4
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	115	40	46	3.8	7.6
AoC	Alvin-Bloomfield complex, 6 to 15 percent slopes	98	34	41	3.4	6.8
Ar	Armiesburg silty clay loam, occasionally flooded	130	46	18	0.0	0.0
Ay	Ayrshire fine sandy loam, loamy substratum	150	49	60	5.0	10.0
Ba	Bartle silt loam	145	49	58	4.8	9.6
Bb	Beaucoup silty clay loam, frequently flooded	140	39	0	0.0	0.0
Bf	Belknap silt loam, rarely flooded	150	46	60	5.0	10.0
Bg	Belknap silt loam, 0 to 2 percent slopes, frequently flooded	113	33	0	0.0	0.0
Bh	Birds silt loam, occasionally flooded	135	37	19	0.0	0.0
Bk	Birds silt loam, frequently flooded	130	35	0	0.0	0.0
BIF	Bloomfield loamy fine sandy, 25 to 50 percent slopes	0	0	0	0.0	0.0
Bo	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	117	32	5	0.4	0.8
Bp	Bonnie silt loam, ponded	0	0	0	0.0	0.0
CIF	Chetwynd silt loam, 25 to 50 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Pike County, Indiana

DbA	Dubois silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
Du	Dumps, mine	0	0	0	0.0	0.0
EkA	Elkinsville silt loam, 0 to 2 percent slopes	150	53	60	5.0	10.0
FaB	Fairpoint silt loam, reclaimed, 1 to 15 percent slopes	135	47	54	4.5	9.0
FbC	Fairpoint-Bethesda complex, 8 to 15 percent slopes	113	39	49	3.8	7.5
FbG	Fairpoint-Bethesda complex, 25 to 70 percent slopes	0	0	0	0.0	0.0
GnE	Gilpin silt loam, 15 to 30 percent slopes	0	0	0	0.0	0.0
GnE3	Gilpin silt loam, 15 to 25 percent slopes, severely eroded	0	0	0	0.0	0.0
GoF	Gilpin-Berks loams, 25 to 50 percent slopes	0	0	0	0.0	0.0
HbB	Haubstadt silt loam, 1 to 6 percent slopes	130	46	59	4.3	8.6
Hd	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HeA	Henshaw silt loam, 0 to 3 percent slopes	155	51	62	5.1	10.2
HkF	Hickory silt loam, 18 to 50 percent slopes	0	0	0	0.0	0.0
HoA	Hosmer silt loam, 0 to 2 percent slopes	143	50	62	4.6	9.2
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	137	48	60	4.5	9.0
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	106	37	47	3.5	7.0
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	105	37	47	3.5	7.0
Hu	Huntsville silt loam, rarely flooded	160	56	64	5.3	10.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Pike County, Indiana

loA	lona silt loam, 0 to 2 percent slopes	160	56	64	5.3	10.6
lvA	lva silt loam, 0 to 2 percent slopes	163	53	67	5.4	10.8
Ln	Lindside silt loam, frequently flooded	120	42	0	0.0	0.0
MbC3	Markland silty clay loam, 6 to 15 percent slopes, severely eroded	105	37	42	3.5	7.0
MgA	McGary silty clay loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
Mt	Montgomery silty clay	150	42	68	5.0	10.0
MuA	Muren silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
No	Nolin silty clay loam, frequently flooded	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
OtB2	Otwell silt loam, 2 to 6 percent slopes, eroded	130	46	59	4.3	8.6
OtC3	Otwell silt loam, 6 to 12 percent slopes, severely eroded	115	40	52	3.8	7.6
OtD3	Otwell silt loam, 12 to 18 percent slopes, severely eroded	100	35	45	3.3	6.6
PcB	Pekin silt loam, 2 to 6 percent slopes	130	46	59	4.3	8.6
Pe	Peoga silt loam	155	47	62	5.1	10.2
Ph	Petrolia silty clay loam, frequently flooded	140	39	0	0.0	0.0
Pm	Petrolia silty clay loam, frequently flooded, very long duration	80	18	0	0.0	0.0
PpD3	Pike silt loam, 12 to 18 percent slopes, severely eroded	100	35	40	3.3	6.6
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	135	47	54	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Pike County, Indiana

ReA	Reesville silt loam, 0 to 2 percent slopes	170	56	68	5.6	11.2
Se	Steff silt loam, rarely flooded	135	47	54	4.5	9.0
Sf	Steff silt loam, frequently flooded	110	39	0	0.0	0.0
So	Stendal silt loam, frequently flooded	125	40	0	0.0	0.0
Sw	Stonelick fine sandy loam, frequently flooded	100	35	0	0.0	0.0
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	155	54	62	5.1	10.2
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	140	49	56	4.6	9.2
SyF	Sylvan silt loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
Ud	Udorthents, cut and filled	0	0	0	0.0	0.0
Vn	Vincennes clay loam, occasionally flooded	140	39	20	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	124	37	0	0.0	0.0
WeE	Wellston silt loam, 15 to 30 percent slopes	0	0	0	0.0	0.0
Wh	Wilhite silty clay loam, frequently flooded	120	32	0	0.0	0.0
ZaB	Apalona-Zanesville silt loams, 2 to 6 percent slopes	139	49	62	4.6	9.2
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	114	40	50	3.8	7.5
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0