

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
AlB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
AlB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
AlC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
AlC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
AlD	Alford silt loam, 10 to 18 percent slopes	Alford	95	135	47	54	4.5	9.0
AlD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
AlE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
Ar	Armiesburg silt loam, frequently flooded	Armiesburg	97	130	46	0	0.0	0.0
As	Armiesburg silt loam, rarely flooded	Armiesburg	100	155	54	62	5.1	10.2
Bd	Birds silt loam, frequently flooded	Birds	100	130	35	0	0.0	0.0
BlB	Bloomfield loamy fine sand, 2 to 6 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BlC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
BlD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BlF	Bloomfield loamy fine sand, 18 to 35 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EkA	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	Elkinsville	100	150	53	60	5.0	10.0
EkB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded, rarely flooded	Elkinsville	100	150	53	60	5.0	10.0
Ev	Evansville silt loam, rarely flooded	Evansville	100	165	47	66	5.4	10.8
Ge	Genesee loam, frequently flooded	Genesee	97	120	42	0	0.0	0.0
Gn	Ginat silt loam, rarely flooded	Ginat	100	160	46	64	5.3	10.6
Ha	Haymond silt loam, wet substratum, frequently flooded	Haymond	100	120	42	0	0.0	0.0
HeA	Henshaw silt loam, 0 to 2 percent slopes, rarely flooded	Henshaw	94	155	51	62	5.1	10.2
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	Hosmer, severely eroded	90	105	37	47	3.5	7.0
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded	Iona	100	155	54	62	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IoB3	Iona silt loam, 2 to 6 percent slopes, severely eroded	Iona, severely eroded	100	150	53	60	5.0	10.0
Ju	Junius loamy sand	Junius	100	125	33	50	4.1	8.2
Ld	Landes sandy loam, occasionally flooded	Landes	100	115	40	16	3.8	7.6
Ly	Lyles sandy loam	Lyles	100	150	42	60	5.0	10.0
Mc	McAdoo silt loam, frequently flooded	McAdoo	91	120	42	0	0.0	0.0
Nk	Newark silty clay loam, frequently flooded	Newark	94	125	40	0	0.0	0.0
OnA	Onarga fine sandy loam, 0 to 2 percent slopes, rarely flooded	Onarga	100	145	51	58	4.8	9.6
Pa	Patton silty clay loam, rarely flooded	Patton	100	175	51	70	5.8	11.6
PeA	Pekin silt loam, 0 to 2 percent slopes, rarely flooded	Pekin	100	135	47	61	4.5	9.0
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded, rarely flooded	Pekin	100	130	46	59	4.3	8.6
Pg	Peoga silt loam, rarely flooded	Peoga	100	155	47	62	5.1	10.2
Ph	Petrolia silty clay loam, frequently flooded	Petrolia	100	140	39	0	0.0	0.0
PnB	Plainfield loamy fine sand, warm, 0 to 6 percent slopes	Plainfield	100	80	28	32	2.6	5.2
Ppu	Pits, sand and gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PrB2	Princeton loam, 2 to 6 percent slopes, eroded	Princeton	100	135	47	54	4.5	9.0
PrC2	Princeton loam, 6 to 12 percent slopes, eroded	Princeton	100	125	44	50	4.1	8.2
Ps	Psamments, frequently flooded	Psamments	100	95	Not Rated	Not Rated	0.0	0.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Rh	Rahm silt loam, occasionally flooded	Rahm	94	135	44	19	4.5	9.0
RIA	Reesville silt loam, 0 to 2 percent slopes	Reesville	94	170	56	68	5.6	11.2
Rn	Rensselaer clay loam, clay loam substratum, rarely flooded	Rensselaer	100	175	51	70	5.8	11.6
St	Stonelick fine sandy loam, frequently flooded	Stonelick	100	90	32	0	0.0	0.0
SyB3	Sylvan silt loam, 2 to 6 percent slopes, severely eroded	Sylvan, severely eroded	100	150	53	60	5.0	10.0
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	Sylvan, severely eroded	100	140	49	56	4.6	9.2
SyD3	Sylvan silt loam, 12 to 18 percent slopes, severely eroded	Sylvan, severely eroded	100	125	44	50	4.1	8.2
SyF	Sylvan silt loam, 18 to 40 percent slopes	Sylvan	100	---	---	---	0.0	0.0
Ud	Udorthents, cut and filled	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnA	Uniontown silt loam, 0 to 2 percent slopes, rarely flooded	Uniontown	100	145	51	58	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded, rarely flooded	Uniontown	100	140	49	56	4.6	9.2
UnB3	Uniontown silt loam, 2 to 6 percent slopes, severely eroded, rarely flooded	Uniontown, severely eroded	100	135	47	54	4.5	9.0
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded, rarely flooded	Uniontown, severely eroded	100	125	44	50	4.1	8.2
Vn	Vincennes loam, rarely flooded	Vincennes	100	160	46	64	5.3	10.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
WbA	Weinbach silt loam, 0 to 2 percent slopes, rarely flooded	Weinbach	94	135	46	54	4.5	9.0
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	100	100	35	40	3.3	6.6
WeE	Wellston silt loam, 18 to 25 percent slopes	Wellston	100	---	---	---	3.1	6.2
WeF	Wellston silt loam, 25 to 35 percent slopes	Wellston	100	---	---	---	0.0	0.0
WhA	Wheeling loam, 0 to 2 percent slopes, rarely flooded	Wheeling	97	135	47	54	4.5	9.0
WhB	Wheeling loam, 2 to 6 percent slopes, rarely flooded	Wheeling	100	140	49	56	4.6	9.2
WhC2	Wheeling loam, 6 to 12 percent slopes, eroded, rarely flooded	Wheeling	100	120	42	48	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Posey County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wm	Wheeling Variant silt loam, rarely flooded	Wheeling variant	94	140	49	56	4.6	9.2
Wz	Woodmere silt loam, occasionally flooded	Woodmere	100	110	39	15	3.6	7.2
Zp	Zipp silty clay loam, 0 to 2 percent slopes, occasionally flooded	Zipp, occasionally flooded	90	130	35	18	4.3	8.6
Zu	Zipp Variant sandy loam, occasionally flooded	Zipp variant	100	115	30	16	3.8	7.6

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.