

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AadAK—Abscota fine sandy loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Abscota	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
AatAN—Ackerman muck, drained, 0 to 1 percent slopes					
Ackerman, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AatAU—Ackerman muck, undrained, 0 to 1 percent slopes					
Ackerman, undrained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
AbhAN—Adrian muck, drained, 0 to 1 percent slopes					
Adrian, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
AbhAU—Adrian muck, undrained, 0 to 1 percent slopes					
Adrian, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.50	Water gathering surface	0.50
ApuAN—Antung muck, drained, 0 to 1 percent slopes					
Antung, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ApuAU—Antung muck, undrained, 0 to 1 percent slopes					
Antung, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
BrvA—Brady fine sandy loam, 0 to 1 percent slopes					
Brady	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
BstA—Brems loamy fine sand, 0 to 1 percent slopes					
Brems	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
BstB—Brems loamy fine sand, 1 to 4 percent slopes					
Brems	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.87	Unstable excavation walls	0.87

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BswA—Brems-Morocco loamy fine sands, 0 to 1 percent slopes					
Brems	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
Morocco	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
BupB—Bronson fine sandy loam, 1 to 4 percent slopes					
Bronson	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
BuuA—Brookston loam, 0 to 1 percent slopes					
Brookston	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BuzA—Brookston-Navunon loams, 0 to 1 percent slopes					
Brookston	55	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Navunon	37	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
BwfA—Budd-Brady fine sandy loams, 0 to 1 percent slopes					
Budd	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brady	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
CjfC—Chelsea fine sand, 5 to 12 percent slopes					
Chelsea	70	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.63	Slope	0.04

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CjfD—Chelsea fine sand, 12 to 18 percent slopes					
Chelsea	75	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Unstable excavation walls	1.00
		Unstable excavation walls	1.00	Slope	1.00
CmbAI—Cohoctah loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Cohoctah	75	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
CnzAI—Cohoctah-Abscota complex, 0 to 1 percent slopes, frequently flooded, brief duration					
Cohoctah	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
Abscota	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CpcA—Conover loam, 0 to 1 percent slopes					
Conover	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CqmA—Corwin fine sandy loam, 0 to 1 percent slopes					
Corwin	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CuyA—Crosier fine sandy loam, 0 to 1 percent slopes					
Crosier	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DbsA—Denham fine sand, 0 to 1 percent slopes					
Denham	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
DbsB—Denham fine sand, 1 to 5 percent slopes					
Denham	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EchAN—Edwards muck, drained, 0 to 1 percent slopes					
Edwards, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EchAU—Edwards muck, undrained, 0 to 1 percent slopes					
Edwards, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EcrAN—Edselton muck, drained, 0 to 1 percent slopes					
Edselton, drained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
EcrAU—Edselton muck, undrained, 0 to 1 percent slopes					
Edselton, undrained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GcwA—Gilford fine sandy loam, 0 to 1 percent slopes					
Gilford	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
GdvA—Gilford-Monon fine sandy loams, 0 to 1 percent slopes					
Gilford	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
Monon	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GmnA—Goodell-Gilford fine sandy loams, 0 to 1 percent slopes					
Goodell	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Gilford	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
GrfA—Granby loamy fine sand, 0 to 1 percent slopes					
Granby	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.65	Unstable excavation walls	0.65

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GsaA—Granby-Gilford complex, 0 to 1 percent slopes					
Granby	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.65	Unstable excavation walls	0.65
Gilford	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
HbzA—Headlee-Brady fine sandy loams, 0 to 1 percent slopes					
Headlee	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Brady	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
HnbA—Homer sandy loam, 0 to 1 percent slopes					
Homer	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Sand content	0.08	Sand content	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HtbAN—Houghton muck, drained, 0 to 1 percent slopes					
Houghton, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
HtbAU—Houghton muck, undrained, 0 to 1 percent slopes					
Houghton, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
MfrAN—Madaus muck, drained, 0 to 1 percent slopes					
Madaus, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04
MfrAU—Madaus muck, undrained, 0 to 1 percent slopes					
Madaus, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Dusty	0.04	Dusty	0.04

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MgyA—Maumee-Gilford complex, 0 to 1 percent slopes					
Maumee	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
Gilford	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33
MgzA—Maumee-Gumz complex, 0 to 1 percent slopes					
Maumee	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
Gumz	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MhaA—Maumee loamy fine sand, 0 to 1 percent slopes					
Maumee	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhbA—Maumee mucky loamy fine sand, 0 to 1 percent slopes					
Maumee	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
MhnA—Medaryville fine sandy loam, 0 to 1 percent slopes					
Medaryville	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MlwB—Metea-Moon loamy sands, 1 to 5 percent slopes					
Metea	50	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Moon	35	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmyC2—Miami fine sandy loam, 5 to 10 percent slopes, moderately eroded					
Miami	75	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.03
		Dusty	0.03	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MnzB—Miami-Williamstown fine sandy loams, 2 to 5 percent slopes					
Miami	40	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Williamstown	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MouA—Milford silty clay loam, 0 to 1 percent slopes					
Milford	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MtoA—Moon-Ormas loamy sands, 0 to 1 percent slopes					
Moon	45	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ormas	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
MtoB—Moon-Ormas loamy sands, 1 to 5 percent slopes					
Moon	45	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ormas	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.05	Unstable excavation walls	0.05

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MtpA--Moon-Selfridge complex, 0 to 1 percent slopes					
Moon	45	Somewhat limited		Somewhat limited	
		Wetness	0.99	Wetness	0.99
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Selfridge	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MupA--Morocco loamy fine sand, 0 to 1 percent slopes					
Morocco	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
MvhAN--Moston muck, drained, 0 to 1 percent slopes					
Moston, drained	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Organic matter content	1.00	Organic matter content	1.00
MvhAU--Moston muck, undrained, 0 to 1 percent slopes					
Moston, undrained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Organic matter content	1.00	Organic matter content	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MwzAN—Muskego muck, drained, 0 to 1 percent slopes					
Muskego, drained	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
MwzAU—Muskego muck, undrained, 0 to 1 percent slopes					
Muskego, undrained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Adsorption	0.25	Adsorption	0.25
NofA—Newton-Morocco loamy fine sands, 0 to 1 percent slopes					
Newton	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
Morocco	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OacA—Oakville-Denham fine sands, 0 to 1 percent slopes					
Oakville	50	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
Denham	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
OacB—Oakville-Denham fine sands, 1 to 5 percent slopes					
Oakville	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
Denham	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
OaeC—Oakville fine sand, 5 to 12 percent slopes					
Oakville	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Slope	0.37		
OaeD—Oakville fine sand, 12 to 18 percent slopes					
Oakville	80	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Unstable excavation walls	1.00
		Unstable excavation walls	1.00	Slope	1.00

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OeaA—Odell fine sandy loam, 0 to 1 percent slopes					
Odell	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OecA—Odell-Francesville fine sandy loams, 0 to 1 percent slopes					
Odell	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Francesville	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pmg—Pits, Gravel					
Pits, gravel	100	Not rated		Not rated	
Pps—Pits, Quarries, Limestone					
Pits, quarries, limestone	95	Not rated		Not rated	
RebA—Radioville-Mermill loams, 0 to 1 percent slopes					
Radioville	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mermill	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.14	Unstable excavation walls	0.14
		Dusty	0.03	Dusty	0.03

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RevA—Rensselaer-Radioville loams, 0 to 1 percent slopes					
Rensselaer	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Radioville	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReyA—Rensselaer loam, 0 to 1 percent slopes					
Rensselaer	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RhcA—Riddles fine sandy loam, 0 to 2 percent slopes					
Riddles	70	Somewhat limited		Somewhat limited	
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScuA—Sebewa loam, drained, 0 to 1 percent slopes					
Sebewa, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Too sandy	1.00	Too sandy	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SdzcB—Selfridge-Brems loamy fine sands, 1 to 4 percent slopes					
Selfridge	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brems	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
SgzA—Selfridge loamy fine sand, 0 to 1 percent slopes					
Selfridge	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ShaA—Selfridge-Morocco loamy fine sands, 0 to 1 percent slopes					
Selfridge	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Morocco	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
SmsAK—Sloan silt loam, 0 to 1 percent slopes, occasionally flooded, brief duration					
Sloan	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sn1A—Southwest silt loam, 0 to 1 percent slopes					
Southwest	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sw1A—Strole silt loam, 0 to 1 percent slopes					
Strole	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.49	Unstable excavation walls	0.49
		Dusty	0.04	Dusty	0.04
SwxA—Sumava fine sandy loam, 0 to 1 percent slopes					
Sumava	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TmaAN—Toto muck, drained, 0 to 1 percent slopes					
Toto, drained	70	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
TmaAU—Toto muck, undrained, 0 to 1 percent slopes					
Toto, undrained	65	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.50	Water gathering surface	0.50

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UbrA—Udorthents, Clayey, 0 to 1 percent slopes					
Udorthents, clayey	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WmgA—Whiskerville-Bronson fine sandy loams, 0 to 1 percent slopes					
Whiskerville	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Bronson	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
WmiA—Whitepost-Gilford fine sandy loams, 0 to 1 percent slopes					
Whitepost	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Gilford	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	0.99	Too sandy	0.99
		Water gathering surface	0.33	Water gathering surface	0.33

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WoeB—Williamstown-Crosier fine sandy loams, 1 to 5 percent slopes					
Williamstown	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Crosier	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WogA—Williamstown fine sandy loam, 0 to 2 percent slopes					
Williamstown	70	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WoxA—Williamstown-Winamac fine sandy loams, 0 to 1 percent slopes					
Williamstown	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Winamac	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WoxB--Williamstown-Winamac fine sandy loams, 1 to 5 percent slopes					
Williamstown	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Winamac	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
WpaA--Winamac-Bronson fine sandy loams, 0 to 1 percent slopes					
Winamac	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Bronson	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
WpbA--Winamac fine sandy loam, 0 to 1 percent slopes					
Winamac	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
WpbB--Winamac fine sandy loam, 1 to 5 percent slopes					
Winamac	80	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Pulaski County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WrxAN--Wunabuna silt loam, drained, 0 to 1 percent slopes					
Wunabuna, drained	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16

### Data Source Information

Soil Survey Area: Pulaski County, Indiana  
 Survey Area Data: Version 15, Sep 10, 2014