

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlB	Alford silt loam, 2 to 6 percent slopes	Alford	100	155	54	62	5.1	10.2
AlC2	Alford silt loam, 6 to 12 percent slopes, eroded	Alford	100	155	54	62	5.1	10.2
AnC	Alvin sandy loam, 6 to 12 percent slopes	Alvin	100	100	35	40	3.3	6.6
AvB	Ava silt loam, 1 to 4 percent slopes	Ava	90	130	46	59	4.3	8.6
		Hoosierville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AwB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
		Iva	3	165	54	66	5.4	10.8
		Shakamak	2	130	46	59	4.3	8.6
AwC2	Ava silt loam, 6 to 12 percent slopes, eroded	Ava	100	115	40	52	3.8	7.6
Ba	Bartle silt loam	Bartle	90	140	47	63	4.6	9.2
		Birds	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bd	Birds silt loam	Birds	100	130	35	0	0.0	0.0
Ch	Chagrín silt loam	Chagrín	100	120	42	0	0.0	0.0
CkG	Chetwynd silt loam, 25 to 50 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CnD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	105	37	47	3.5	7.0
CoG	Corydon silt loam, 25 to 50 percent slopes	Corydon	100	---	---	---	0.0	0.0
ElB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	155	54	62	5.1	10.2
Ev	Evansville silt loam	Evansville	100	165	47	66	5.4	10.8
FdA	Fincastle silt loam, 1 to 3 percent slopes	Fincastle	90	165	54	74	5.4	10.8
		poorly drained aqualfs	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
		Ockley	8	135	47	68	4.5	9.0
		Fox, till substratum	6	100	35	50	3.3	6.6
		Westland, drained	6	160	46	80	5.3	10.6
FxC3	Fox clay loam, 6 to 15 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2
GnE	Gilpin silt loam, 15 to 25 percent slopes	Gilpin	100	65	23	26	2.1	4.2
GrC2	Grayford silt loam, 6 to 12 percent slopes, eroded	Grayford	100	125	44	50	4.1	8.2
GrD2	Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	100	110	39	44	3.6	7.2
GrE2	Grayford silt loam, 18 to 25 percent slopes, eroded	Grayford	100	---	---	---	3.1	6.2

COMPONENT CROP YIELDS (RV)--Continued
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hb	Haymond silt loam	Haymond	100	120	42	0	0.0	0.0
HeG	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
HoG	Hickory loam, 25 to 70 percent slopes	Hickory	100	---	---	---	0.0	0.0
Hv	Hoosierville silt loam	Hoosierville	100	175	51	70	5.8	11.6
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
McA	Martinsville loam, 0 to 2 percent slopes	Martinsville	100	140	49	56	4.6	9.2
McB	Martinsville loam, 2 to 6 percent slopes	Martinsville	100	140	49	56	4.6	9.2
MeD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
		Rainsville, eroded	10	115	40	52	3.8	7.6
		Crosby	5	140	46	63	4.6	9.2
MgC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
		Crosby	3	140	46	63	4.6	9.2
MgD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	100	110	39	50	3.6	7.2
MuB	Muren silt loam, 1 to 4 percent slopes	Muren	90	155	54	62	5.1	10.2
		Hoosierville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PeB2	Parke silt loam, 2 to 6 percent slopes, eroded	Parke	100	145	51	58	4.8	9.6
PeC2	Parke silt loam, 6 to 12 percent slopes, eroded	Parke	100	135	47	54	4.5	9.0
Po	Pits, quarries	Pits	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
		Ragsdale	5	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
Rn	Rensselaer silt loam	Rensselaer	100	175	51	70	5.8	11.6

COMPONENT CROP YIELDS (RV)--Continued
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RuB	Russell silt loam, 2 to 6 percent slopes	Russell	100	155	54	70	5.1	10.2
RuC	Russell silt loam, 6 to 12 percent slopes	Russell	100	145	51	65	4.8	9.6
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
Sm	Shoals-Hennepin complex, 0 to 50 percent slopes	Shoals	60	140	46	20	4.6	9.2
		Hennepin	30	---	---	---	0.0	0.0
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sw	Stonelick sandy loam	Stonelick	100	100	35	14	3.3	6.6
Ud	Udorthents, loamy	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam	Wakeland	90	130	39	0	0.0	0.0
		Birds	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeG	Weikert silt loam, 25 to 70 percent slopes	Weikert	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Putnam County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wh	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2
		Rensselaer	5	175	51	70	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Martinsville, till substratum	2	145	51	58	4.8	9.6
XeA	Xenia silt loam, 0 to 2 percent slopes	Xenia	90	150	53	68	5.0	10.0
		Ragsdale	5	190	56	76	6.3	12.6
		Treaty	5	185	54	74	6.1	12.2
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2