

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
An	Allison variant silty clay, frequently flooded	Allison variant	90	115	40	0	0.0	0.0
		Eel	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Saranac	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BgmA	Blount silt loam, ground moraine, 0 to 2 percent slopes	Blount, ground moraine	85	140	46	63	4.6	9.2
		Pewamo, ground moraine	9	160	46	64	5.3	10.6
		Glynwood, ground moraine	6	130	46	59	4.3	8.6
BleA	Blount silt loam, end moraine, 0 to 2 percent slopes	Blount, end moraine	85	140	46	63	4.6	9.2
		Glynwood, end moraine	9	130	46	59	4.3	8.6
		Pewamo, end moraine	6	160	46	64	5.3	10.6
Ca	Houghton muck, undrained, 0 to 1 percent slopes	Houghton, undrained	75	0	0	0	0.0	0.0
		Patton	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CeB	Celina silt loam, 1 to 4 percent slopes	Celina	90	130	46	59	4.3	8.6
		Crosby	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CkB	Celina silt loam, stony subsoil, 1 to 4 percent slopes	Celina	90	130	46	59	4.3	8.6
		Crosby	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CnB	Crosby silt loam, stony subsoil, 1 to 3 percent slopes	Crosby	90	140	46	63	4.6	9.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ee	Eel silt loam, frequently flooded	Eel	90	120	42	0	0.0	0.0
		Allison	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EnA	Eldean variant loam, 0 to 2 percent slopes	Eldean variant	90	135	47	68	4.5	9.0
		Sleeth	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FcA	Fincastle-Crosby silt loams, 0 to 2 percent slopes	Fincastle	55	165	54	74	5.4	10.8
		Crosby	30	140	46	63	4.6	9.2
		Williamstown	10	140	49	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
FoA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
		Ockley	14	135	47	68	4.5	9.0
		Westland, drained	4	175	51	88	5.8	11.6
		Whitaker	2	155	51	62	5.1	10.2
FoB	Fox loam, 2 to 6 percent slopes	Fox	80	100	35	50	3.3	6.6
		Casco, eroded	8	65	23	33	2.1	4.2
		Ockley	7	135	47	68	4.5	9.0
		Thackery	5	135	47	68	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FxC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
		Blount	8	140	46	63	4.6	9.2
		Morley	7	120	42	54	4.0	8.0
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Glynwood	85	105	37	47	3.5	7.0
		Blount	8	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	Glynwood	70	105	37	47	3.5	7.0
		Mississinewa	15	120	42	54	4.0	8.0
		Blount	8	140	46	63	4.6	9.2
		Morley	7	120	42	54	4.0	8.0
GnB2	Glynwood silt loam, 1 to 4 percent slopes, eroded	Glynwood	80	125	44	56	4.1	8.2
		Blount	13	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6
LnB2	Losantville silt loam, 2 to 6 percent slopes, eroded	Losantville	90	125	44	56	4.1	8.2
		Celina	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LnE	Losantville loam, 18 to 25 percent slopes	Losantville	100	---	---	---	3.0	6.0

COMPONENT CROP YIELDS (RV)--Continued
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LoC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	Losantville, severely eroded	85	105	37	47	3.5	7.0
		Miamian, eroded	7	125	44	56	4.1	8.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	3	185	54	74	6.1	12.2
LoD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	Losantville, severely eroded	100	90	32	41	3.0	6.0
LsB2	Losantville silt loam, stony subsoil, 2 to 6 percent slopes, eroded	Losantville	90	125	44	56	4.1	8.2
		Celina	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LtC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	Losantville, severely eroded	100	105	37	47	3.5	7.0
LtD3	Losantville clay loam, stony subsoil, 12 to 18 percent slopes, severely eroded	Losantville, severely eroded	100	90	32	41	3.0	6.0
Lw	Palms muck, undrained, 0 to 1 percent slopes	Palms, undrained	75	0	0	0	0.0	0.0
		Patton	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MoA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami	90	145	51	65	4.8	9.6
		Treaty	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MoB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	Miami	90	140	49	63	4.6	9.2
		Patton	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MuB	Morley silt loam, 3 to 6 percent slopes	Morley	90	130	46	59	4.3	8.6
		Glynwood	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MyC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	Morley, severely eroded	100	105	37	47	3.5	7.0
Pn	Patton silty clay loam, 0 to 2 percent slopes	Patton, drained	90	175	51	70	5.8	11.6
		Crosby	4	140	46	63	4.6	9.2
		Houghton, drained	4	155	40	62	5.1	10.2
		Miamian, eroded	2	125	44	56	4.1	8.2
Pw	Pewamo silty clay loam, 0 to 1 percent slopes	Pewamo	85	160	46	64	5.3	10.6
		Blount	9	140	46	63	4.6	9.2
		Minster	6	155	44	62	5.1	10.2
Px	Pewamo silt loam, overwash	Pewamo	100	160	46	64	5.3	10.6
Sa	Saranac silty clay, frequently flooded	Saranac	100	105	26	0	0.0	0.0
Sm	Sleeth loam	Sleeth	90	145	47	73	4.8	9.6
		Fox	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
So	Sloan silt loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
Tr	Treaty silt loam, 0 to 2 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
		Crosby	5	140	46	63	4.6	9.2
		Miami, eroded	5	140	49	63	4.6	9.2
		Milford, drained	5	160	46	64	5.3	10.6
		Williamstown, eroded	5	140	49	63	4.6	9.2
Ts	Treaty silt loam, stony subsoil	Treaty	100	185	54	74	6.1	12.2
Ud	Udorthents, loamy	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wallkill silt loam, undrained	Wallkill, undrained	100	0	0	0	0.0	0.0
Wo	Westland clay loam, limestone	Westland	100	170	49	68	5.6	11.2