

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Randolph County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
An	Allison variant silty clay, frequently flooded	115	40	0	0.0	0.0
BgmA	Blount silt loam, ground moraine, 0 to 2 percent slopes	141	46	62	4.6	9.2
BleA	Blount silt loam, end moraine, 0 to 2 percent slopes	140	46	63	4.6	9.2
Ca	Houghton muck, undrained, 0 to 1 percent slopes	0	0	0	0.0	0.0
CeB	Celina silt loam, 1 to 4 percent slopes	130	46	59	4.3	8.6
CkB	Celina silt loam, stony subsoil, 1 to 4 percent slopes	130	46	59	4.3	8.6
CnB	Crosby silt loam, stony subsoil, 1 to 3 percent slopes	140	46	63	4.6	9.2
Ee	Eel silt loam, frequently flooded	120	42	0	0.0	0.0
EnA	Eldean variant loam, 0 to 2 percent slopes	135	47	68	4.5	9.0
FcA	Fincastle-Crosby silt loams, 0 to 2 percent slopes	156	51	72	5.3	10.5
FoA	Fox loam, 0 to 2 percent slopes	109	38	50	3.3	6.7
FoB	Fox loam, 2 to 6 percent slopes	101	35	50	3.3	6.6
FxC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	80	28	40	2.6	5.2
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	117	41	52	3.8	7.6
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	112	38	47	3.5	7.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Randolph County, Indiana

GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	111	39	48	3.5	7.1
GnB2	Glynwood silt loam, 1 to 4 percent slopes, eroded	129	44	56	4.1	8.3
LnB2	Losantville silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LnE	Losantville loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
LoC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	111	38	47	3.5	7.0
LoD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
LsB2	Losantville silt loam, stony subsoil, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LtC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
LtD3	Losantville clay loam, stony subsoil, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
Lw	Palms muck, undrained, 0 to 1 percent slopes	0	0	0	0.0	0.0
MoA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	145	51	65	4.8	9.6
MoB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
MuB	Morley silt loam, 3 to 6 percent slopes	130	46	59	4.3	8.6
MyC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
Pn	Patton silty clay loam, 0 to 2 percent slopes	172	50	70	5.8	11.6
Pw	Pewamo silty clay loam, 0 to 1 percent slopes	158	45	65	5.3	10.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Randolph County, Indiana

Px	Pewamo silt loam, overwash	160	46	64	5.3	10.6
Sa	Saranac silty clay, frequently flooded	105	26	0	0.0	0.0
Sm	Sleeth loam	145	47	73	4.8	9.6
So	Sloan silt loam, frequently flooded	140	39	0	0.0	0.0
Tr	Treaty silt loam, 0 to 2 percent slopes	177	53	75	6.1	12.1
Ts	Treaty silt loam, stony subsoil	185	54	74	6.1	12.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Walkkill silt loam, undrained	0	0	0	0.0	0.0
Wo	Westland clay loam, limestone	170	49	68	5.6	11.2