

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ag	Algiers silt loam, frequently flooded	Algiers	97	140	46	20	4.6	9.2
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
		Cobbsfork	10	150	46	60	5.0	10.0
		Nabb	5	130	46	59	4.3	8.6
AvB2	Avonburg silt loam, 2 to 6 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
		Cobbsfork	10	135	40	54	4.5	9.0
		Nabb	10	115	40	52	3.8	7.6
		Wakeland	5	135	40	19	4.5	9.0
BaA	Bartle silt loam, 0 to 2 percent slopes	Bartle	97	145	49	58	4.8	9.6
		Peoga	3	150	46	60	5.0	10.0
BeC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	Bonnell	100	110	39	44	3.6	7.2
BeD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	Bonnell, severely eroded	100	85	30	34	2.8	5.6
BeE	Bonnell silt loam, 18 to 35 percent slopes	Bonnell	100	---	---	---	0.0	0.0
CbD2	Carmel silt loam, 12 to 18 percent slopes, eroded	Carmel	100	75	26	34	2.5	5.0
CbE	Carmel silt loam, 18 to 35 percent slopes	Carmel	100	---	---	---	0.0	0.0
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
		Nabb, eroded	10	115	40	52	3.8	7.6
		Blocher, eroded	5	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
		Blocher, eroded	5	125	44	50	4.1	8.2
		Bonnell, eroded	5	115	40	46	3.8	7.6
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
CcC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	90	100	35	45	3.3	6.6
		Bonnell, severely eroded	8	85	30	34	2.8	5.6
		Hickory, eroded	2	115	40	46	3.8	7.6
CcD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	105	37	47	3.5	7.0
Cm	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
		Cobbsfork, undrained	10	0	0	0	0.0	0.0
		Avonburg	5	145	49	65	4.8	9.6
Dr	Dearborn fine sandy loam, frequently flooded	Dearborn	100	110	39	15	3.6	7.2
EdE	Eden flaggy silty clay loam, 18 to 25 percent slopes	Eden	100	---	---	---	1.7	3.4
EdF	Eden flaggy silty clay, 25 to 50 percent slopes	Eden	85	---	---	---	0.0	0.0
		Carmel	5	---	---	---	2.3	4.6
		Pate	5	---	---	---	0.0	0.0
		Switzerland	5	105	37	42	3.5	7.0
EkB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EkC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	135	47	54	4.5	9.0
ErF	Eden-rock outcrop complex, 25 to 50 percent slopes	Eden	70	0	0	0	0.0	0.0
		Rock outcrop	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GrD2	Grayford silty clay loam, 12 to 18 percent slopes, eroded	Grayford	100	120	42	48	4.0	8.0
GrE	Grayford silt loam, 18 to 35 percent slopes	Grayford	100	80	28	32	2.6	5.2
Hd	Haymond silt loam, frequently flooded	Haymond	85	120	42	0	0.0	0.0
		Wirt	10	95	33	0	0.0	0.0
		Wilbur	5	115	40	0	0.0	0.0
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Hickory	100	110	39	44	3.6	7.2
HkD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	Hickory, severely eroded	100	105	37	42	3.5	7.0
HkE	Hickory loam, 18 to 35 percent slopes	Hickory	100	---	---	---	0.0	0.0
Hn	Holton silt loam, frequently flooded	Holton	97	125	37	18	4.1	8.2
		poorly drained aquents	3	115	30	0	0.0	0.0
Lb	Lobdell silt loam, frequently flooded	Lobdell	100	130	46	18	4.3	8.6
No	Nolin silt loam, frequently flooded	Nolin	100	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	100	125	44	56	4.1	8.2
Pt	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
		Cincinnati, eroded	10	115	40	52	3.8	7.6
		Avonburg	8	130	44	59	4.3	8.6
		Wakeland	4	145	44	20	4.8	9.6
RyC2	Ryker silt loam, 6 to 12 percent slopes, eroded	Ryker	100	135	47	54	4.5	9.0
St	Stonelick loam, frequently flooded	Stonelick	100	95	33	0	0.0	0.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	Switzerland	100	125	44	50	4.1	8.2
SwD2	Switzerland silt loam, 12 to 18 percent slopes, eroded	Switzerland	100	110	39	44	3.6	7.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, frequently flooded	Wakeland	97	130	39	0	0.0	0.0
		poorly drained aquents	3	130	35	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wr	Wirt loam, flaggy clay substratum, frequently flooded	Wirt, flaggy clayey substratum	100	100	35	0	0.0	0.0
Wt	Wirt silt loam, frequently flooded	Wirt	100	105	37	0	0.0	0.0