

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Ripley County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Ag	Algiers silt loam, frequently flooded	140	46	20	0.0	0.0
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AvB2	Avonburg silt loam, 2 to 6 percent slopes, eroded	140	47	63	4.6	9.2
BaA	Bartle silt loam, 0 to 2 percent slopes	145	49	58	4.8	9.6
BeC2	Bonnell silt loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BeD3	Bonnell silt loam, 12 to 18 percent slopes, severely eroded	85	30	34	2.8	5.6
BeE	Bonnell silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
CbD2	Carmel silt loam, 12 to 18 percent slopes, eroded	75	26	34	2.5	5.0
CbE	Carmel silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CcC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
CcD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	105	37	47	3.5	7.0
Cm	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
Dr	Dearborn fine sandy loam, frequently flooded	110	39	15	0.0	0.0
EdE	Eden flaggy silty clay loam, 18 to 25 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Ripley County, Indiana

EdF	Eden flaggy silty clay, 25 to 50 percent slopes	---	---	---	0.0	0.0
EkB	Elkinsville silt loam, 2 to 6 percent slopes	150	53	60	5.0	10.0
EkC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
ErF	Eden-rock outcrop complex, 25 to 50 percent slopes	0	0	0	0.0	0.0
GrD2	Grayford silty clay loam, 12 to 18 percent slopes, eroded	120	42	48	4.0	8.0
GrE	Grayford silt loam, 18 to 35 percent slopes	80	28	32	2.6	5.2
Hd	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
HkD3	Hickory silt loam, 12 to 18 percent slopes, severely eroded	105	37	42	3.5	7.0
HkE	Hickory loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
Hn	Holton silt loam, frequently flooded	125	37	17	0.0	0.0
Lb	Lobdell silt loam, frequently flooded	130	46	18	0.0	0.0
No	Nolin silt loam, frequently flooded	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
Pt	Pits, quarry	0	0	0	0.0	0.0
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
RyC2	Ryker silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Ripley County, Indiana

St	Stonelick loam, frequently flooded	95	33	0	0.0	0.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
SwD2	Switzerland silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, frequently flooded	130	39	0	0.0	0.0
Wr	Wirt loam, flaggy clay substratum, frequently flooded	100	35	0	0.0	0.0
Wt	Wirt silt loam, frequently flooded	105	37	0	0.0	0.0