

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	Celina, eroded	90	125	44	56	4.1	8.2
		Crosby	4	140	46	63	4.6	9.2
		Kokomo	4	170	49	68	5.6	11.2
		Miamian	2	130	46	59	4.3	8.6
CrA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
		Williamstown, eroded	8	140	49	63	4.6	9.2
		Treaty, drained	7	185	54	74	6.1	12.2
Cy	Cyclone silty clay loam, 0 to 2 percent slopes	Cyclone	83	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Xenia	5	155	54	70	5.1	10.2
		Sugarvalley	3	155	51	62	5.1	10.2
		Morningsun	2	145	51	58	4.8	9.6
		Starks	2	165	54	66	5.4	10.8
EdB2	Eldean loam, 2 to 6 percent slopes, eroded	Eldean	90	95	33	48	3.1	6.2
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ElC3	Eldean clay loam, 6 to 12 percent slopes, severely eroded	Eldean, severely eroded	90	75	26	38	2.5	5.0
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ElD3	Eldean clay loam, 12 to 18 percent slopes, severely eroded	Eldean, severely eroded	90	60	21	30	2.0	4.0
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FnA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Williamstown, eroded	5	140	49	63	4.6	9.2
Ge	Genesee loam, gravelly substratum	Genesee, gravelly substratum	90	110	39	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	140	49	63	4.6	9.2
MmD	Miami silt loam, 12 to 18 percent slopes	Miami	90	120	42	54	4.0	8.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmE	Miami silt loam, 18 to 35 percent slopes	Miami	90	---	---	---	0.0	0.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
		Crosby	3	140	46	63	4.6	9.2
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	90	110	39	50	3.6	7.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MpB2	Miamiian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	Miamiian, eroded	90	125	44	56	4.1	8.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
MpC	Miamiian silt loam, 6 to 12 percent slopes	Miamiian	90	120	42	54	4.0	8.0
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MpD	Miamiian silt loam, 12 to 18 percent slopes	Miamiian	90	105	37	47	3.5	7.0
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MpE	Miamiian silt loam, 18 to 35 percent slopes	Miamiian	90	---	---	---	0.0	0.0
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami, gravelly substratum	100	135	47	68	4.5	9.0
MuC3	Miamiian clay loam, 6 to 12 percent slopes, severely eroded	Miamiian, severely eroded	90	105	37	47	3.5	7.0
		Brookston	5	115	30	46	3.8	7.6
		Hennepin	5	---	---	---	3.3	6.6
MuD3	Miamiian clay loam, 12 to 18 percent slopes, severely eroded	Miamiian, severely eroded	90	90	32	41	3.0	6.0
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Mx	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
		Randolph	6	110	35	44	3.6	7.2
		Kokomo	2	170	49	68	5.6	11.2
		Milton	2	100	35	40	3.3	6.6
MzA	Milton silt loam, 0 to 3 percent slopes	Milton	90	95	33	38	3.1	6.2
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pn	Patton silty clay loam, 0 to 2 percent slopes	Patton, drained	90	175	51	70	5.8	11.6
		Crosby	4	140	46	63	4.6	9.2
		Houghton, drained	4	155	40	62	5.1	10.2
		Miamian, eroded	2	125	44	56	4.1	8.2
Px	Pits, quarry	Pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RuB	Russell silt loam, 2 to 6 percent slopes	Russell	90	155	54	70	5.1	10.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
Sm	Sleeth silt loam	Sleeth	90	155	51	78	5.1	10.2
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
So	Sloan silt loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
St	Stonelick sandy loam, frequently flooded	Stonelick	90	110	39	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Tr	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
		Crosby	5	140	46	63	4.6	9.2
		Pella, drained	5	175	51	70	5.8	11.6
		Rensselaer, drained	5	175	51	70	5.8	11.6
		Southwest, drained	5	165	47	66	5.4	10.8
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ws	Westland clay loam	Westland	100	165	47	83	5.4	10.8

COMPONENT CROP YIELDS (RV)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WwB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	Williamstown	82	140	49	63	4.6	9.2
		Crosby	15	130	42	59	4.3	8.6
		Typic Argiaquolls	3	Not Rated	54	74	Not Rated	Not Rated
XeB	Xenia silt loam, 2 to 4 percent slopes	Xenia	90	155	54	70	5.1	10.2
		Cyclone	10	190	56	76	6.3	12.6