

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	Celina, eroded	90	125	44	56	4.1	8.2
CrA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
Cy	Cyclone silty clay loam, 0 to 2 percent slopes	Cyclone	83	190	56	76	6.3	12.6
EdB2	Eldean loam, 2 to 6 percent slopes, eroded	Eldean	90	95	33	48	3.1	6.2
ElC3	Eldean clay loam, 6 to 12 percent slopes, severely eroded	Eldean, severely eroded	90	75	26	38	2.5	5.0
ElD3	Eldean clay loam, 12 to 18 percent slopes, severely eroded	Eldean, severely eroded	90	60	21	30	2.0	4.0
FnA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
Ge	Genesee loam, gravelly substratum	Genesee, gravelly substratum	90	110	39	0	0.0	0.0
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MmD	Miami silt loam, 12 to 18 percent slopes	Miami	90	120	42	54	4.0	8.0
MmE	Miami silt loam, 18 to 35 percent slopes	Miami	90	---	---	---	0.0	0.0
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	90	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MpB2	Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	Miamian, eroded	90	125	44	56	4.1	8.2
MpC	Miamian silt loam, 6 to 12 percent slopes	Miamian	90	120	42	54	4.0	8.0
MpD	Miamian silt loam, 12 to 18 percent slopes	Miamian	90	105	37	47	3.5	7.0
MpE	Miamian silt loam, 18 to 35 percent slopes	Miamian	90	---	---	---	0.0	0.0
MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami, gravelly substratum	100	135	47	68	4.5	9.0
MuC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded	Miamian, severely eroded	90	105	37	47	3.5	7.0
MuD3	Miamian clay loam, 12 to 18 percent slopes, severely eroded	Miamian, severely eroded	90	90	32	41	3.0	6.0
Mx	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
MzA	Milton silt loam, 0 to 3 percent slopes	Milton	90	95	33	38	3.1	6.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pn	Patton silty clay loam, 0 to 2 percent slopes	Patton, drained	90	175	51	70	5.8	11.6
Px	Pits, quarry	Pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Rush County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RuB	Russell silt loam, 2 to 6 percent slopes	Russell	90	155	54	70	5.1	10.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
Sm	Sleeth silt loam	Sleeth	90	155	51	78	5.1	10.2
So	Sloan silt loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
St	Stonelick sandy loam, frequently flooded	Stonelick	90	110	39	0	0.0	0.0
Tr	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ws	Westland clay loam	Westland	100	165	47	83	5.4	10.8
WwB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	Williamstown	82	140	49	63	4.6	9.2
XeB	Xenia silt loam, 2 to 4 percent slopes	Xenia	90	155	54	70	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.