

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Rush County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
CrA	Crosby silt loam, 0 to 2 percent slopes	143	46	63	4.6	9.2
Cy	Cyclone silty clay loam, 0 to 2 percent slopes	185	56	77	6.3	12.6
EdB2	Eldean loam, 2 to 6 percent slopes, eroded	95	33	48	3.1	6.2
ElC3	Eldean clay loam, 6 to 12 percent slopes, severely eroded	75	26	38	2.5	5.0
ElD3	Eldean clay loam, 12 to 18 percent slopes, severely eroded	60	21	30	2.0	4.0
FnA	Fincastle silt loam, 0 to 2 percent slopes	166	54	74	5.4	10.8
Ge	Genesee loam, gravelly substratum	110	39	0	0.0	0.0
MmB2	Miami silt loam, 2 to 6 percent slopes, eroded	142	49	63	4.6	9.2
MmD	Miami silt loam, 12 to 18 percent slopes	120	42	54	4.0	8.0
MmE	Miami silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0
MoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	121	42	54	4.0	8.0
MoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
MpB2	Miamian silt loam, New Castle Till Plain, 2 to 6 percent slopes, eroded	129	44	56	4.1	8.2
MpC	Miamian silt loam, 6 to 12 percent slopes	120	42	54	4.0	8.0
MpD	Miamian silt loam, 12 to 18 percent slopes	105	37	47	3.5	7.0
MpE	Miamian silt loam, 18 to 35 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Rush County, Indiana

MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	135	47	68	4.5	9.0
MuC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded	100	35	47	3.5	7.0
MuD3	Miamian clay loam, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
Mx	Millsdale silty clay loam, 0 to 2 percent slopes	130	35	52	4.3	8.6
MzA	Milton silt loam, 0 to 3 percent slopes	95	33	38	3.1	6.2
OcA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
Pn	Patton silty clay loam, 0 to 2 percent slopes	172	50	70	5.8	11.6
Px	Pits, quarry	0	0	0	0.0	0.0
RuB	Russell silt loam, 2 to 6 percent slopes	155	54	70	5.1	10.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	130	42	1	0.0	0.0
Sm	Sleeth silt loam	155	51	78	5.1	10.2
So	Sloan silt loam, frequently flooded	140	39	0	0.0	0.0
St	Stonelick sandy loam, frequently flooded	110	39	0	0.0	0.0
Tr	Treaty silty clay loam, 0 to 1 percent slopes	181	53	74	6.1	12.2
W	Water	0	0	0	0.0	0.0
Ws	Westland clay loam	165	47	83	5.4	10.8
WwB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Rush County, Indiana

XeB	Xenia silt loam, 2 to 4 percent slopes	155	54	70	5.1	10.2
-----	--	-----	----	----	-----	------