

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
		Cobbsfork	10	150	46	60	5.0	10.0
		Nabb	5	130	46	59	4.3	8.6
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
		Cobbsfork	10	150	46	60	5.0	10.0
		Nabb	10	125	44	56	4.1	8.2
		Wakeland	5	145	44	20	4.8	9.6
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	135	46	61	4.5	9.0
		Peoga	10	135	40	54	4.5	9.0
		Pekin	5	115	40	52	3.8	7.6
		Bartle, rarely flooded	2	120	40	54	4.0	8.0
BbhB	Bartle silt loam, 2 to 4 percent slopes	Bartle	80	135	46	61	4.5	9.0
		Wakeland	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pekin	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peoga	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
		Beanblossom, frequently flooded	6	100	35	14	3.3	6.6
		Wilbur, occasionally flooded	5	140	49	20	4.6	9.2
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	80	130	46	59	4.3	8.6
		Crider	20	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Bfbc2	Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded	Blocher, soft bedrock substratum	46	135	47	54	4.5	9.0
		Weddel	30	125	44	50	4.1	8.2
		Blocher, soft bedrock substratum	10	115	40	46	3.8	7.6
		Weddel	5	105	37	42	3.5	7.0
		Coolville	4	95	33	38	3.1	6.2
		Wakeland	3	135	40	19	4.5	9.0
		Weddel	2	120	42	48	4.0	8.0
BfcC3	Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded	Blocher, soft bedrock substratum, severely eroded	49	120	42	48	4.0	8.0
		Weddel, severely eroded	32	105	37	42	3.5	7.0
		Blocher, soft bedrock substratum	5	120	42	48	4.0	8.0
		Weddel	5	110	39	44	3.6	7.2
		Coolville, severely eroded	4	85	30	34	2.8	5.6
		Wakeland	3	135	40	19	4.5	9.0
		Weddel	2	120	42	48	4.0	8.0
		BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded	Bonnell, severely eroded	74	90	32	36
Bonnell	10			90	32	36	3.0	6.0
Hickory	10			---	---	---	0.0	0.0
Cincinnati	3			95	33	43	3.1	6.2
Blocher	2			115	40	46	3.8	7.6
Holton	1			120	35	17	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell, very severely eroded	45	0	0	0	0.0	0.0
		Hickory, very severely eroded	30	0	0	0	0.0	0.0
		Bonnell, severely eroded	8	---	---	---	2.1	4.2
		Hickory	6	---	---	---	3.1	6.2
		Cincinnati	5	100	35	45	3.3	6.6
		Blocher	4	120	42	48	4.0	8.0
		Trappist	2	95	33	38	3.1	6.2
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	75	135	37	0	0.0	0.0
		Bonnie	20	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	5	130	42	18	4.3	8.6
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Bonnie	83	140	39	20	4.6	9.2
		Bonnie	10	145	40	20	4.8	9.6
		Stendal	5	135	44	19	4.5	9.0
		Bonnie	2	140	39	20	4.6	9.2
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	39	---	---	---	0.0	0.0
		Gilwood	38	---	---	---	0.0	0.0
		Gilwood	10	80	28	32	2.6	5.2
		Wrays	5	110	39	44	3.6	7.2
		Beanblossom	3	110	39	15	3.6	7.2
		Shallow, loamy soil	3	---	---	---	0.0	0.0
		Rock outcrop	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
		Nabb, eroded	10	115	40	52	3.8	7.6
		Blocher, eroded	5	135	47	54	4.5	9.0
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	Cincinnati	42	120	42	54	4.0	8.0
		Blocher	34	125	44	50	4.1	8.2
		Cincinnati	10	95	33	43	3.1	6.2
		Blocher	8	115	40	46	3.8	7.6
		Wakeland	5	135	40	19	4.5	9.0
		Bonnell	1	90	32	36	3.0	6.0
CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	42	110	39	50	3.6	7.2
		Blocher, severely eroded	34	120	42	48	4.0	8.0
		Cincinnati	10	100	35	45	3.3	6.6
		Blocher	8	120	42	48	4.0	8.0
		Wakeland	5	135	40	19	4.5	9.0
		Bonnell, severely eroded	1	80	28	32	2.6	5.2
CleC5	Cincinnati-Blocher complex, 6 to 12 percent slopes, gullied	Cincinnati, very severely eroded	45	0	0	0	0.0	0.0
		Blocher, very severely eroded	30	0	0	0	0.0	0.0
		Cincinnati, eroded	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blocher, eroded	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Bonnell	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	150	46	60	5.0	10.0
		Cobbsfork, undrained	10	0	0	0	0.0	0.0
		Avonburg	5	145	49	65	4.8	9.6
ComC	Coolville silt loam, 6 to 12 percent slopes	Coolville	71	110	39	44	3.6	7.2
		Stonehead	15	125	44	50	4.1	8.2
		Coolville, severely eroded	5	85	30	34	2.8	5.6
		Rarden	5	80	28	32	2.6	5.2
		Stendal	2	135	44	19	4.5	9.0
		Weddel	2	115	40	46	3.8	7.6
ComC3	Coolville silt loam, 6 to 12 percent slopes, severely eroded	Coolville, severely eroded	71	85	30	34	2.8	5.6
		Coolville	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rarden	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Weddel	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ConD	Coolville-Rarden complex, 12 to 18 percent slopes	Coolville	51	85	30	34	2.8	5.6
		Rarden	30	65	23	26	2.1	4.2
		Kurtz	8	---	---	---	0.0	0.0
		Gnawbone	5	---	---	---	0.0	0.0
		Deam	4	---	---	---	0.0	0.0
		Coolville	2	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	Cuba	92	140	49	56	4.6	9.2
		Steff	5	140	49	56	4.6	9.2
		Cuba, occasionally flooded	3	125	44	18	4.1	8.2
DbrG	Deam silty clay loam, 20 to 55 percent slopes	Deam	94	---	---	---	0.0	0.0
		Kurtz	3	---	---	---	0.0	0.0
		Rarden	3	65	23	26	2.1	4.2
DddB2	Deputy silt loam, 2 to 6 percent slopes, eroded	Deputy	81	130	46	52	4.3	8.6
		Deputy, moderately deep to bedrock	14	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Jennings	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Trappist	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
DddC2	Deputy silt loam, 6 to 12 percent slopes, eroded	Deputy	75	120	42	48	4.0	8.0
		Deputy, severely eroded	12	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Trappist	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blocher, hard bedrock substratum	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Jennings	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Deputy, 2 to 6 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
DddC3	Deputy silt loam, 6 to 12 percent slopes, severely eroded	Deputy, severely eroded	74	115	40	46	3.8	7.6
		Deputy, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Trappist	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blocher, hard bedrock substratum	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Jennings	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	85	135	46	61	4.5	9.0
		Peoga	10	150	46	60	5.0	10.0
		Haubstadt	5	135	47	61	4.5	9.0
DfnB2	Dubois silt loam, 2 to 6 percent slopes, eroded	Dubois	77	130	44	59	4.3	8.6
		Haubstadt	15	130	46	59	4.3	8.6
		Wakeland	5	145	44	20	4.8	9.6
		Peoga	3	150	46	60	5.0	10.0
DfoA	Dubois-Urban land complex, 0 to 2 percent slopes	Dubois	41	0	0	0	0.0	0.0
		Urban land	34	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, somewhat poorly drained aquents soil	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peoga	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EepA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	93	155	54	62	5.1	10.2
		Pekin	5	135	47	61	4.5	9.0
		Bartle	2	140	47	63	4.6	9.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	85	155	54	62	5.1	10.2
		Pekin	10	130	46	59	4.3	8.6
		Elkinsville	5	130	46	52	4.3	8.6
EepF	Elkinsville silt loam, 18 to 35 percent slopes	Elkinsville	94	---	---	---	0.0	0.0
		Deam	3	---	---	---	0.0	0.0
		Haubstadt	2	120	42	54	4.0	8.0
		Stendal	1	140	46	20	4.6	9.2
GgfD	Gilwood-Wrays silt loams, 6 to 18 percent slopes	Gilwood	39	80	28	32	2.6	5.2
		Wrays	38	110	39	44	3.6	7.2
		Spickert	10	105	37	47	3.5	7.0
		Brownstown	7	50	18	20	1.7	3.4
		Gilwood	3	70	25	28	2.3	4.6
		Wrays	3	90	32	36	3.0	6.0
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	55	---	---	---	0.0	0.0
		Kurtz	35	---	---	---	0.0	0.0
		Wellrock	5	110	39	44	3.6	7.2
		Beanblossom, occasionally flooded	5	105	37	15	3.5	7.0
HccA	Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	90	135	47	61	4.5	9.0
		Dubois	10	120	40	54	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
		Dubois, eroded	10	120	40	54	4.0	8.0
		Wakeland, occasional, very brief, drained	4	145	44	20	4.8	9.6
		Haubstadt, eroded	2	105	37	47	3.5	7.0
HcdC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	Haubstadt	55	120	42	54	4.0	8.0
		Shircliff	23	105	37	42	3.5	7.0
		Haubstadt	10	95	33	43	3.1	6.2
		Shircliff	5	85	30	38	2.8	5.6
		Markland	4	80	28	32	2.6	5.2
		Wakeland	3	135	40	19	4.5	9.0
HceC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	Haubstadt, severely eroded	55	115	40	52	3.8	7.6
		Shircliff, severely eroded	23	95	33	43	3.1	6.2
		Haubstadt	10	100	35	45	3.3	6.6
		Shircliff	5	95	33	38	3.1	6.2
		Markland	4	80	28	32	2.6	5.2
		Wakeland	3	135	40	19	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HcfB	Haubstadt-Urban land complex, 2 to 6 percent slopes	Haubstadt	46	0	0	0	0.0	0.0
		Urban land	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, moderately well drained loamy udorthents	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Dubois	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haubstadt, 6 to 12 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
		Wirt	10	105	37	0	0.0	0.0
		Wilbur	5	125	44	0	0.0	0.0
HcgAQ	Haymond silt loam, 0 to 2 percent slopes, rarely flooded	Haymond	77	145	51	58	4.8	9.6
		Steff	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wirt	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Haymond, occasional, very brief	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	82	135	47	19	4.5	9.0
		Wirt	10	120	42	17	4.0	8.0
		Wilbur	5	140	49	20	4.6	9.2
		Haymond, frequently flooded	3	130	46	18	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeeG	Hickory loam, 25 to 50 percent slopes	Hickory	87	---	---	---	0.0	0.0
		Bonnell	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Holton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Jessietown	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rohan	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HerE	Hickory-Bonnell complex, 12 to 25 percent slopes	Hickory	45	---	---	---	3.5	7.0
		Bonnell	38	100	35	40	3.3	6.6
		Hickory	5	---	---	---	0.0	0.0
		Blocher	3	120	42	48	4.0	8.0
		Cincinnati	3	100	35	45	3.3	6.6
		Holton	3	120	35	17	4.0	8.0
		Rohan	2	---	---	---	0.0	0.0
		Jessietown	1	---	---	---	0.0	0.0
HleAW	Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Holton	85	130	39	18	4.3	8.6
		Oldenburg	7	125	44	18	4.1	8.2
		Typic Fluvaquents, very deep, loamy	5	155	44	22	5.1	10.2
		Holton, frequently flooded	3	125	37	18	4.1	8.2
JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	80	120	42	54	4.0	8.0
		Deputy	12	120	42	48	4.0	8.0
		Cincinnati	6	110	39	50	3.6	7.2
		Very deep, silty soil	2	125	42	56	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
JafC2	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded	Jennings	45	110	39	50	3.6	7.2
		Blocher, hard bedrock substratum	30	135	47	54	4.5	9.0
		Jennings	8	95	33	43	3.1	6.2
		Blocher, hard bedrock substratum	7	115	40	46	3.8	7.6
		Deputy	7	110	39	44	3.6	7.2
		Wakeland	3	135	40	19	4.5	9.0
JafC3	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded	Jennings, severely eroded	45	105	37	47	3.5	7.0
		Blocher, hard bedrock substratum, severely eroded	30	120	42	48	4.0	8.0
		Jennings	8	100	35	45	3.3	6.6
		Blocher, hard bedrock substratum	7	120	42	48	4.0	8.0
		Deputy	7	105	37	42	3.5	7.0
		Wakeland	3	135	40	19	4.5	9.0
MhyA	Medora silt loam, 0 to 2 percent slopes	Medora	85	130	46	59	4.3	8.6
		Parke	15	135	47	54	4.5	9.0
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	Medora	88	120	42	54	4.0	8.0
		Parke	10	145	51	58	4.8	9.6
		Medora	2	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	Medora	73	115	40	52	3.8	7.6
		Medora	15	95	33	43	3.1	6.2
		Parke	10	120	42	48	4.0	8.0
		Medora	2	110	39	50	3.6	7.2
MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded	Medora, severely eroded	75	95	33	43	3.1	6.2
		Medora	15	110	39	50	3.6	7.2
		Parke, severely eroded	10	130	46	52	4.3	8.6
NaaA	Nabb silt loam, 0 to 2 percent slopes	Nabb	85	130	46	59	4.3	8.6
		Avonburg	15	145	49	65	4.8	9.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
		Cincinnati, eroded	10	115	40	52	3.8	7.6
		Avonburg	8	130	44	59	4.3	8.6
		Wakeland	4	145	44	20	4.8	9.6
NamF	Negley silt loam, 18 to 35 percent slopes	Negley	92	---	---	---	0.0	0.0
		Hickory	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Negley, severely eroded	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
NanD3	Negley clay loam, 12 to 22 percent slopes, severely eroded	Negley, severely eroded	80	105	37	42	3.5	7.0
		Negley, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hickory	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Oldenburg	85	125	44	18	4.1	8.2
		Holton	10	120	35	17	4.0	8.0
		Oldenburg	5	110	39	15	3.6	7.2
PcrA	Pekin silt loam, 0 to 2 percent slopes	Pekin	90	130	46	59	4.3	8.6
		Bartle	10	135	46	61	4.5	9.0
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	90	125	44	56	4.1	8.2
		Bartle	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	76	115	40	52	3.8	7.6
		Pekin, severely eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pekin, 12 to 18 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	Pekin, severely eroded	76	110	39	50	3.6	7.2
		Pekin, eroded	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pekin, 12 to 18 percent slopes	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stendal	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	83	150	46	60	5.0	10.0
		Peoga, undrained	10	0	0	0	0.0	0.0
		Dubois	5	135	46	61	4.5	9.0
		Bartle	2	145	49	58	4.8	9.6
PlpAH	Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Piopolis	87	125	33	0	0.0	0.0
		Piopolis	10	120	32	0	0.0	0.0
		Stendal	3	120	39	0	0.0	0.0
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RblC3	Rarden silty clay loam, 6 to 12 percent slopes, severely eroded	Rarden, severely eroded	81	65	23	26	2.1	4.2
		Coolville	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blocher, soft bedrock substratum	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Weddel	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RblD3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	Rarden, severely eroded	78	50	18	20	1.7	3.4
		Rarden	10	60	21	24	2.0	4.0
		Coolville, severely eroded	5	70	25	28	2.3	4.6
		Deam	5	---	---	---	0.0	0.0
		Blocher, soft bedrock substratum	2	115	40	46	3.8	7.6

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RbmD5	Rarden silty clay, 6 to 18 percent slopes, gullied	Rarden, very severely eroded	74	0	0	0	0.0	0.0
		Coolville, very severely eroded	12	70	25	28	2.3	4.6
		Rarden	12	60	21	24	2.0	4.0
		Deam	2	---	---	---	0.0	0.0
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	Rohan	45	---	---	---	0.0	0.0
		Jessietown	36	---	---	---	0.0	0.0
		Rock outcrop	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rohan, severely eroded	5	---	---	---	0.0	0.0
		Hickory	3	---	---	---	0.0	0.0
		Trappist	3	65	23	26	2.1	4.2
SceA	Scottsburg silt loam, 0 to 2 percent slopes	Scottsburg	95	140	49	56	4.6	9.2
		Whitcomb	5	150	49	60	5.0	10.0
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	96	135	47	54	4.5	9.0
		Deputy	2	120	42	48	4.0	8.0
		Trappist	2	105	37	42	3.5	7.0
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	95	125	44	56	4.1	8.2
		Wrays	5	125	44	50	4.1	8.2
SoaC2	Spickert silt loam, 6 to 12 percent slopes, eroded	Spickert	77	110	39	50	3.6	7.2
		Spickert	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wrays	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Spickert	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gilwood	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StaAH	Steff silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Steff	88	115	40	0	0.0	0.0
		Stendal	10	120	39	0	0.0	0.0
		Cuba	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	Steff	86	140	49	56	4.6	9.2
		Stendal	10	150	49	60	5.0	10.0
		Cuba	2	140	49	56	4.6	9.2
		Steff, occasionally flooded	2	130	46	18	4.3	8.6
StaAW	Steff silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Steff	86	130	46	18	4.3	8.6
		Stendal	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cuba	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Steff, frequent, very brief	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	89	125	40	0	0.0	0.0
		Bonnie	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Steff	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Piopolis	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	88	150	49	60	5.0	10.0
		Bonnie	5	160	46	64	5.3	10.6
		Steff	4	140	49	56	4.6	9.2
		Stendal	3	140	46	20	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Stendal	87	140	46	20	4.6	9.2
		Bonnie	5	145	40	20	4.8	9.6
		Steff	4	125	44	18	4.1	8.2
		Piopolis	2	135	37	19	4.5	9.0
		Stendal	2	130	42	18	4.3	8.6
StmB2	Stonehead silt loam, 2 to 6 percent slopes, eroded	Stonehead	94	140	49	56	4.6	9.2
		Weddel	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Stonehead, 6 to 10 percent slopes	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StmC	Stonehead silt loam, 6 to 12 percent slopes	Stonehead	86	135	47	54	4.5	9.0
		Stonehead	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Coolville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Kurtz	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Blocher, soft bedrock substratum	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Weddel	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	84	75	26	30	2.5	5.0
		Trappist	5	95	33	38	3.1	6.2
		Deputy	4	110	39	44	3.6	7.2
		Scottsburg	3	130	46	52	4.3	8.6
		Rohan	2	---	---	---	1.2	2.4
		Trappist	2	90	32	36	3.0	6.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist, severely eroded	75	65	23	26	2.1	4.2
		Trappist	15	105	37	42	3.5	7.0
		Deputy	4	105	37	42	3.5	7.0
		Rohan	2	---	---	---	0.7	1.4
		Scottsburg	2	130	46	52	4.3	8.6
		Trappist	2	80	28	32	2.6	5.2
ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied	Trappist, very severely eroded	73	0	0	0	0.0	0.0
		Deputy	12	0	0	0	0.0	0.0
		Trappist	8	105	37	42	3.5	7.0
		Rohan	7	45	16	18	1.5	3.0
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	Trappist, severely eroded	44	50	18	20	1.7	3.4
		Rohan, severely eroded	29	---	---	---	0.7	1.4
		Trappist	10	65	23	26	2.1	4.2
		Deputy	5	120	42	48	4.0	8.0
		Rohan	5	---	---	---	1.2	2.4
		Trappist	5	75	26	30	2.5	5.0
		Stendal	2	140	46	20	4.6	9.2
ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes	Trappist	49	65	23	26	2.1	4.2
		Rohan	33	---	---	---	1.2	2.4
		Deputy	10	115	40	46	3.8	7.6
		Trappist	4	80	28	32	2.6	5.2
		Rohan	2	---	---	---	0.7	1.4
		Stendal	2	135	44	19	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Uaa	Udorthents, cut and filled	Udorthents, cut and filled	83	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, poorly and somewhat poorly drained aquents	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rock outcrop	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	85	130	39	0	0.0	0.0
		Birds	10	140	39	20	4.6	9.2
		Wilbur	5	125	44	0	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6
		Birds	10	155	44	22	5.1	10.2
		Wilbur	5	140	49	20	4.6	9.2
		Wakeland, frequently flooded	3	140	42	20	4.6	9.2
WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded	Weddel	95	135	47	54	4.5	9.0
		Coolville	5	95	33	38	3.1	6.2
WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes	Wellrock	50	110	39	44	3.6	7.2
		Gnawbone	41	80	28	32	2.6	5.2
		Spickert, soft bedrock substratum	5	115	40	52	3.8	7.6
		Coolville	4	85	30	34	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WnmA	Whitcomb silt loam, 0 to 2 percent slopes	Whitcomb	87	150	49	60	5.0	10.0
		Scottsburg	10	140	49	56	4.6	9.2
		Fragic Epiaquults, very deep, silty	3	140	42	56	4.6	9.2
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	88	125	44	0	0.0	0.0
		Wakeland	10	130	39	0	0.0	0.0
		Haymond	2	120	42	0	0.0	0.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2
		Wakeland	10	145	44	20	4.8	9.6
		Wilbur	5	125	44	18	4.1	8.2
		Haymond	2	135	47	19	4.5	9.0
WomAM	Wilhite silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded, brief duration	Wilhite, ponded, undrained	90	0	0	0	0.0	0.0
		Water	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wirt	83	120	42	17	4.0	8.0
		Haymond	10	135	47	19	4.5	9.0
		Wirt, frequently flooded	5	115	40	16	3.8	7.6
		Oldenburg	2	125	44	18	4.1	8.2

COMPONENT CROP YIELDS (RV)--Continued  
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WpuAH	Wirt silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	88	105	37	0	0.0	0.0
		Haymond	10	120	42	0	0.0	0.0
		Oldenburg	2	110	39	0	0.0	0.0