

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
CkkB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati, eroded	85	115	40	52	3.8	7.6
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	135	46	61	4.5	9.0
BbhB	Bartle silt loam, 2 to 4 percent slopes	Bartle	80	135	46	61	4.5	9.0
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	80	130	46	59	4.3	8.6
BfbC2	Blocher, soft bedrock substratum-Weddel silt loams, 6 to 12 percent slopes, eroded	Blocher, soft bedrock substratum	46	135	47	54	4.5	9.0
		Weddel	30	125	44	50	4.1	8.2
BfcC3	Blocher, soft bedrock substratum-Weddel complex, 6 to 12 percent slopes, severely eroded	Blocher, soft bedrock substratum, severely eroded	49	120	42	48	4.0	8.0
		Weddel, severely eroded	32	105	37	42	3.5	7.0
BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded	Bonnell, severely eroded	74	90	32	36	3.0	6.0
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell, very severely eroded	45	0	0	0	0.0	0.0
		Hickory, very severely eroded	30	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BodAH	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	75	135	37	0	0.0	0.0
BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Bonnie	83	140	39	20	4.6	9.2
BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	39	---	---	---	0.0	0.0
		Gilwood	38	---	---	---	0.0	0.0
CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	Cincinnati	42	120	42	54	4.0	8.0
		Blocher	34	125	44	50	4.1	8.2
CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	42	110	39	50	3.6	7.2
		Blocher, severely eroded	34	120	42	48	4.0	8.0
CleC5	Cincinnati-Blocher complex, 6 to 12 percent slopes, gullied	Cincinnati, very severely eroded	45	0	0	0	0.0	0.0
		Blocher, very severely eroded	30	0	0	0	0.0	0.0
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	150	46	60	5.0	10.0
ComC	Coolville silt loam, 6 to 12 percent slopes	Coolville	71	110	39	44	3.6	7.2
ComC3	Coolville silt loam, 6 to 12 percent slopes, severely eroded	Coolville, severely eroded	71	85	30	34	2.8	5.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ConD	Coolville-Rarden complex, 12 to 18 percent slopes	Coolville	51	85	30	34	2.8	5.6
		Rarden	30	65	23	26	2.1	4.2
CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	Cuba	92	140	49	56	4.6	9.2
DbrG	Deam silty clay loam, 20 to 55 percent slopes	Deam	94	---	---	---	0.0	0.0
DddB2	Deputy silt loam, 2 to 6 percent slopes, eroded	Deputy	81	130	46	52	4.3	8.6
DddC2	Deputy silt loam, 6 to 12 percent slopes, eroded	Deputy	75	120	42	48	4.0	8.0
DddC3	Deputy silt loam, 6 to 12 percent slopes, severely eroded	Deputy, severely eroded	74	115	40	46	3.8	7.6
DfnA	Dubois silt loam, 0 to 2 percent slopes	Dubois	85	135	46	61	4.5	9.0
DfnB2	Dubois silt loam, 2 to 6 percent slopes, eroded	Dubois	77	130	44	59	4.3	8.6
DfoA	Dubois-Urban land complex, 0 to 2 percent slopes	Dubois	41	0	0	0	0.0	0.0
		Urban land	34	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EepA	Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	93	155	54	62	5.1	10.2
EepB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	85	155	54	62	5.1	10.2
EepF	Elkinsville silt loam, 18 to 35 percent slopes	Elkinsville	94	---	---	---	0.0	0.0
GgfD	Gilwood-Wrays silt loams, 6 to 18 percent slopes	Gilwood	39	80	28	32	2.6	5.2
		Wrays	38	110	39	44	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	55	---	---	---	0.0	0.0
		Kurtz	35	---	---	---	0.0	0.0
HccA	Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	90	135	47	61	4.5	9.0
HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt, eroded	84	115	40	52	3.8	7.6
HcdC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	Haubstadt	55	120	42	54	4.0	8.0
		Shircliff	23	105	37	42	3.5	7.0
HceC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	Haubstadt, severely eroded	55	115	40	52	3.8	7.6
		Shircliff, severely eroded	23	95	33	43	3.1	6.2
HcfB	Haubstadt-Urban land complex, 2 to 6 percent slopes	Haubstadt	46	0	0	0	0.0	0.0
		Urban land	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	85	120	42	0	0.0	0.0
HcgAQ	Haymond silt loam, 0 to 2 percent slopes, rarely flooded	Haymond	77	145	51	58	4.8	9.6
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	82	135	47	19	4.5	9.0
HeeG	Hickory loam, 25 to 50 percent slopes	Hickory	87	---	---	---	0.0	0.0
HerE	Hickory-Bonnell complex, 12 to 25 percent slopes	Hickory	45	---	---	---	3.5	7.0
		Bonnell	38	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HleAW	Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Holton	85	130	39	18	4.3	8.6
JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	80	120	42	54	4.0	8.0
JafC2	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded	Jennings	45	110	39	50	3.6	7.2
		Blocher, hard bedrock substratum	30	135	47	54	4.5	9.0
JafC3	Jennings-Blocher, hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded	Jennings, severely eroded	45	105	37	47	3.5	7.0
		Blocher, hard bedrock substratum, severely eroded	30	120	42	48	4.0	8.0
MhyA	Medora silt loam, 0 to 2 percent slopes	Medora	85	130	46	59	4.3	8.6
MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	Medora	88	120	42	54	4.0	8.0
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	Medora	73	115	40	52	3.8	7.6
MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded	Medora, severely eroded	75	95	33	43	3.1	6.2
NaaA	Nabb silt loam, 0 to 2 percent slopes	Nabb	85	130	46	59	4.3	8.6
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
NamF	Negley silt loam, 18 to 35 percent slopes	Negley	92	---	---	---	0.0	0.0
NanD3	Negley clay loam, 12 to 22 percent slopes, severely eroded	Negley, severely eroded	80	105	37	42	3.5	7.0
OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Oldenburg	85	125	44	18	4.1	8.2
PcrA	Pekin silt loam, 0 to 2 percent slopes	Pekin	90	130	46	59	4.3	8.6
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	90	125	44	56	4.1	8.2
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	76	115	40	52	3.8	7.6
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	Pekin, severely eroded	76	110	39	50	3.6	7.2
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	83	150	46	60	5.0	10.0
PlpAH	Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Piopolis	87	125	33	0	0.0	0.0
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RblC3	Rarden silty clay loam, 6 to 12 percent slopes, severely eroded	Rarden, severely eroded	81	65	23	26	2.1	4.2
RblD3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	Rarden, severely eroded	78	50	18	20	1.7	3.4
RbmD5	Rarden silty clay, 6 to 18 percent slopes, gullied	Rarden, very severely eroded	74	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	Rohan	45	---	---	---	0.0	0.0
		Jessietown	36	---	---	---	0.0	0.0
SceA	Scottsburg silt loam, 0 to 2 percent slopes	Scottsburg	95	140	49	56	4.6	9.2
SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	96	135	47	54	4.5	9.0
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	95	125	44	56	4.1	8.2
SoaC2	Spickert silt loam, 6 to 12 percent slopes, eroded	Spickert	77	110	39	50	3.6	7.2
StaAH	Steff silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Steff	88	115	40	0	0.0	0.0
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	Steff	86	140	49	56	4.6	9.2
StaAW	Steff silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Steff	86	130	46	18	4.3	8.6
StdAH	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	89	125	40	0	0.0	0.0
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	88	150	49	60	5.0	10.0
StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Stendal	87	140	46	20	4.6	9.2
StmB2	Stonehead silt loam, 2 to 6 percent slopes, eroded	Stonehead	94	140	49	56	4.6	9.2
StmC	Stonehead silt loam, 6 to 12 percent slopes	Stonehead	86	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	84	75	26	30	2.5	5.0
ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist, severely eroded	75	65	23	26	2.1	4.2
ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied	Trappist, very severely eroded	73	0	0	0	0.0	0.0
ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	Trappist, severely eroded	44	50	18	20	1.7	3.4
		Rohan, severely eroded	29	---	---	---	0.7	1.4
ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes	Trappist	49	65	23	26	2.1	4.2
		Rohan	33	---	---	---	1.2	2.4
Uaa	Udorthents, cut and filled	Udorthents, cut and filled	83	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAH	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	85	130	39	0	0.0	0.0
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6
WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded	Weddel	95	135	47	54	4.5	9.0
WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes	Wellrock	50	110	39	44	3.6	7.2
		Gnawbone	41	80	28	32	2.6	5.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Scott County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WnmA	Whitcomb silt loam, 0 to 2 percent slopes	Whitcomb	87	150	49	60	5.0	10.0
WokAH	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	88	125	44	0	0.0	0.0
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2
WomAM	Wilhite silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded, brief duration	Wilhite, ponded, undrained	90	0	0	0	0.0	0.0
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wirt	83	120	42	17	4.0	8.0
WpuAH	Wirt silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	88	105	37	0	0.0	0.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.