

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AfA—Alford silt loam, 0 to 2 percent slopes					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfB2—Alford silt loam, 2 to 6 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfB3—Alford silt loam, 2 to 6 percent slopes, severely eroded					
Alford, severely eroded	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfC2—Alford silt loam, 6 to 12 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AfC3--Alford silt loam, 6 to 12 percent slopes, severely eroded					
Alford, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfD2--Alford silt loam, 12 to 18 percent slopes, eroded					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfD3--Alford silt loam, 12 to 18 percent slopes, severely eroded					
Alford, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfE--Alford silt loam, 18 to 25 percent slopes					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfF--Alford silt loam, 25 to 35 percent slopes					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ag--Algiers silt loam, frequently flooded, very brief duration					
Algiers	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ba--Bartle silt loam, rarely flooded					
Bartle	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bo--Bonnie silt loam, frequently flooded, brief duration					
Bonnie	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Co--Combs fine sandy loam, frequently flooded, brief duration					
Combs	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Cu--Cuba silt loam, frequently flooded, brief duration					
Cuba	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Du--Dumps, mine					
Dumps	100	Not rated		Not rated	

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FaB--Fairpoint silt loam, reclaimed, 2 to 8 percent slopes					
Fairpoint	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FbG--Fairpoint very parachannery silt loam, 25 to 50 percent slopes					
Fairpoint	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GmF--Gilpin-Wellston silt loams, 25 to 35 percent slopes					
Gilpin	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gn--Ginat silt loam					
Ginat	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ha—Haymond silt loam, frequently flooded, brief duration					
Haymond	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
He—Henshaw silt loam					
Henshaw	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HoB2—Hosmer silt loam, 2 to 6 percent slopes, eroded					
Hosmer	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HoB3—Hosmer silt loam, 2 to 6 percent slopes, severely eroded					
Hosmer, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HoC2—Hosmer silt loam, 6 to 12 percent slopes, eroded					
Hosmer	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HoC3--Hosmer silt loam, 6 to 12 percent slopes, severely eroded					
Hosmer, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hu--Huntington silt loam, frequently flooded, brief duration					
Huntington	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IoA--Iona silt loam, 0 to 2 percent slopes					
Iona	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IoB2--Iona silt loam, 2 to 6 percent slopes, eroded					
Iona	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
JoA--Johnsburg silt loam, 0 to 2 percent slopes					
Johnsburg	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ls—Lindside silt loam, frequently flooded, brief duration Lindside	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MkB2—Markland silt loam, 2 to 6 percent slopes, eroded Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MkC2—Markland silt loam, 6 to 12 percent slopes, eroded Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MkD2—Markland silt loam, 12 to 18 percent slopes, eroded Markland	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MkE—Markland silt loam, 18 to 25 percent slopes Markland	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.10	Unstable excavation walls	0.10
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MIB3—Markland silty clay loam, 2 to 6 percent slopes, severely eroded					
Markland, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MIC3—Markland silty clay loam, 6 to 12 percent slopes, severely eroded					
Markland, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MID3—Markland silty clay loam, 12 to 18 percent slopes, severely eroded					
Markland, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Mr—McGary silt loam					
Mcgary	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.06	Unstable excavation walls	0.06
Ms—Montgomery silty clay loam					
Montgomery	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.08	Unstable excavation walls	0.08
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ne--Newark silt loam, frequently flooded, brief duration					
Newark	94	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz--Orthents, earthen dam					
Orthents	100	Not rated		Not rated	
PeA--Pekin silt loam, 0 to 2 percent slopes					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PeB2--Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ph--Philo silt loam, frequently flooded, brief duration					
Philo	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
Pml--Pits, quarry					
Pits, quarry	85	Not rated		Not rated	

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PrB2--Princeton fine sandy loam, 2 to 6 percent slopes, eroded					
Princeton	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrD2--Princeton fine sandy loam, 6 to 18 percent slopes, eroded					
Princeton	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Ra--Ragsdale silt loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rh--Rahm silt loam, occasionally flooded, brief duration					
Rahm	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ScA--Sciotoville silt loam, 0 to 2 percent slopes					
Sciotoville	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ScB2—Sciotoville silt loam, 2 to 6 percent slopes, eroded					
Sciotoville	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sn—Stendal silt loam, frequently flooded, brief duration					
Stendal	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TsA—Tilsit silt loam, 0 to 2 percent slopes					
Tilsit	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TsB2—Tilsit silt loam, 2 to 6 percent slopes, eroded					
Tilsit	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TsB3—Tilsit silt loam, 2 to 6 percent slopes, severely eroded					
Tilsit, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Uaa—Udorthents, cut and filled					
Udorthents	90	Not rated		Not rated	

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfD—Udorthents fragipan, 6 to 18 percent slopes, gullied					
Udorthents, very severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UID—Udorthents silty, 6 to 25 percent slopes, gullied					
Udorthents, very severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UnA—Uniontown silt loam, 0 to 2 percent slopes					
Uniontown	94	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.19	Unstable excavation walls	0.19
		Dusty	0.07	Dusty	0.07
UnB2—Uniontown silt loam, 2 to 6 percent slopes, eroded					
Uniontown	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.19	Unstable excavation walls	0.19
		Dusty	0.07	Dusty	0.07
UnB3—Uniontown silt loam, 2 to 6 percent slopes, severely eroded					
Uniontown, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.20	Unstable excavation walls	0.20
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UnC2—Uniontown silt loam, 6 to 12 percent slopes, eroded					
Uniontown	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Unstable excavation walls	0.19
		Unstable excavation walls	0.19	Dusty	0.07
		Dusty	0.07	Slope	0.04
UnC3—Uniontown silt loam, 6 to 12 percent slopes, severely eroded					
Uniontown, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Unstable excavation walls	0.20
		Unstable excavation walls	0.20	Dusty	0.07
		Dusty	0.07	Slope	0.04
UnE2—Uniontown silt loam, 12 to 25 percent slopes, eroded					
Uniontown	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.20	Unstable excavation walls	0.20
		Dusty	0.07	Dusty	0.07
Vn—Vincennes silt loam					
Vincennes	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W—Water					
Water	100	Not rated		Not rated	
Wa—Wakeland silt loam, frequently flooded, brief duration					
Wakeland	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WbA--Weinbach loam, 0 to 2 percent slopes					
Weinbach	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WcA--Weinbach silt loam, 0 to 2 percent slopes					
Weinbach	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeB--Wellston silt loam, 2 to 6 percent slopes					
Wellston	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeC2--Wellston silt loam, 6 to 12 percent slopes, eroded					
Wellston	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeC3--Wellston silt loam, 6 to 12 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WeD2—Wellston silt loam, 12 to 18 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeD3—Wellston silt loam, 12 to 18 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeE2—Wellston silt loam, 18 to 25 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeE3—Wellston silt loam, 18 to 25 percent slopes, severely eroded					
Wellston, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhA—Wheeling loam, 0 to 2 percent slopes					
Wheeling	100	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WhB2—Wheeling loam, 2 to 6 percent slopes, eroded					
Wheeling	100	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhB3—Wheeling loam, 2 to 6 percent slopes, severely eroded					
Wheeling, severely eroded	100	Somewhat limited		Somewhat limited	
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhC2—Wheeling loam, 6 to 12 percent slopes, eroded					
Wheeling	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WhC3—Wheeling loam, 6 to 12 percent slopes, severely eroded					
Wheeling, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WIA—Wheeling silt loam, 0 to 2 percent slopes					
Wheeling	100	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wr—Wilbur silt loam, frequently flooded, brief duration					
Wilbur	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ws--Woodmere silt loam, occasionally flooded, brief duration					
Woodmere	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaB2--Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded					
Apalona, eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, eroded	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.99	Wetness	0.99
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaC2--Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded					
Apalona, eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ZaC3--Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded					
Apalona, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zanesville, severely eroded	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaD2--Zanesville silt loam, 12 to 18 percent slopes, eroded					
Zanesville	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaD3--Zanesville silt loam, 12 to 18 percent slopes, severely eroded					
Zanesville, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Spencer County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Zp--Zipp silty clay loam					
Zipp	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

### Data Source Information

Soil Survey Area: Spencer County, Indiana  
 Survey Area Data: Version 15, Sep 15, 2014