

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
		Iva	10	165	54	66	5.4	10.8
AfB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AfB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
		Hosmer, severely eroded	5	130	46	59	4.3	8.6
AfC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
		Hosmer, eroded	6	110	39	50	3.6	7.2
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
		Hosmer, severely eroded	6	120	42	54	4.0	8.0
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
		Wakeland, frequently flooded	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
		Wakeland, frequently flooded	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
		Wellston	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ag	Algiers silt loam, frequently flooded, very brief duration	Algiers	94	140	46	20	4.6	9.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ba	Bartle silt loam, 0 to 2 percent slopes, rarely flooded	Bartle, rarely flooded	95	135	46	61	4.5	9.0
		Peoga, rarely flooded	3	150	46	60	5.0	10.0
		Pekin, rarely flooded	2	130	46	59	4.3	8.6
Bo	Bonnie silt loam, frequently flooded, brief duration	Bonnie	100	135	37	0	0.0	0.0
Co	Combs fine sandy loam, frequently flooded, brief duration	Combs	95	110	39	0	0.0	0.0
Cu	Cuba silt loam, frequently flooded, brief duration	Cuba	90	115	40	0	0.0	0.0
		Steff	10	130	46	18	4.3	8.6

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FaB	Fairpoint silt loam, reclaimed, 2 to 8 percent slopes	Fairpoint	100	145	51	58	4.8	9.6
FbG	Fairpoint very parachannery silt loam, 25 to 50 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
GmF	Gilpin-Wellston silt loams, 25 to 35 percent slopes	Gilpin	60	---	---	---	0.0	0.0
		Wellston	40	---	---	---	0.0	0.0
Gn	Ginat silt loam	Ginat	80	160	46	64	5.3	10.6
		Ginat, ponded	13	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hatfield	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Very deep, fine-textured soil	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ha	Haymond silt loam, frequently flooded, brief duration	Haymond	100	120	42	0	0.0	0.0
He	Henshaw silt loam	Henshaw	97	150	49	60	5.0	10.0
		Evansville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
		Alford, eroded	10	155	54	62	5.1	10.2
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	Hosmer, severely eroded	90	130	46	59	4.3	8.6
		Alford, severely eroded	10	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HoC2	Hosmer silt loam, 5 to 10 percent slopes, eroded	Hosmer, eroded	95	125	44	56	4.1	8.2
		Stoy, eroded	5	125	42	50	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
		Stoy, severely eroded	5	120	40	54	4.0	8.0
Hu	Huntington silt loam, frequently flooded, brief duration	Huntington	94	130	46	0	0.0	0.0
		Huntington	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded	Iona	100	155	54	62	5.1	10.2
JoA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0
		Apalona	5	135	47	61	4.5	9.0
		Zanesville	5	130	46	59	4.3	8.6
		Peoga	2	155	47	62	5.1	10.2
Ls	Lindside silt loam, frequently flooded, brief duration	Lindside	94	120	42	0	0.0	0.0
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Petrolia	3	130	35	0	0.0	0.0
MkB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MkC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	100	110	39	44	3.6	7.2
MkD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
MkE	Markland silt loam, 18 to 25 percent slopes	Markland	100	---	---	---	3.0	6.0
MlB3	Markland silty clay loam, 2 to 6 percent slopes, severely eroded	Markland, severely eroded	100	115	40	46	3.8	7.6
MlC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	100	105	37	42	3.5	7.0
MlD3	Markland silty clay loam, 12 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
Mr	McGary silt loam	McGary	85	140	46	56	4.6	9.2
		Shircliff	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		McGary, 2 to 4 percent slopes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Zipp	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ms	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
Ne	Newark silt loam, frequently flooded, brief duration	Newark	94	130	42	0	0.0	0.0
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PeA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	130	46	59	4.3	8.6
		Bartle	3	135	46	61	4.5	9.0
		Peoga	2	155	47	62	5.1	10.2
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	100	135	47	54	4.5	9.0
Ph	Philo silt loam, frequently flooded, brief duration	Philo	97	120	42	0	0.0	0.0
		Atkins	3	120	32	0	0.0	0.0
Pml	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Udorthents	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	100	130	46	52	4.3	8.6
PrD2	Princeton fine sandy loam, 6 to 18 percent slopes, eroded	Princeton	100	105	37	42	3.5	7.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Rh	Rahm silt loam, occasionally flooded, brief duration	Rahm	97	135	44	19	4.5	9.0
		poorly drained aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ScA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	88	130	46	52	4.3	8.6
		Elkinsville	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Hatfield	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Millstone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ScB2	Sciotoville silt loam, 2 to 6 percent slopes, eroded	Sciotoville	100	120	42	48	4.0	8.0
Sn	Stendal silt loam, frequently flooded, brief duration	Stendal	97	125	40	0	0.0	0.0
		Bonnie	3	135	37	0	0.0	0.0
TsA	Tilsit silt loam, 0 to 2 percent slopes	Tilsit	100	130	46	59	4.3	8.6
TsB2	Tilsit silt loam, 2 to 6 percent slopes, eroded	Tilsit	100	125	44	56	4.1	8.2
TsB3	Tilsit silt loam, 2 to 6 percent slopes, severely eroded	Tilsit, severely eroded	100	120	42	54	4.0	8.0
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Urban land	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UfD	Udorthents fragipan, 6 to 18 percent slopes, gullied	Udorthents, very severely eroded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UlD	Udorthents silty, 6 to 25 percent slopes, gullied	Udorthents, very severely eroded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnA	Uniontown silt loam, 0 to 2 percent slopes	Uniontown	94	145	51	58	4.8	9.6
		Evansville	3	155	44	62	5.1	10.2
		Ragsdale	3	165	47	66	5.4	10.8
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	Uniontown	100	140	49	56	4.6	9.2
UnB3	Uniontown silt loam, 2 to 6 percent slopes, severely eroded	Uniontown, severely eroded	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UnC2	Uniontown silt loam, 6 to 12 percent slopes, eroded	Uniontown	100	130	46	52	4.3	8.6
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded	Uniontown, severely eroded	100	125	44	50	4.1	8.2
UnE2	Uniontown silt loam, 12 to 25 percent slopes, eroded	Uniontown	100	115	40	46	3.8	7.6
Vn	Vincennes silt loam	Vincennes	100	160	46	64	5.3	10.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
		Birds, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbA	Weinbach loam, 0 to 2 percent slopes	Weinbach	97	135	46	54	4.5	9.0
		Ginat	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WcA	Weinbach silt loam, 0 to 2 percent slopes	Weinbach	97	135	46	54	4.5	9.0
		Ginat	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeB	Wellston silt loam, 2 to 6 percent slopes	Wellston	100	135	47	54	4.5	9.0
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
		Gilpin, eroded	5	75	26	30	2.5	5.0
		Zanesville, eroded	5	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WeC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	115	40	46	3.8	7.6
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	105	37	42	3.5	7.0
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
		Ebal, severely eroded	5	75	26	34	2.5	5.0
		Gilpin, severely eroded	5	70	25	28	2.3	4.6
WeE2	Wellston silt loam, 18 to 25 percent slopes, eroded	Wellston	100	---	---	---	3.0	6.0
WeE3	Wellston silt loam, 18 to 25 percent slopes, severely eroded	Wellston, severely eroded	100	---	---	---	1.8	3.6
WhA	Wheeling loam, 0 to 2 percent slopes	Wheeling	100	135	47	54	4.5	9.0
WhB2	Wheeling loam, 2 to 6 percent slopes, eroded	Wheeling	100	135	47	54	4.5	9.0
WhB3	Wheeling loam, 2 to 6 percent slopes, severely eroded	Wheeling, severely eroded	100	130	46	52	4.3	8.6
WhC2	Wheeling loam, 6 to 12 percent slopes, eroded	Wheeling	100	120	42	48	4.0	8.0
WhC3	Wheeling loam, 6 to 12 percent slopes, severely eroded	Wheeling, severely eroded	100	115	40	46	3.8	7.6
WlA	Wheeling silt loam, 0 to 2 percent slopes	Wheeling	100	135	47	54	4.5	9.0
Wr	Wilbur silt loam, frequently flooded, brief duration	Wilbur	97	125	44	0	0.0	0.0
		Birds	3	120	32	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ws	Woodmere silt loam, occasionally flooded, brief duration	Woodmere	100	125	44	18	4.1	8.2
ZaB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
		Wellston, eroded	10	140	49	56	4.6	9.2
		Johnsburg	5	150	51	68	5.0	10.0
ZaC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
		Deuchars, eroded	10	140	49	56	4.6	9.2
		Wellston, eroded	5	130	46	52	4.3	8.6
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
ZaD2	Zanesville silt loam, 12 to 18 percent slopes, eroded	Zanesville	100	105	37	47	3.5	7.0

COMPONENT CROP YIELDS (RV)--Continued  
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	Zanesville, severely eroded	100	100	35	45	3.3	6.6
Zp	Zipp silty clay loam, 0 to 2 percent slopes	Zipp	90	150	42	60	5.0	10.0
		Montgomery	10	155	44	62	5.1	10.2