

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfA	Alford silt loam, 0 to 2 percent slopes	Alford	90	160	56	64	5.3	10.6
AfB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
AfB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
AfC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
AfC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
AfD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
AfD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
AfE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
Ag	Algiers silt loam, frequently flooded, very brief duration	Algiers	94	140	46	20	4.6	9.2
Ba	Bartle silt loam, 0 to 2 percent slopes, rarely flooded	Bartle, rarely flooded	95	135	46	61	4.5	9.0
Bo	Bonnie silt loam, frequently flooded, brief duration	Bonnie	100	135	37	0	0.0	0.0
Co	Combs fine sandy loam, frequently flooded, brief duration	Combs	95	110	39	0	0.0	0.0
Cu	Cuba silt loam, frequently flooded, brief duration	Cuba	90	115	40	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FaB	Fairpoint silt loam, reclaimed, 2 to 8 percent slopes	Fairpoint	100	145	51	58	4.8	9.6
FbG	Fairpoint very parachannery silt loam, 25 to 50 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
GmF	Gilpin-Wellston silt loams, 25 to 35 percent slopes	Gilpin	60	---	---	---	0.0	0.0
		Wellston	40	---	---	---	0.0	0.0
Gn	Ginat silt loam	Ginat	80	160	46	64	5.3	10.6
Ha	Haymond silt loam, frequently flooded, brief duration	Haymond	100	120	42	0	0.0	0.0
He	Henshaw silt loam	Henshaw	97	150	49	60	5.0	10.0
HoB2	Hosmer silt loam, 2 to 5 percent slopes, eroded	Hosmer, eroded	90	135	47	61	4.5	9.0
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	Hosmer, severely eroded	90	130	46	59	4.3	8.6
HoC2	Hosmer silt loam, 5 to 10 percent slopes, eroded	Hosmer, eroded	95	125	44	56	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
Hu	Huntington silt loam, frequently flooded, brief duration	Huntington	94	130	46	0	0.0	0.0
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded	Iona	100	155	54	62	5.1	10.2
JoA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0
Ls	Lindside silt loam, frequently flooded, brief duration	Lindside	94	120	42	0	0.0	0.0
MkB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MkC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	100	110	39	44	3.6	7.2
MkD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
MkE	Markland silt loam, 18 to 25 percent slopes	Markland	100	---	---	---	3.0	6.0
MlB3	Markland silty clay loam, 2 to 6 percent slopes, severely eroded	Markland, severely eroded	100	115	40	46	3.8	7.6
MlC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland, severely eroded	100	105	37	42	3.5	7.0
MlD3	Markland silty clay loam, 12 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
Mr	McGary silt loam	McGary	85	140	46	56	4.6	9.2
Ms	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
Ne	Newark silt loam, frequently flooded, brief duration	Newark	94	130	42	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PeA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	100	135	47	54	4.5	9.0
Ph	Philo silt loam, frequently flooded, brief duration	Philo	97	120	42	0	0.0	0.0
Pm1	Pits, quarry	Pits, quarry	85	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	100	130	46	52	4.3	8.6
PrD2	Princeton fine sandy loam, 6 to 18 percent slopes, eroded	Princeton	100	105	37	42	3.5	7.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
Rh	Rahm silt loam, occasionally flooded, brief duration	Rahm	97	135	44	19	4.5	9.0
ScA	Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	88	130	46	52	4.3	8.6
ScB2	Sciotoville silt loam, 2 to 6 percent slopes, eroded	Sciotoville	100	120	42	48	4.0	8.0
Sn	Stendal silt loam, frequently flooded, brief duration	Stendal	97	125	40	0	0.0	0.0
TsA	Tilsit silt loam, 0 to 2 percent slopes	Tilsit	100	130	46	59	4.3	8.6
TsB2	Tilsit silt loam, 2 to 6 percent slopes, eroded	Tilsit	100	125	44	56	4.1	8.2
TsB3	Tilsit silt loam, 2 to 6 percent slopes, severely eroded	Tilsit, severely eroded	100	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Uaa	Udorthents, cut and filled	Udorthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UfD	Udorthents fragipan, 6 to 18 percent slopes, gullied	Udorthents, very severely eroded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Uld	Udorthents silty, 6 to 25 percent slopes, gullied	Udorthents, very severely eroded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnA	Uniontown silt loam, 0 to 2 percent slopes	Uniontown	94	145	51	58	4.8	9.6
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	Uniontown	100	140	49	56	4.6	9.2
UnB3	Uniontown silt loam, 2 to 6 percent slopes, severely eroded	Uniontown, severely eroded	100	135	47	54	4.5	9.0
UnC2	Uniontown silt loam, 6 to 12 percent slopes, eroded	Uniontown	100	130	46	52	4.3	8.6
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded	Uniontown, severely eroded	100	125	44	50	4.1	8.2
UnE2	Uniontown silt loam, 12 to 25 percent slopes, eroded	Uniontown	100	115	40	46	3.8	7.6
Vn	Vincennes silt loam	Vincennes	100	160	46	64	5.3	10.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
WbA	Weinbach loam, 0 to 2 percent slopes	Weinbach	97	135	46	54	4.5	9.0
WcA	Weinbach silt loam, 0 to 2 percent slopes	Weinbach	97	135	46	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WeB	Wellston silt loam, 2 to 6 percent slopes	Wellston	100	135	47	54	4.5	9.0
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WeC3	Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston, severely eroded	100	115	40	46	3.8	7.6
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	105	37	42	3.5	7.0
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
WeE2	Wellston silt loam, 18 to 25 percent slopes, eroded	Wellston	100	---	---	---	3.0	6.0
WeE3	Wellston silt loam, 18 to 25 percent slopes, severely eroded	Wellston, severely eroded	100	---	---	---	1.8	3.6
WhA	Wheeling loam, 0 to 2 percent slopes	Wheeling	100	135	47	54	4.5	9.0
WhB2	Wheeling loam, 2 to 6 percent slopes, eroded	Wheeling	100	135	47	54	4.5	9.0
WhB3	Wheeling loam, 2 to 6 percent slopes, severely eroded	Wheeling, severely eroded	100	130	46	52	4.3	8.6
WhC2	Wheeling loam, 6 to 12 percent slopes, eroded	Wheeling	100	120	42	48	4.0	8.0
WhC3	Wheeling loam, 6 to 12 percent slopes, severely eroded	Wheeling, severely eroded	100	115	40	46	3.8	7.6
W1A	Wheeling silt loam, 0 to 2 percent slopes	Wheeling	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Spencer County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wr	Wilbur silt loam, frequently flooded, brief duration	Wilbur	97	125	44	0	0.0	0.0
Ws	Woodmere silt loam, occasionally flooded, brief duration	Woodmere	100	125	44	18	4.1	8.2
ZaB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
ZaC2	Apalona-Zanesville silt loams, 6 to 12 percent slopes, eroded	Apalona, eroded	45	125	44	56	4.1	8.2
		Zanesville, eroded	40	110	39	50	3.6	7.2
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
ZaD2	Zanesville silt loam, 12 to 18 percent slopes, eroded	Zanesville	100	105	37	47	3.5	7.0
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	Zanesville, severely eroded	100	100	35	45	3.3	6.6
Zp	Zipp silty clay loam, 0 to 2 percent slopes	Zipp	90	150	42	60	5.0	10.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.