

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)  
 Starke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ad	Adrian muck, drained	Adrian, drained	75	145	44	58	4.8	9.6
Af	Adrian muck, frequently flooded	Adrian, drained	100	120	35	0	0.0	0.0
An	Alganssee fine sandy loam, occasionally flooded	Alganssee	90	85	23	12	2.8	5.6
As	Alganssee variant sand, occasionally flooded	Alganssee	90	125	37	18	4.1	8.2
BeA	Brems sand, 0 to 3 percent slopes	Brems	90	90	32	36	3.0	6.0
ChB	Coloma sand, 0 to 6 percent slopes, nonspodic minor components	Coloma	94	85	30	34	2.8	5.6
Co	Craigmile fine sandy loam, frequently flooded	Craigmile	100	165	47	0	0.0	0.0
Cp	Craigmile variant fine sandy loam, rarely flooded	Craigmile	90	135	40	54	4.5	9.0
CrA	Crosier fine sandy loam, 0 to 3 percent slopes	Crosier	90	150	49	68	5.0	10.0
Ed	Edwards muck, drained	Edwards, drained	100	125	30	50	4.1	8.2
Gf	Gilford sandy loam, 0 to 1 percent slopes	Gilford	85	150	42	60	5.0	10.0
Ho	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
MdA	Markton sand, 0 to 3 percent slopes	Markton	90	135	40	54	4.5	9.0
Me	Maumee sand	Maumee	100	135	37	54	4.5	9.0
Mh	Maumee mucky sand	Maumee	100	135	37	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Starke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Mn	Maumee variant loamy sand	Maumee	100	135	37	54	4.5	9.0
MpB	Metea loamy sandy, 1 to 4 percent slopes	Metea	100	110	39	44	3.6	7.2
Mr	Morocco loamy sand	Morocco	90	100	28	40	3.3	6.6
Na	Napoleon muck, undrained	Napoleon, undrained	100	0	0	0	0.0	0.0
Nf	Newton loamy sand	Newton	100	115	30	46	3.8	7.6
OrB	Ormas sand, 1 to 4 percent slopes	Ormas	100	105	37	53	3.5	7.0
OvA	Ormas variant-Morocco loamy sands, 0 to 2 percent slopes	Ormas	55	125	37	50	4.1	8.2
		Morocco	20	100	28	40	3.3	6.6
PlA	Plainfield sand, 0 to 2 percent slopes	Plainfield	95	75	26	30	2.5	5.0
PlB	Plainfield sand, 2 to 6 percent slopes	Plainfield	95	75	26	30	2.5	5.0
PlC	Plainfield sand, 6 to 12 percent slopes	Plainfield	95	65	23	26	2.1	4.2
PtA	Plainfield sand, wet substratum, 0 to 3 percent slopes	Plainfield	100	90	32	36	3.0	6.0
PvB	Plainfield sand, loamy substratum, 1 to 8 percent slopes	Plainfield	100	85	30	34	2.8	5.6
Px	Prochaska loamy sand, occasionally flooded	Prochaska	100	125	33	18	4.1	8.2
Sh	Shoals variant loam, rarely flooded	Shoals	90	155	51	62	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued  
 Starke County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
So	Suman silt loam, frequently flooded	Suman	100	110	28	0	0.0	0.0
To	Toto muck, drained	Toto, drained	100	125	30	50	4.1	8.2
Ud	Udorthents gravelly sand	Udorthents, gravelly	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wk	Watseka loamy sand	Watseka	90	115	33	46	3.8	7.6
WwB	Wawasee fine sandy loam, 1 to 8 percent slopes	Wawasee	100	140	49	56	4.6	9.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.