

Crop and Pasture Limitations  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Ad: Adrian-----	75	Ponding, wetness, low ph, wind erosion, subsidence.	Ponding, wetness, traffibility limitation, low ph, wind erosion, subsidence.
BlA: Blount-----	85	Wetness, low ph, moderate available water capacity, restricted permeability.	Traffibility limitation, low ph.
BnA: Blount-----	85	Wetness, low ph, moderate available water capacity, restricted permeability.	Traffibility limitation, low ph.
BoB: Boyer-----	50	Limited rooting depth (sand and gravel), low ph, wind erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, wind erosion, low available water capacity.
Ormas-----	40	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
BoC: Boyer-----	50	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.
Ormas-----	40	Low ph, water erosion, wind erosion, low available water capacity.	Low ph, water erosion, wind erosion, low available water capacity.
BoD: Boyer-----	50	Equipment limitation(slope), limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.	Equipment limitation(slope), limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.
Ormas-----	40	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity.	Equipment limitation(slope), low ph, water erosion, wind erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BtA: Brems-----	90	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
Bz: Brookston-----	100	Ponding, wetness, moderate available water capacity.	Ponding, wetness, trafficability limitation.
CaC: Casco-----	100	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.
CaD2: Casco-----	100	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.	Equipment limitation(slope), equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.
CcA: Carmi-----	100	Limited rooting depth (sand and gravel), low ph, wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), low ph, wind erosion.
ChB: Chelsea-----	100	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
ChC: Chelsea-----	100	Low ph, water erosion, wind erosion, low available water capacity.	Low ph, water erosion, wind erosion, low available water capacity.
Co: Cohoctah-----	100	Flooding, ponding, wetness, high ph.	Flooding, ponding, wetness, trafficability limitation, high ph.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
CrA: Crosier-----	90	Wetness, low ph, crusting, low available water capacity, restricted permeability.	Trafficability limitation, low ph, low available water capacity.
Dr: Del Rey-----	90	Wetness, low ph, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
Ed: Edwards-----	100	Ponding, wetness, low ph, wind erosion, subsidence.	Ponding, wetness, trafficability limitation, low ph, wind erosion, subsidence.
GnB: Glynwood-----	85	Wetness, low ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
Gs: Granby variant-----	100	Flooding, ponding, wetness, low ph, wind erosion, low available water capacity.	Flooding, ponding, wetness, low ph, wind erosion, low available water capacity.
HaA: Haskins-----	90	Wetness, low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
Hn: Histosols-----	100	Ponding, wetness, low ph, high ph, wind erosion.	Ponding, wetness, trafficability limitation, low ph, high ph, wind erosion, very low available water capacity.
Ht: Houghton-----	85	Ponding, wetness, low ph, subsidence.	Ponding, wetness, trafficability limitation, low ph, subsidence.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Hw: Houghton-----	75	Ponding, wetness, low ph, wind erosion, subsidence.	Ponding, wetness, trafficability limitation, low ph, wind erosion, subsidence.
KoA: Kosciusko-----	90	Limited rooting depth (sand and gravel), low ph, wind erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, wind erosion, low available water capacity.
KoB: Kosciusko-----	100	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, low available water capacity.
KsC: Kosciusko-----	100	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.
MbA: Martinsville-----	90	Low ph, crusting.	Low ph.
MbB: Martinsville-----	90	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
MbC: Martinsville-----	100	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
Mc: Martisco-----	100	Ponding, wetness, high ph, subsidence, low available water capacity.	Ponding, wetness, trafficability limitation, high ph, low available water capacity, subsidence.
MfB: Metea-----	100	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
MfC: Metea-----	100	Low ph, water erosion, wind erosion, low available water capacity.	Low ph, water erosion, wind erosion, low available water capacity.
MhB: Miami-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MhC: Miami-----	85	Low ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
MhD: Miami-----	90	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
MhE: Miami-----	85	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
MkC3: Miami-----	97	Low ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
MkD3: Miami-----	85	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Mm: Millgrove-----	100	Ponding, wetness, low ph, moderate available water capacity.	Ponding, wetness, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Mn: Milford-----	100	Ponding, wetness, low ph, clodding.	Ponding, wetness, trafficability limitation, low ph.
MoC2: Morley-----	100	Low ph, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
MoD2: Morley-----	100	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
MoE2: Morley-----	100	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
MrC3: Morley-----	100	Low ph, high ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, high ph, water erosion, low available water capacity.
MrD3: Morley-----	100	Equipment limitation(slope), low ph, high ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, high ph, water erosion, low available water capacity.
Mx: Morocco-----	90	Wetness, low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
Mz: Muskego-----	100	Ponding, wetness, low ph, wind erosion, subsidence, restricted permeability.	Ponding, wetness, trafficability limitation, low ph, wind erosion, subsidence.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
OhA:			
Oshtemo-----	55	Low ph, wind erosion, moderate available water capacity.	Low ph, wind erosion.
Ormas-----	35	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
OhB:			
Oshtemo-----	55	Low ph, wind erosion, moderate available water capacity.	Low ph, wind erosion.
Ormas-----	35	Low ph, wind erosion, low available water capacity.	Low ph, wind erosion, low available water capacity.
OhC:			
Oshtemo-----	60	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
Ormas-----	40	Low ph, water erosion, wind erosion, low available water capacity.	Low ph, water erosion, wind erosion, low available water capacity.
OsC:			
Oshtemo-----	35	Low ph, wind erosion, moderate available water capacity.	Low ph, wind erosion.
Kosciusko-----	25	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), low ph, water erosion, wind erosion.
Riddles-----	20	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
Pa:			
Palms-----	100	Ponding, wetness, low ph, wind erosion, subsidence.	Ponding, wetness, trafficability limitation, low ph, wind erosion, subsidence.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Pe: Pewamo-----	85	Ponding, wetness, low ph, clodding, moderate available water capacity.	Ponding, wetness, trafficability limitation, low ph.
PnA: Plainfield-----	90	Low ph, wind erosion, very low available water capacity.	Low ph, wind erosion, very low available water capacity.
PnB: Plainfield-----	100	Low ph, wind erosion, very low available water capacity.	Low ph, wind erosion, very low available water capacity.
RaB: Rawson-----	90	Low ph, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rb: Rensselaer-----	100	Ponding, wetness, low ph.	Ponding, wetness, trafficability limitation, low ph.
RxA: Riddles-----	90	Low ph, wind erosion.	Low ph, wind erosion.
RxB: Riddles-----	90	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
RxC: Riddles-----	100	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
RxD: Riddles-----	100	Equipment limitation(slope), low ph, water erosion, wind erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion, wind erosion.
Ry: Riverdale-----	90	Wetness, high ph, wind erosion, low available water capacity.	High ph, wind erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Sh: Shoals-----	85	Flooding, wetness, high ph.	Flooding, trafficability limitation, high ph.
Wa: Walkill-----	100	Ponding, wetness, low ph.	Ponding, wetness, trafficability limitation, low ph.
Wh: Washtenaw-----	100	Ponding, wetness.	Ponding, wetness, trafficability limitation.
WsB: Wawasee-----	90	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
WsC: Wawasee-----	100	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
WsD: Wawasee-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
WsE: Wawasee-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
WvC3: Wawasee-----	100	Low ph, high ph, crusting, water erosion, moderate available water capacity.	Low ph, high ph, water erosion.
WvD3: Wawasee-----	100	Equipment limitation(slope), low ph, high ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, high ph, water erosion.

Crop and Pasture Limitations--Continued  
 Steuben County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
Wx: Whitaker-----	90	Wetness, low ph, crusting, moderate available water capacity.	Trafficability limitation, low ph.